Length of Stay in PAS Hospitals

by Diagnosis,

United States, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List A: Hospital Diagnosis Groups 7
  - Definition of Multiple Dx Patients 7
  - Definition of Operated Patients 8
- Explanation of Statistics 8
- Exclusions 9
- Defining the Extended Stay Case 10

Length of Stay Tables 21
- Summary of All Patients 22
- Summary of All Patients Except Newborn 23
- Diagnosis Groups 1-398 24

Distribution Tables 223
- Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 225
- Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges 244
- Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care 268

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293
Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 11,838,779 patients discharged during 1979 from 1,663 nonfederal, short-term* U.S. hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 12,602,533 discharges.

Characteristics of all hospitals in the United States that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	 Number in PAS (3)	 Percent in PAS (4)	Beds Total[2] (5)	 Number in PAS (6)	 Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.
United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.
United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a United States hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, 1979*.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	3.7	8	1	1	3	4	7	8	14
20-34	1834	3.4	6	1	1	3	4	6	8	12
35-49	1606	3.7	7	1	1	3	5	7	8	13
50-64	1816	4.3	14	1	1	4	5	8	10	15
65+	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	1419	7.6	13	4	5	7	9	11	13	20
20-34	15407	7.7	11	5	5	7	9	11	13	18
35-49	13973	8.2	12	5	5	7	9	12	14	20
50-64	14342	8.8	12	5	6	8	10	13	16	21
65+	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	8	1	1	3	5	8	10	14
20-34	1520	4.5	10	1	1	4	6	8	10	16
35-49	2000	5.4	20	1	2	4	7	10	12	22
50-64	4049	5.9	20	2	2	5	7	11	13	22
65+	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	702	9.7	29	4	5	9	11	15	19	29
20-34	9582	9.5	24	5	6	8	11	15	18	27
35-49	11814	10.2	29	5	6	9	12	16	20	30
50-64	18554	11.7	43	6	6	10	14	19	23	36
65+	18734	15.2	77	6	7	13	18	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7092	4.2	11	1	1	3	5	8	10	15
B. *Operated*	52635	8.6	15	5	5	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	15350	6.6	27	2	2	5	8	12	15	25
B. *Operated*	59386	12.1	53	5	6	10	14	20	25	40
1. SINGLE DX	59727	8.1	16	3	4	7	9	13	15	22
2. MULTIPLE DX	74736	11.0	52	3	5	9	13	19	24	38
A. NOT OPERATED	22442	5.8	23	1	2	5	7	11	14	24
B. OPERATED	112021	10.5	38	5	6	9	12	17	21	34
TOTAL 0-19 YRS	2499	7.6	20	2	3	7	9	12	14	23
20-34	28343	7.8	18	3	4	7	9	12	15	22
35-49	29393	8.5	22	3	5	8	10	14	17	25
50-64	38761	9.7	33	3	5	8	11	16	20	31
65+	35467	12.2	66	3	5	10	15	22	27	43
GRAND TOTAL	**134463**	**9.7**	**38**	**3**	**5**	**8**	**11**	**16**	**21**	**33**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



1,663 PAS Hospitals, United States, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	233	3.7	8	1	1	3	4	7
20-34	1834	3.4	6	1	1	3	4	6
35-49	1606	3.7	7	1	1	3	5	7
50-64	1816	4.3	14	1	1	4	5	
65+	1603	5.6	15	1	2	5	7	
B. *Operated*								
0-19 YRS	1419	7.6	13	4	5	7	9	
20-34	15407	7.7	11	5	5	7		
35-49	13973	8.2	12	5	5	7		
50-64	14342	8.8	12	5	6	8		
65+	7494	10.8	26	6	6			
LE DX								
	145	4.2						

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



1,663 PAS Hospitals, United States, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	233	3.7	8	1	1	3	4	7
20-34	1834	3.4	6	1	1	3	4	6
35-49	1606	3.7	7	1	1	3	5	7
50-64	1816	4.3	14	1	1	4	5	
65+	1603	5.6	15	1	2	5	7	
B. *Operated*								
0-19 YRS	1419	7.6	13	4	5	7	9	
20-34	15407	7.7	11	5	5	7		
35-49	13973	8.2	12	5	5	7		
50-64	14342	8.8	12	5	6	8		
65+	7494	10.8	26	6	6			
LE DX								
	145	4.2						

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



1,663 PAS Hospitals, United States, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

131

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	233	3.7	8	1	1	3	4
20-34	1834	3.4	6	1	1	3	4
35-49	1606	3.7	7	1	1	3	5
50-64	1816	4.3	14	1	1	4	5
65+	1603	5.6	15	1	2	5	7
B. *Operated*							
0-19 YRS	1419	7.6	13	4	5	7	9
20-34	15407	7.7	11	5	5	7	
35-49	13973	8.2	12	5	5	7	
50-64	14342	8.8	12	5	6	8	
65+	7494	10.8	26	6	6		
	145	4.2					

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



1,663 PAS Hospitals, United States, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

131

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	233	3.7	8	1	1	3	4
20-34	1834	3.4	6	1	1	3	4
35-49	1606	3.7	7	1	1	3	5
50-64	1816	4.3	14	1	1	4	5
65+	1603	5.6	15	1	2	5	7
B. *Operated*							
0-19 YRS	1419	7.6	13	4	5	7	9
20-34	15407	7.7	11	5	5	7	
35-49	13973	8.2	12	5	5	7	
50-64	14342	8.8	12	5	6	8	
65+	7494	10.8	26	6	6		
	145	4.2					

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1249888	3.6	12	1	1	3	4	6	7	15
20-34	730867	4.2	26	1	1	3	4	7	11	28
35-49	272667	6.1	42	1	1	4	7	13	18	32
50-64	234916	6.8	45	1	2	5	8	14	19	34
55+	205724	7.7	55	1	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	531369	3.2	14	<1	1	2	4	6	8	18
20-34	926782	3.9	14	1	1	3	5	7	9	18
35-49	421570	5.2	27	1	1	4	7	11	14	25
50-64	387770	6.4	39	1	2	4	8	13	18	30
65+	320332	7.9	62	1	2	5	10	17	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	714479	5.0	32	1	2	4	6	9	13	31
20-34	458149	6.1	44	1	1	4	7	12	18	35
35-49	454400	7.4	48	1	2	5	9	15	20	35
50-64	744430	8.3	54	2	2	6	10	16	21	38
65+	1273807	10.0	75	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	315348	5.2	63	1	1	3	5	11	17	49
20-34	751120	5.9	43	1	2	4	7	11	15	36
35-49	523483	7.8	64	1	2	6	9	15	22	44
50-64	605295	10.2	105	2	2	7	13	22	30	57
65+	716383	13.6	150	2	3	10	18	28	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2694062	4.6	27	1	1	3	5	9	13	27
B. *Operated*	2587823	4.8	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	3645265	7.9	59	1	2	6	10	16	22	40
B. *Operated*	2911629	8.9	98	1	2	6	11	20	28	55
1. SINGLE DX	5281885	4.7	27	1	1	3	5	9	14	27
2. MULTIPLE DX	6556894	8.4	76	1	2	6	10	18	24	47
A. NOT OPERATED	6339327	6.5	48	1	2	4	8	14	19	36
B. OPERATED	5499452	7.0	69	1	1	4	8	16	22	45
TOTAL 0-19 YRS	2811084	4.0	24	1	1	3	4	7	10	25
20-34	2866918	4.8	30	1	1	3	6	9	13	29
35-49	1672120	6.7	48	1	2	5	8	14	19	35
50-64	1972411	8.3	68	1	2	6	11	17	23	43
65+	2516246	10.6	97	2	2	8	14	22	29	54
GRAND TOTAL	**11838779**	**6.7**	**58**	**1**	**2**	**4**	**8**	**14**	**20**	**40**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	497991	4.0	25	1	1	3	4	7	10	26
20-34	730867	4.2	26	1	1	3	4	7	11	28
35-49	272667	6.1	42	1	1	4	7	13	18	32
50-64	234916	6.8	45	1	2	5	8	14	19	34
65+	205724	7.7	55	1	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	530793	3.2	14	<1	1	2	4	6	8	18
20-34	926782	3.9	14	1	1	3	5	7	9	18
35-49	421570	5.2	27	1	1	4	7	11	14	25
50-64	387770	6.4	39	1	2	4	8	13	18	30
65+	320332	7.9	62	1	2	5	10	17	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397090	5.0	36	1	1	4	6	9	13	33
20-34	458149	6.1	44	1	1	4	7	12	18	35
35-49	454400	7.4	48	1	2	5	9	15	20	35
50-64	744430	8.3	54	2	2	6	10	16	21	38
65+	1273807	10.0	75	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	305474	4.8	50	1	1	3	5	10	15	42
20-34	751120	5.9	43	1	2	4	7	11	15	36
35-49	523483	7.8	64	1	2	6	9	15	22	44
50-64	605295	10.2	105	2	2	7	13	22	30	57
65+	716383	13.6	150	2	3	10	18	28	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1942165	5.1	35	1	1	3	6	10	15	30
B. *Operated*	2587247	4.8	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	3327876	8.1	61	1	2	6	10	16	22	41
B. *Operated*	2901755	8.9	97	1	2	6	11	20	28	54
1. SINGLE DX	4529412	4.9	31	1	1	3	6	10	14	28
2. MULTIPLE DX	6229631	8.5	78	1	2	6	10	18	25	48
A. NOT OPERATED	5270041	7.0	54	1	2	5	9	15	20	38
B. OPERATED	5489002	7.0	69	1	1	4	8	16	22	44
TOTAL 0-19 YRS	1731348	4.1	29	1	1	3	5	8	11	29
20-34	2866918	4.8	30	1	1	3	6	9	13	29
35-49	1672120	6.7	48	1	2	5	8	14	19	35
50-64	1972411	8.3	68	1	2	6	11	17	23	43
65+	2516246	10.6	97	2	2	8	14	22	29	54
GRAND TOTAL	**10759043**	**7.0**	**61**	**1**	**2**	**5**	**8**	**15**	**21**	**41**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10778	3.6	8	1	1	3	4	6	8	14
20-34	4167	3.5	8	1	1	3	4	6	8	14
35-49	1653	4.1	19	1	1	3	5	7	9	16
50-64	1216	4.1	10	1	1	3	5	8	10	17
65+	911	4.7	13	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS	192	5.7	13	2	3	5	7	9	12	18
20-34	225	6.7	21	2	3	5	8	12	17	24
35-49	85	7.9	31	3	3	7	9	13	18	33
50-64	38	9.1	52	1	2	8	12	17	21	38
65+	28	9.3	44	3	4	8	10	13	18	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10222	4.3	11	1	2	3	5	8	10	17
20-34	4006	4.1	11	1	1	3	5	7	10	17
35-49	2211	5.1	16	1	2	4	6	9	12	18
50-64	2731	5.7	21	1	2	5	7	11	14	24
65+	4263	7.0	36	2	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	270	8.3	72	2	3	6	9	15	24	46
20-34	283	8.7	53	2	3	7	11	16	21	46
35-49	198	11.0	85	3	4	9	13	20	25	70
50-64	215	11.3	96	3	3	8	14	24	37	73
65+	310	14.8	128	3	5	11	18	29	42	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18725	3.7	9	1	1	3	5	7	8	15
B. *Operated*	568	6.8	24	2	3	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	23433	5.0	18	1	2	4	6	9	12	22
B. *Operated*	1276	10.9	93	3	3	8	13	22	31	56
1. SINGLE DX	19293	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	24709	5.3	24	1	2	4	6	10	13	25
A. NOT OPERATED	42158	4.4	15	1	1	3	5	8	11	19
B. OPERATED	1844	9.6	75	2	3	7	11	19	26	52
TOTAL 0-19 YRS	21462	4.0	11	1	1	3	5	7	9	16
20-34	8681	4.0	12	1	1	3	5	7	10	18
35-49	4147	5.0	23	1	2	4	6	9	13	22
50-64	4200	5.6	24	1	2	4	7	10	14	26
65+	5512	7.0	42	2	2	5	9	14	18	39
GRAND TOTAL	**44002**	**4.6**	**18**	**1**	**1**	**4**	**6**	**9**	**11**	**22**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	10.0	68	2	3	8	15	19	21	48
20-34	235	14.1	143	2	3	12	17	28	37	70
35-49	218	15.0	204	2	4	12	18	30	41	95
50-64	207	14.8	212	2	3	10	18	34	44	77
65+	176	13.1	113	2	3	11	18	25	29	62
B. *Operated*										
0-19 YRS	15	8.0	62	1	1	6	11	20	26	28
20-34	93	12.3	80	2	3	10	15	25	27	47
35-49	118	13.1	92	2	3	11	18	26	31	99+
50-64	154	14.0	147	2	3	10	17	29	38	54
65+	118	14.9	99	4	4	13	20	26	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	11.6	90	1	3	9	16	22	30	45
20-34	226	17.0	214	3	4	13	21	34	51	93
35-49	347	18.3	266	3	4	14	23	40	62	99+
50-64	510	15.9	198	3	4	11	21	35	49	93
65+	647	17.3	192	3	4	14	22	35	49	80
B. *Operated*										
0-19 YRS	30	15.4	102	2	5	14	25	29	45	99+
20-34	119	15.5	150	3	4	13	18	33	40	69
35-49	242	19.4	325	3	5	14	23	45	69	99+
50-64	358	19.1	252	3	4	15	25	42	55	99+
65+	448	20.7	230	4	6	16	27	43	56	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	13.9	161	2	3	11	17	28	39	72
B. *Operated*	498	13.5	108	2	3	11	18	27	33	58
2. MULTIPLE DX										
A. *Not Operated*	1787	16.9	209	3	4	13	21	35	49	92
B. *Operated*	1197	19.3	246	3	5	15	25	42	56	99+
1. SINGLE DX	1424	13.7	143	2	3	11	17	27	36	69
2. MULTIPLE DX	2984	17.8	225	3	4	14	23	37	52	94
A. NOT OPERATED	2713	15.8	194	3	4	12	20	33	46	90
B. OPERATED	1695	17.6	213	3	4	14	23	37	51	93
TOTAL 0-19 YRS	192	11.1	82	2	2	9	16	22	28	52
20-34	673	15.1	161	3	4	12	18	29	40	81
35-49	925	17.1	249	3	4	13	21	35	55	99+
50-64	1229	16.4	213	3	4	12	21	37	48	91
65+	1389	17.7	192	3	4	14	23	36	50	81
GRAND TOTAL	**4408**	**16.5**	**202**	**3**	**4**	**13**	**21**	**35**	**48**	**91**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	15	2	3	5	7	11	16	17
20-34	18	13.4	160	1	2	9	17	35	44	46
35-49	21	9.7	32	2	3	8	14	17	20	23
50-64	18	9.1	31	2	2	9	11	16	20	22
65+	14	9.5	46	1	1	8	13	19	23	24
B. *Operated*										
0-19 YRS	56	4.7	27	<1	1	3	6	10	18	27
20-34	64	7.7	65	1	2	5	10	16	26	41
35-49	47	10.0	112	1	2	7	12	25	30	51
50-64	40	12.8	212	2	2	8	19	39	84	99+
65+	31	17.2	236	<1	1	14	28	42	49	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	17.2	174	1	2	13	27	35	40	40
20-34	29	7.6	60	1	1	4	13	20	33	99+
35-49	40	12.9	127	1	3	9	19	30	43	99+
50-64	44	16.8	248	3	3	11	24	39	65	99+
65+	88	15.5	148	4	5	12	20	34	45	88
B. *Operated*										
0-19 YRS	21	11.0	184	1	1	6	13	37	44	47
20-34	93	14.9	280	2	3	10	19	29	52	97
35-49	55	20.9	190	4	5	20	29	50	55	99+
50-64	101	19.3	317	3	4	15	25	45	76	99+
65+	113	23.4	338	2	5	20	35	47	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	9.7	62	1	2	8	13	18	23	44
B. *Operated*	238	9.6	126	1	1	5	12	25	37	76
2. MULTIPLE DX										
A. *Not Operated*	212	14.3	160	2	3	11	20	32	45	99+
B. *Operated*	383	19.2	300	2	3	15	27	46	74	99+
1. SINGLE DX	322	9.6	109	1	2	6	12	23	35	57
2. MULTIPLE DX	595	17.5	255	2	3	13	25	43	62	99+
A. NOT OPERATED	296	13.0	136	2	3	10	17	29	40	99+
B. OPERATED	621	15.5	255	1	2	11	22	39	52	99+
TOTAL 0-19 YRS	101	7.5	89	<1	1	4	7	21	29	44
20-34	204	11.5	181	1	2	8	14	26	40	97
35-49	163	14.4	153	2	2	11	21	32	51	99+
50-64	203	16.6	265	2	3	12	22	42	73	99+
65+	246	19.0	257	2	4	14	27	45	57	99+
GRAND TOTAL	**917**	**14.7**	**218**	**1**	**2**	**10**	**20**	**36**	**50**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1362	3.1	4	1	1	3	4	5	6	11
20-34	514	3.6	4	1	2	3	4	6	7	10
35-49	127	3.5	3	1	2	3	4	6	6	9
50-64	70	4.2	5	2	2	4	5	8	9	82
65+	21	5.0	5	2	3	5	6	8	9	10
B. *Operated*										
0-19 YRS	153	2.1	1	1	1	2	2	3	4	8
20-34	43	2.5	2	1	1	2	3	3	4	11
35-49	1	16.0		16	16	16	16	16	16	16
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2226	3.7	9	1	2	3	4	6	7	12
20-34	706	4.2	8	2	2	4	5	7	9	16
35-49	236	5.0	11	2	2	4	6	9	11	17
50-64	191	5.4	14	2	3	5	6	9	12	22
65+	101	6.8	56	2	2	5	8	11	15	47
B. *Operated*										
0-19 YRS	106	4.0	16	1	1	2	5	9	11	20
20-34	29	6.7	25	2	2	6	8	13	15	25
35-49	15	6.9	8	3	4	6	9	10	12	13
50-64	14	9.1	26	2	2	8	13	16	18	19
65+	8	15.4	72	3	4	15	23	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2094	3.3	4	1	1	3	4	5	6	11
B. *Operated*	199	2.2	3	1	1	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	3460	4.1	11	1	2	3	5	7	9	15
B. *Operated*	172	5.6	27	1	2	4	8	12	15	25
1. SINGLE DX	2293	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX	3632	4.1	12	1	2	3	5	7	9	16
A. NOT OPERATED	5554	3.8	8	1	2	3	4	6	8	13
B. OPERATED	371	3.8	17	1	1	2	4	9	12	24
TOTAL 0-19 YRS	3847	3.4	7	1	1	3	4	6	7	12
20-34	1292	3.9	7	1	2	3	5	7	8	14
35-49	379	4.6	9	2	2	4	6	8	10	16
50-64	277	5.3	13	2	2	4	6	9	13	24
65+	130	7.0	53	2	2	5	8	12	18	35
GRAND TOTAL	**5925**	**3.8**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	955	6.4	19	2	2	5	8	11	14	23
20-34	119	7.4	52	2	2	5	9	14	20	42
35-49	63	8.6	45	2	3	7	11	17	21	37
50-64	101	9.5	47	3	4	8	12	18	23	36
65+	209	10.7	54	3	4	9	14	19	23	38
B. *Operated*										
0-19 YRS	45	10.1	116	2	3	8	11	14	22	69
20-34	10	18.4	188	4	4	12	30	39	44	44
35-49	12	13.2	111	3	4	10	16	33	35	35
50-64	9	14.9	102	4	5	11	24	30	34	34
65+	15	24.3	205	4	7	20	37	44	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1157	7.7	31	2	3	7	10	14	17	27
20-34	437	10.3	76	2	3	8	12	20	29	45
35-49	403	12.3	86	3	4	10	16	22	30	50
50-64	1083	13.3	87	4	5	11	17	25	33	50
65+	3546	14.9	101	5	6	12	18	27	35	63
B. *Operated*										
0-19 YRS	146	15.6	146	4	6	12	17	30	43	63
20-34	145	19.2	223	4	5	14	27	42	51	99+
35-49	159	21.4	327	5	7	17	27	43	73	99
50-64	395	22.2	288	5	7	16	31	46	66	99+
65+	868	25.6	297	7	9	21	33	52	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1447	7.4	33	2	2	6	10	14	18	31
B. *Operated*	91	14.2	158	3	4	10	16	35	40	61
2. MULTIPLE DX										
A. *Not Operated*	6626	12.9	91	3	4	11	16	24	32	53
B. *Operated*	1713	23.0	288	6	8	18	31	48	64	99+
1. SINGLE DX	1538	7.8	42	2	2	6	10	14	19	38
2. MULTIPLE DX	8339	15.0	148	3	5	12	18	30	40	76
A. NOT OPERATED	8073	11.9	85	3	4	10	15	23	30	50
B. OPERATED	1804	22.6	285	5	7	17	30	46	62	99+
TOTAL 0-19 YRS	2303	7.7	40	2	2	6	10	14	17	32
20-34	711	11.8	120	2	3	8	14	27	36	54
35-49	637	14.2	160	3	4	11	17	29	39	84
50-64	1588	15.3	151	4	5	12	18	31	41	71
65+	4638	16.7	155	5	6	13	21	32	42	82
GRAND TOTAL	**9877**	**13.9**	**138**	**3**	**4**	**11**	**17**	**28**	**38**	**72**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	928	7.6	25	2	2	7	11	14	16	25
20-34	203	6.7	25	2	2	5	9	12	16	26
35-49	128	7.5	26	3	3	6	10	14	15	27
50-64	144	6.7	26	2	3	6	8	12	15	34
65+	106	7.4	23	2	3	6	8	14	17	24
B. *Operated*										
0-19 YRS	64	10.1	39	1	2	11	13	16	21	29
20-34	38	9.5	107	1	2	6	11	25	45	99+
35-49	43	12.7	177	1	2	8	18	29	45	58
50-64	38	9.2	49	1	2	8	12	18	23	34
65+	27	15.0	167	1	2	13	22	30	46	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	696	8.1	35	2	2	7	11	15	19	32
20-34	250	7.5	36	2	2	6	9	14	23	30
35-49	235	7.9	45	2	3	6	9	15	17	35
50-64	363	9.4	59	3	4	7	11	18	22	48
65+	598	11.2	67	3	4	9	14	21	28	43
B. *Operated*										
0-19 YRS	79	15.7	194	2	4	12	18	33	44	80
20-34	72	13.1	114	2	2	8	19	26	36	45
35-49	73	18.2	250	3	4	13	25	49	58	99+
50-64	137	17.9	242	2	3	11	26	38	49	76
65+	157	22.1	287	4	7	17	30	45	56	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	7.4	25	2	2	6	10	13	16	26
B. *Operated*	210	11.0	100	1	2	9	14	24	30	55
2. MULTIPLE DX										
A. *Not Operated*	2142	9.1	51	2	3	7	12	17	22	38
B. *Operated*	518	18.2	239	2	4	13	25	41	52	92
1. SINGLE DX	1719	7.8	36	2	2	6	11	14	18	34
2. MULTIPLE DX	2660	10.9	101	2	3	8	13	22	31	54
A. NOT OPERATED	3651	8.4	41	2	3	7	11	15	20	35
B. OPERATED	728	16.1	210	2	3	12	22	36	49	91
TOTAL 0-19 YRS	1767	8.3	40	2	2	7	11	15	18	33
20-34	563	8.1	51	2	2	6	10	17	24	36
35-49	479	9.8	97	2	3	7	11	20	29	59
50-64	682	10.5	103	2	3	7	12	22	31	55
65+	888	12.8	124	3	4	9	16	27	36	55
GRAND TOTAL	**4379**	**9.7**	**77**	**2**	**3**	**7**	**12**	**19**	**26**	**49**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3430	4.2	10	1	2	4	5	7	10	14
20-34	1890	4.7	9	2	2	4	6	8	10	15
35-49	329	5.4	12	1	2	5	7	10	12	19
50-64	66	7.3	20	2	2	6	10	13	15	21
65+	22	8.7	35	1	2	8	11	18	21	25
B. *Operated*										
0-19 YRS	64	6.1	12	2	2	5	7	11	13	18
20-34	34	7.6	73	1	3	5	10	12	19	50
35-49	9	7.9	50	1	1	7	10	19	23	23
50-64	9	7.7	20	2	2	7	11	14	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1068	5.3	24	2	2	4	6	10	12	20
20-34	680	5.9	15	2	2	5	7	10	13	20
35-49	159	7.4	34	2	3	6	9	13	17	37
50-64	91	9.9	61	2	3	7	13	22	28	39
65+	50	12.7	132	4	4	10	16	22	24	80
B. *Operated*										
0-19 YRS	49	11.2	94	3	3	9	12	25	35	45
20-34	62	12.1	148	3	4	10	14	18	22	87
35-49	13	9.5	23	3	4	8	14	16	18	18
50-64	15	17.1	206	4	5	12	23	27	52	61
65+	8	26.3	128	14	14	25	32	43	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5737	4.5	10	1	2	4	6	8	10	15
B. *Operated*	116	6.8	33	2	2	6	9	12	15	32
2. MULTIPLE DX										
A. *Not Operated*	2048	6.1	28	2	2	5	7	11	14	25
B. *Operated*	147	12.8	134	3	4	10	15	23	33	62
1. SINGLE DX	5853	4.5	11	1	2	4	6	8	10	15
2. MULTIPLE DX	2195	6.5	38	2	2	5	8	12	16	33
A. NOT OPERATED	7785	4.9	15	1	2	4	6	9	11	18
B. OPERATED	263	10.2	98	2	3	7	12	19	27	50
TOTAL 0-19 YRS	4611	4.6	15	1	2	4	6	8	11	16
20-34	2666	5.2	16	2	2	4	6	9	11	18
35-49	510	6.2	20	2	2	5	8	11	14	27
50-64	181	9.5	61	2	3	7	12	17	24	39
65+	80	12.9	126	2	4	10	17	23	31	70
GRAND TOTAL	**8048**	**5.1**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2057	3.6	8	1	1	3	4	6	7	13
20-34	452	4.8	10	1	2	4	6	8	11	16
35-49	201	4.8	9	1	2	4	6	9	11	15
50-64	366	6.5	17	2	2	5	8	12	16	22
65+	821	7.8	32	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	29	4.4	13	<1	1	3	5	10	17	99+
20-34	37	4.1	13	<1	1	3	4	8	13	17
35-49	30	5.4	29	1	2	4	7	9	12	30
50-64	37	7.8	72	1	2	5	9	23	36	99+
65+	42	9.9	70	1	2	8	13	24	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2653	4.1	11	1	2	3	5	7	9	14
20-34	594	5.6	14	2	2	5	7	10	12	21
35-49	267	7.1	37	2	2	6	8	12	19	39
50-64	978	8.5	43	2	3	7	10	16	22	36
65+	3220	10.7	72	3	3	8	13	21	27	43
B. *Operated*										
0-19 YRS	76	8.7	107	2	2	6	10	20	45	99+
20-34	83	7.9	50	1	2	6	10	17	24	80
35-49	47	12.2	187	2	2	9	15	34	53	99+
50-64	142	14.6	203	3	4	9	17	30	48	72
65+	327	17.2	197	3	4	13	24	38	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3897	4.9	17	1	2	4	6	9	13	21
B. *Operated*	175	6.5	46	1	2	4	8	15	25	83
2. MULTIPLE DX										
A. *Not Operated*	7712	7.6	51	2	2	5	9	15	21	36
B. *Operated*	675	14.2	181	2	3	10	18	32	46	96
1. SINGLE DX	4072	5.0	18	1	2	4	6	10	13	23
2. MULTIPLE DX	8387	8.1	64	2	2	6	10	17	23	43
A. NOT OPERATED	11609	6.7	41	1	2	5	8	13	18	33
B. OPERATED	850	12.6	163	2	3	9	17	29	44	98
TOTAL 0-19 YRS	4815	3.9	12	1	2	3	5	7	8	15
20-34	1166	5.4	16	1	2	4	7	10	13	22
35-49	545	6.6	43	1	2	5	8	12	18	44
50-64	1523	8.5	57	2	3	7	10	16	23	41
65+	4410	10.6	79	2	3	8	13	21	28	46
GRAND TOTAL	**12459**	**7.1**	**52**	**2**	**2**	**5**	**8**	**15**	**20**	**38**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1278	6.7	22	2	2	6	8	12	15	25
20-34	2966	7.8	25	2	3	7	10	14	17	26
35-49	825	8.5	30	2	3	7	10	15	19	28
50-64	413	9.8	46	3	3	8	12	18	22	35
65+	164	10.0	45	3	4	8	12	20	25	30
B. *Operated*										
0-19 YRS	36	9.3	72	2	2	7	14	17	26	41
20-34	173	8.3	38	2	2	7	12	17	20	28
35-49	110	10.8	66	1	2	10	14	21	26	39
50-64	81	10.3	56	1	2	8	14	21	27	79
65+	27	14.2	83	3	6	12	17	29	34	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	417	7.4	27	2	3	6	9	14	18	27
20-34	1177	8.3	32	2	3	7	10	15	20	29
35-49	522	9.8	41	3	4	8	12	18	22	34
50-64	464	10.6	56	3	4	9	13	19	24	39
65+	367	11.9	78	3	4	9	15	21	28	49
B. *Operated*										
0-19 YRS	32	10.5	48	2	3	8	15	20	25	26
20-34	152	12.7	134	2	2	10	16	23	33	52
35-49	109	14.0	170	2	2	10	20	30	36	70
50-64	140	16.4	136	3	4	14	21	35	40	57
65+	108	19.1	158	4	7	16	23	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5646	7.8	28	2	3	7	10	14	18	28
B. *Operated*	427	9.8	56	1	2	8	14	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	2947	9.2	44	2	3	8	12	17	21	34
B. *Operated*	541	15.1	147	2	3	12	20	30	38	58
1. SINGLE DX	6073	8.0	30	2	3	7	10	14	19	29
2. MULTIPLE DX	3488	10.1	65	2	3	8	13	19	24	42
A. NOT OPERATED	8593	8.3	34	2	3	7	10	15	19	30
B. OPERATED	968	12.7	114	2	2	10	17	25	34	53
TOTAL 0-19 YRS	1763	7.0	25	2	2	6	8	13	17	27
20-34	4468	8.1	32	2	3	7	10	15	18	29
35-49	1566	9.4	48	2	3	8	12	18	22	35
50-64	1098	11.0	67	3	4	9	14	21	27	44
65+	666	12.6	91	3	4	10	16	23	31	51
GRAND TOTAL	**9561**	**8.8**	**44**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3198	4.7	11	2	2	4	6	8	10	14
20-34	1178	5.3	10	2	2	4	7	10	11	16
35-49	173	5.9	13	2	2	5	8	10	13	19
50-64	31	7.3	21	2	3	6	10	14	16	21
65+	10	8.6	19	4	4	7	12	15	17	17
B. *Operated*										
0-19 YRS	39	5.8	11	2	2	5	7	11	12	16
20-34	36	6.2	12	1	2	6	8	11	12	14
35-49	8	7.6	21	2	3	6	11	15	15	15
50-64	2	8.0	8	6	6	8	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2701	5.2	11	2	2	5	6	9	11	17
20-34	957	5.6	11	2	2	5	7	10	12	16
35-49	184	7.2	17	2	3	6	9	13	14	19
50-64	66	8.8	37	2	3	7	11	17	20	35
65+	24	7.2	14	2	2	7	9	13	14	14
B. *Operated*										
0-19 YRS	89	8.5	32	2	3	8	11	14	16	35
20-34	73	10.6	48	3	4	8	13	22	27	31
35-49	15	12.0	37	4	4	12	18	21	22	22
50-64	11	10.9	47	3	5	9	12	23	26	26
65+	7	14.9	96	6	6	11	20	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4590	4.9	11	2	2	4	6	9	11	15
B. *Operated*	85	6.2	12	2	2	6	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	3932	5.5	12	2	2	5	7	10	12	18
B. *Operated*	195	9.9	43	3	4	6	12	18	23	33
1. SINGLE DX	4675	4.9	11	2	2	4	6	9	11	15
2. MULTIPLE DX	4127	5.7	14	2	2	5	7	10	13	19
A. NOT OPERATED	8522	5.2	12	2	2	4	7	9	11	16
B. OPERATED	280	8.8	37	2	3	7	11	16	21	31
TOTAL 0-19 YRS	6027	5.0	12	2	2	4	6	9	11	16
20-34	2244	5.6	12	2	2	5	7	10	12	18
35-49	380	6.8	17	2	2	6	9	12	15	20
50-64	110	8.6	33	2	3	7	11	16	20	31
65+	41	8.9	35	2	3	7	12	15	19	33
GRAND TOTAL	**8802**	**5.3**	**13**	**2**	**2**	**4**	**7**	**9**	**12**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.2	3	<1	<1	2	2	4	6	9
20-34	87	2.4	3	<1	<1	2	3	5	6	9
35-49	19	2.3	3	<1	1	2	3	5	7	8
50-64	8	3.1	8	1	1	2	4	8	9	9
65+	5	3.0	12	<1	<1	1	4	9	9	9
B. *Operated*										
0-19 YRS	1780	2.2	8	<1	<1	2	2	3	4	9
20-34	3636	2.4	7	<1	1	2	3	4	5	9
35-49	836	2.8	5	<1	1	2	3	5	6	11
50-64	295	2.8	4	<1	1	2	3	5	7	11
65+	71	3.4	7	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	16	<1	1	3	5	6	9	25
20-34	61	3.8	19	<1	1	3	5	7	8	26
35-49	26	4.2	39	<1	1	2	3	11	22	26
50-64	17	5.8	19	<1	1	4	8	12	16	17
65+	8	6.5	9	3	3	6	8	11	12	12
B. *Operated*										
0-19 YRS	358	3.1	6	1	1	2	4	6	9	13
20-34	1190	3.4	12	1	1	2	4	6	8	16
35-49	449	3.6	7	1	1	3	5	7	9	14
50-64	212	4.5	14	1	1	3	6	10	13	22
65+	89	5.9	21	2	2	4	7	13	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	6618	2.4	7	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	156	4.2	21	<1	1	3	5	8	12	26
B. *Operated*	2298	3.6	11	1	1	3	4	7	10	16
1. SINGLE DX	6788	2.4	7	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2454	3.6	12	1	1	3	4	7	10	17
A. NOT OPERATED	326	3.3	13	<1	<1	2	4	7	9	23
B. OPERATED	8916	2.7	8	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	2233	2.3	8	<1	<1	2	3	4	5	11
20-34	4974	2.7	8	<1	1	2	3	5	6	11
35-49	1330	3.1	7	<1	1	2	4	6	7	14
50-64	532	3.6	9	<1	1	3	4	7	10	17
65+	173	4.8	16	<1	1	3	6	9	13	20
GRAND TOTAL	**9242**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6620	3.3	6	1	1	3	4	5	7	11
20-34	1946	4.0	16	1	1	3	5	7	9	15
35-49	714	4.7	18	1	2	4	6	8	11	23
50-64	467	4.8	12	1	2	4	6	9	11	21
65+	377	5.2	30	1	2	4	6	9	12	31
B. *Operated*										
0-19 YRS	223	4.2	22	<1	1	3	5	9	12	30
20-34	106	5.3	33	1	1	4	6	11	14	32
35-49	48	6.6	55	1	2	4	8	13	20	44
50-64	34	11.0	144	1	2	8	14	20	45	54
65+	15	10.1	93	2	2	7	11	28	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5868	3.8	13	1	1	3	4	7	8	16
20-34	2458	4.5	15	1	2	4	6	8	10	17
35-49	1328	5.3	21	2	2	4	7	9	12	21
50-64	1487	5.8	19	2	2	5	7	10	13	25
65+	2076	7.0	42	2	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	189	7.0	74	1	2	5	8	12	23	36
20-34	205	8.4	62	1	2	7	11	15	21	45
35-49	137	10.9	128	2	3	7	14	21	31	60
50-64	148	12.6	140	2	3	10	15	29	43	81
65+	144	13.8	140	3	4	9	18	31	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10124	3.6	11	1	1	3	4	6	8	14
B. *Operated*	426	5.5	44	<1	1	3	7	12	15	37
2. MULTIPLE DX										
A. *Not Operated*	13217	4.8	21	1	2	4	6	9	12	22
B. *Operated*	823	10.2	110	2	2	7	12	21	31	56
1. SINGLE DX	10550	3.7	12	1	1	3	4	6	8	15
2. MULTIPLE DX	14040	5.1	28	1	2	4	6	9	13	27
A. NOT OPERATED	23341	4.3	17	1	2	3	5	8	10	19
B. OPERATED	1249	8.6	92	1	2	6	11	18	28	50
TOTAL 0-19 YRS	12900	3.6	11	1	1	3	4	6	8	13
20-34	4715	4.5	19	1	2	4	5	8	11	18
35-49	2227	5.5	29	1	2	4	7	10	13	26
50-64	2136	6.1	32	2	2	5	7	12	15	29
65+	2612	7.2	49	2	2	5	8	14	18	39
GRAND TOTAL	**24590**	**4.5**	**21**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	413	5.1	7	2	2	5	6	8	10	16
20-34	259	4.7	8	2	2	4	6	9	10	25
35-49	77	5.9	27	1	2	5	7	11	13	34
50-64	51	6.0	13	2	3	6	8	10	11	24
65+	23	6.7	14	2	3	6	11	12	13	13
B. *Operated*										
0-19 YRS	10	3.9	7	1	1	3	7	8	8	8
20-34	10	6.5	8	2	2	7	8	10	10	10
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	5	15.8	230	1	1	8	30	35	35	35
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	6.8	55	2	2	5	8	10	16	39
20-34	125	5.5	10	2	2	5	7	10	12	15
35-49	84	7.3	22	2	3	7	9	13	16	26
50-64	57	6.3	10	2	3	6	8	10	12	18
65+	41	11.8	68	3	4	10	15	21	29	43
B. *Operated*										
0-19 YRS	8	10.1	46	1	2	9	13	21	23	23
20-34	6	8.2	12	3	3	8	12	12	12	12
35-49	10	18.4	832	2	3	8	16	61	98	98
50-64	14	15.4	220	3	5	10	13	43	52	55
65+	10	19.0	309	2	3	11	32	47	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	5.2	10	2	2	5	6	9	11	16
B. *Operated*	28	7.7	60	1	1	6	8	14	30	35
2. MULTIPLE DX										
A. *Not Operated*	448	6.9	34	2	2	6	9	12	16	30
B. *Operated*	48	15.0	303	2	3	9	14	38	53	98
1. SINGLE DX	851	5.3	12	2	2	5	6	9	11	17
2. MULTIPLE DX	496	7.7	65	2	2	6	9	13	18	43
A. NOT OPERATED	1271	5.8	19	2	2	5	7	10	13	23
B. OPERATED	76	12.3	224	1	2	8	12	29	42	87
TOTAL 0-19 YRS	572	5.6	20	2	2	5	7	9	11	19
20-34	400	5.1	9	2	2	4	6	9	11	16
35-49	173	7.3	74	2	2	5	8	13	16	36
50-64	127	7.6	51	2	3	6	8	12	18	45
65+	75	11.2	93	2	3	8	13	21	31	50
GRAND TOTAL	**1347**	**6.2**	**33**	**2**	**2**	**5**	**7**	**11**	**13**	**31**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	533	5.6	14	2	2	5	7	10	12	21
20-34	804	5.3	13	2	2	4	6	9	12	18
35-49	145	6.3	26	1	1	5	8	13	18	22
50-64	53	5.6	31	1	1	4	7	13	18	26
65+	41	5.9	25	1	1	4	8	13	17	19
B. *Operated*										
0-19 YRS	134	3.6	14	<1	1	2	4	8	11	19
20-34	429	3.0	8	<1	1	2	4	6	8	16
35-49	119	4.0	37	<1	1	2	4	9	12	40
50-64	40	4.9	26	<1	1	3	5	15	16	23
65+	27	4.7	13	1	2	3	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	5.9	14	2	3	5	7	10	13	22
20-34	721	6.0	18	2	2	5	7	10	13	25
35-49	163	7.3	35	2	3	5	9	16	18	32
50-64	117	10.5	76	1	2	8	14	22	28	43
65+	195	9.7	56	1	2	8	13	18	23	37
B. *Operated*										
0-19 YRS	77	6.1	33	1	2	4	7	11	15	33
20-34	253	5.9	30	1	2	4	8	12	15	31
35-49	125	7.9	121	1	2	4	9	16	25	59
50-64	80	9.8	91	2	2	5	16	21	29	48
65+	72	14.8	300	2	2	10	20	33	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	5.5	15	1	2	4	7	10	13	21
B. *Operated*	749	3.4	15	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	1592	6.9	30	2	2	5	8	13	17	30
B. *Operated*	607	7.9	97	1	2	5	10	17	25	48
1. SINGLE DX	2325	4.9	16	1	1	4	6	10	12	20
2. MULTIPLE DX	2199	7.2	49	1	2	5	9	14	19	33
A. NOT OPERATED	3168	6.2	23	2	2	5	7	12	15	25
B. OPERATED	1356	5.4	56	1	1	3	6	12	18	35
TOTAL 0-19 YRS	1140	5.5	16	1	2	5	7	10	13	22
20-34	2207	5.1	17	1	2	4	6	10	13	21
35-49	552	6.5	54	1	1	4	8	13	18	35
50-64	290	8.6	70	1	1	5	12	20	25	41
65+	335	9.9	109	1	2	7	13	20	30	55
GRAND TOTAL	**4524**	**6.0**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	5.2	18	1	1	4	6	10	13	21
20-34	113	7.0	47	1	2	5	8	16	21	62
35-49	85	7.9	69	<1	1	4	11	20	23	40
50-64	74	13.0	303	<1	2	7	14	40	63	96
65+	46	9.5	59	2	2	7	13	23	26	29
B. *Operated*										
0-19 YRS	28	6.4	43	1	1	3	12	16	17	24
20-34	229	5.6	88	1	1	2	8	14	22	55
35-49	197	9.1	146	1	1	6	11	18	32	70
50-64	246	6.3	108	1	1	3	8	13	24	63
65+	102	9.9	125	2	2	8	12	21	25	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	5.6	35	1	2	4	6	10	14	35
20-34	200	7.7	78	1	2	5	9	13	20	58
35-49	172	10.4	150	1	3	7	11	20	43	76
50-64	272	10.3	130	2	3	7	11	18	36	63
65+	314	11.1	96	3	3	8	13	22	31	51
B. *Operated*										
0-19 YRS	39	17.2	418	1	2	10	16	49	55	87
20-34	139	14.0	217	2	2	9	18	32	49	99+
35-49	232	12.8	286	1	1	8	15	36	55	99+
50-64	255	17.4	356	2	3	11	23	46	71	99+
65+	234	17.2	330	2	3	11	20	50	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	7.7	88	1	2	5	9	17	24	63
B. *Operated*	802	7.2	114	1	1	3	9	17	24	70
2. MULTIPLE DX										
A. *Not Operated*	1296	8.9	97	2	2	6	10	17	26	58
B. *Operated*	899	15.6	315	1	2	10	19	42	60	99+
1. SINGLE DX	1278	7.4	104	1	1	4	9	17	24	65
2. MULTIPLE DX	2195	11.7	197	1	2	7	13	28	46	88
A. NOT OPERATED	1772	8.6	95	1	2	6	10	17	25	60
B. OPERATED	1701	11.7	238	1	1	7	14	30	49	97
TOTAL 0-19 YRS	563	6.3	65	1	2	4	7	12	16	48
20-34	681	8.2	114	1	1	5	10	18	30	64
35-49	686	10.5	188	1	1	7	12	25	41	90
50-64	847	11.5	225	1	1	7	13	28	48	90
65+	696	12.9	186	2	3	9	15	29	40	80
GRAND TOTAL	**3473**	**10.1**	**167**	**1**	**1**	**6**	**12**	**23**	**37**	**85**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.3	4	1	1	3	4	6	7	11
20-34	39	4.4	9	<1	1	4	6	9	10	14
35-49	27	4.5	10	1	2	3	6	10	11	12
50-64	19	5.2	20	<1	1	4	8	12	16	17
65+	9	5.4	24	1	1	4	7	14	16	16
B. *Operated*										
0-19 YRS	70	5.0	56	2	2	4	5	6	11	54
20-34	67	5.7	38	1	1	4	6	13	22	31
35-49	31	7.5	47	<1	1	6	11	17	26	27
50-64	20	7.0	38	<1	<1	5	11	16	18	19
65+	4	12.5	82	2	2	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	5.3	26	1	2	4	6	13	17	26
20-34	53	5.6	8	1	2	5	7	10	11	12
35-49	36	8.3	27	2	3	7	11	15	19	21
50-64	29	7.0	15	2	3	7	10	12	14	17
65+	43	8.8	59	3	4	6	10	19	25	43
B. *Operated*										
0-19 YRS	59	4.7	7	2	2	4	5	8	11	14
20-34	52	6.6	42	<1	1	5	8	17	19	34
35-49	48	13.4	128	2	3	11	17	29	37	99+
50-64	21	12.0	114	2	2	9	19	25	34	42
65+	15	9.3	133	1	1	5	10	26	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	4.0	9	1	1	3	5	8	10	15
B. *Operated*	192	6.0	48	1	2	4	6	12	19	30
2. MULTIPLE DX										
A. *Not Operated*	255	6.6	28	1	2	5	8	12	17	26
B. *Operated*	195	8.5	78	1	2	5	11	20	27	54
1. SINGLE DX	373	5.0	30	1	1	4	6	11	15	26
2. MULTIPLE DX	450	7.4	51	1	2	5	9	16	21	42
A. NOT OPERATED	436	5.5	22	1	2	4	7	11	14	24
B. OPERATED	387	7.3	64	1	2	4	9	17	24	43
TOTAL 0-19 YRS	310	4.6	24	1	2	3	5	8	11	22
20-34	211	5.6	26	1	1	5	7	11	16	28
35-49	142	9.2	72	1	2	7	12	20	26	66
50-64	89	7.8	49	1	1	6	11	17	21	36
65+	71	8.7	71	1	2	5	10	20	26	44
GRAND TOTAL	**823**	**6.3**	**43**	**1**	**2**	**4**	**8**	**13**	**19**	**34**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.7	10	1	2	4	6	8	11	18
20-34	286	5.4	15	1	2	4	7	10	14	19
35-49	140	6.4	22	2	2	5	9	13	17	23
50-64	68	7.3	75	1	1	5	7	14	22	53
65+	23	7.4	36	2	4	5	8	17	23	26
B. *Operated*										
0-19 YRS	66	5.2	19	<1	1	4	8	10	12	24
20-34	903	6.5	33	1	2	5	8	13	17	27
35-49	415	6.3	30	1	2	4	9	14	17	28
50-64	147	8.7	81	2	2	6	11	19	26	49
65+	56	8.8	43	1	2	8	12	17	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	5.3	14	1	2	4	7	10	13	23
20-34	446	6.6	32	1	2	5	8	12	16	28
35-49	394	8.3	59	2	3	6	10	15	22	51
50-64	246	8.4	34	2	3	7	11	17	20	29
65+	187	11.8	132	2	3	9	14	26	32	90
B. *Operated*										
0-19 YRS	55	9.0	73	1	2	7	13	18	33	97
20-34	635	9.6	53	2	3	8	12	19	23	39
35-49	404	9.8	54	2	3	8	14	20	24	34
50-64	262	11.3	96	2	3	9	14	23	27	50
65+	112	14.0	162	2	2	10	19	28	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	5.7	22	1	2	4	7	11	14	23
B. *Operated*	1587	6.7	37	1	2	5	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	1537	7.7	52	2	2	6	9	15	20	36
B. *Operated*	1468	10.3	71	2	3	8	13	21	25	45
1. SINGLE DX	2280	6.4	33	1	2	5	8	13	17	27
2. MULTIPLE DX	3005	9.0	63	2	2	7	11	18	24	42
A. NOT OPERATED	2230	7.1	44	2	2	5	9	14	18	33
B. OPERATED	3055	8.4	57	2	2	6	11	17	23	37
TOTAL 0-19 YRS	561	5.5	20	1	2	4	7	10	14	26
20-34	2270	7.3	38	2	2	6	9	15	19	31
35-49	1353	7.9	47	2	2	6	10	16	21	35
50-64	723	9.4	72	2	2	7	12	19	24	43
65+	378	11.8	126	2	3	8	15	25	31	62
GRAND TOTAL	**5285**	**7.9**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	6	7.2	7	3	3	8	9	10	10	10
35-49	6	8.0	86	1	1	4	12	24	25	25
50-64	5	9.0	47	4	4	4	16	17	17	17
65+	3	8.0	43	<1	<1	11	57	99+	99+	99+
B. *Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	18	12.1	201	2	3	6	17	33	49	56
35-49	11	5.9	16	2	2	4	8	11	16	16
50-64	8	4.0	11	1	1	3	6	9	10	10
65+	8	7.0	20	2	3	6	8	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.6	49	2	2	3	9	19	21	21
20-34	17	6.7	44	1	1	6	8	10	23	30
35-49	26	6.3	20	1	2	5	8	14	16	19
50-64	36	7.5	56	1	2	5	10	13	20	41
65+	67	11.3	130	3	3	8	13	21	29	63
B. *Operated*										
0-19 YRS	18	6.4	25	<1	1	5	8	13	17	20
20-34	34	7.6	111	2	2	5	8	10	14	65
35-49	33	13.5	229	2	2	7	15	40	45	61
50-64	34	13.1	240	1	2	7	14	44	53	55
65+	27	14.5	173	3	4	11	18	40	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.1	35	1	2	5	10	17	40	99+
B. *Operated*	50	7.7	90	2	2	5	8	17	19	56
2. MULTIPLE DX										
A. *Not Operated*	154	8.8	84	2	2	6	11	17	22	56
B. *Operated*	146	11.3	174	2	2	7	13	30	46	66
1. SINGLE DX	75	7.5	71	1	2	5	8	17	23	89
2. MULTIPLE DX	300	10.1	129	2	2	6	12	20	40	63
A. NOT OPERATED	179	8.6	78	1	2	6	11	17	23	62
B. OPERATED	196	10.4	155	2	2	6	11	23	45	63
TOTAL 0-19 YRS	36	5.6	25	1	2	4	7	13	18	21
20-34	75	8.5	110	2	2	6	8	15	27	63
35-49	76	9.5	125	2	2	5	11	19	38	57
50-64	83	9.6	134	1	2	5	11	20	42	55
65+	105	11.7	132	2	3	9	15	23	49	99+
GRAND TOTAL	**375**	**9.5**	**118**	**2**	**2**	**6**	**11**	**19**	**37**	**64**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	4	<1	1	2	4	5	7	7
20-34	27	6.7	80	<1	1	4	7	14	31	39
35-49	81	7.8	93	1	1	4	9	21	32	47
50-64	357	7.1	93	1	2	4	8	14	22	53
65+	312	6.8	56	1	2	4	8	13	22	48
B. *Operated*										
0-19 YRS	36	5.1	15	1	2	4	7	10	15	16
20-34	132	5.7	87	1	2	4	6	11	16	96
35-49	411	6.1	55	1	2	3	7	14	19	49
50-64	1393	7.3	85	1	2	4	9	16	24	48
65+	1446	7.3	81	1	2	4	9	16	25	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.1	52	1	2	4	10	13	19	38
20-34	31	6.9	132	1	2	4	6	12	23	64
35-49	211	8.8	94	1	2	6	11	18	26	51
50-64	851	8.6	75	1	2	6	10	19	29	51
65+	877	10.7	118	1	2	7	14	23	32	52
B. *Operated*										
0-19 YRS	15	5.5	12	1	1	5	8	10	12	13
20-34	73	11.2	155	2	2	8	13	27	36	58
35-49	417	14.4	260	2	2	9	19	40	58	99+
50-64	1979	13.5	183	2	2	9	18	31	44	89
65+	2192	13.6	221	2	2	9	17	32	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	7.0	76	1	2	4	8	14	23	50
B. *Operated*	3418	7.1	79	1	2	4	8	16	24	49
2. MULTIPLE DX										
A. *Not Operated*	2004	9.5	97	1	2	6	12	21	30	52
B. *Operated*	4676	13.6	207	2	2	9	18	32	46	90
1. SINGLE DX	4208	7.1	79	1	2	4	8	15	23	49
2. MULTIPLE DX	6680	12.3	178	2	2	8	16	29	42	82
A. NOT OPERATED	2794	8.8	93	1	2	6	11	20	29	51
B. OPERATED	8094	10.8	163	1	2	6	14	26	38	75
TOTAL 0-19 YRS	98	5.6	27	1	1	4	7	11	15	29
20-34	263	7.5	115	1	2	4	8	15	28	63
35-49	1120	9.8	155	1	2	5	12	23	38	76
50-64	4580	10.2	134	1	2	6	13	24	35	66
65+	4827	10.8	158	2	2	6	13	25	37	75
GRAND TOTAL	**10888**	**10.3**	**146**	**1**	**2**	**6**	**13**	**24**	**36**	**71**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	27	9.7	171	1	1	5	11	21	37	64
50-64	154	8.4	94	1	2	5	9	18	24	61
65+	176	8.9	86	1	2	6	10	27	31	41
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	61	14.6	184	2	2	11	21	29	44	97
50-64	342	16.1	207	2	3	12	21	35	45	76
65+	394	14.5	207	2	2	10	20	29	44	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	8.2	74	2	2	5	9	23	25	25
35-49	61	9.3	67	1	2	7	11	21	29	36
50-64	340	11.1	134	1	2	7	13	23	33	57
65+	557	11.0	101	2	3	8	14	25	35	53
B. *Operated*										
0-19 YRS	2	21.5	41	17	17	21	26	26	26	26
20-34	5	17.6	103	4	4	21	24	30	30	30
35-49	134	22.7	347	3	4	18	29	54	69	92
50-64	631	19.7	264	3	4	15	27	42	54	96
65+	868	19.7	266	3	4	16	26	42	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	8.7	95	1	2	5	10	21	30	48
B. *Operated*	800	15.1	205	2	2	11	21	32	44	76
2. MULTIPLE DX										
A. *Not Operated*	965	10.9	111	2	3	7	14	24	34	54
B. *Operated*	1640	19.9	271	3	4	16	26	42	57	95
1. SINGLE DX	1157	13.2	180	2	2	9	18	29	41	70
2. MULTIPLE DX	2605	16.6	231	2	3	12	22	37	49	88
A. NOT OPERATED	1322	10.3	107	1	2	7	13	23	32	53
B. OPERATED	2440	18.4	255	2	3	14	25	40	54	89
TOTAL 0-19 YRS	4	13.0	118	1	1	12	21	26	26	26
20-34	13	11.2	96	2	3	6	21	26	29	30
35-49	283	16.8	268	2	3	11	24	38	56	86
50-64	1467	15.7	220	2	3	11	21	36	46	84
65+	1995	15.3	209	2	3	11	20	35	45	77
GRAND TOTAL	**3762**	**15.5**	**218**	**2**	**3**	**11**	**21**	**35**	**46**	**80**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	4.3	7	1	2	4	4	9	10	11
35-49	23	8.3	92	1	2	6	9	20	34	41
50-64	155	7.1	52	1	2	5	9	15	19	40
65+	281	8.2	73	1	1	5	11	17	24	44
B. *Operated*										
0-19 YRS	3	9.7	74	2	2	8	16	19	19	19
20-34	14	17.4	80	6	8	17	21	30	35	36
35-49	90	17.7	87	7	8	16	21	31	32	51
50-64	395	15.5	83	2	5	14	20	27	33	43
65+	555	17.4	109	3	6	16	22	32	38	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.9	94	1	2	4	8	25	31	31
20-34	32	11.3	232	1	1	5	13	27	49	67
35-49	117	8.8	58	1	1	7	12	18	25	36
50-64	542	9.3	74	1	2	7	12	19	24	42
65+	1252	10.6	87	2	3	8	13	22	30	47
B. *Operated*										
0-19 YRS	5	29.2	688	8	8	13	52	66	66	66
20-34	57	21.8	261	6	7	16	32	42	53	81
35-49	230	18.6	190	5	7	15	21	33	43	75
50-64	1136	21.0	201	6	8	17	27	38	49	87
65+	2481	22.5	208	6	8	19	28	41	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	7.7	65	1	2	5	10	16	22	43
B. *Operated*	1057	16.7	98	3	6	15	21	30	36	53
2. MULTIPLE DX										
A. *Not Operated*	1951	10.1	84	2	2	7	13	21	28	47
B. *Operated*	3909	21.8	207	6	8	18	28	40	51	82
1. SINGLE DX	1533	13.9	105	2	3	12	19	28	34	47
2. MULTIPLE DX	5860	17.9	197	3	4	15	24	36	46	75
A. NOT OPERATED	2427	9.6	81	1	2	7	12	20	27	46
B. OPERATED	4966	20.7	188	5	8	18	26	38	49	78
TOTAL 0-19 YRS	17	14.2	324	1	2	8	14	45	60	66
20-34	119	16.1	236	2	2	11	20	38	47	74
35-49	460	15.4	150	2	4	13	19	30	35	72
50-64	2228	16.2	168	2	4	13	21	32	41	72
65+	4569	17.7	187	3	4	15	24	35	45	71
GRAND TOTAL	**7393**	**17.1**	**180**	**2**	**4**	**14**	**22**	**34**	**43**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	9	7.0	71	1	2	5	6	20	29	29
65+	19	5.2	5	3	3	4	6	8	10	12
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	14.8	45	8	8	13	19	24	24	24
35-49	18	19.6	407	7	8	13	18	38	72	92
50-64	38	22.5	190	8	10	19	27	41	54	64
65+	34	15.8	52	6	9	15	18	25	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	10.1	247	1	1	5	8	36	51	51
35-49	18	3.7	7	1	1	3	5	8	9	9
50-64	66	10.9	184	1	2	6	12	25	38	76
65+	89	9.5	69	2	2	7	12	18	27	44
B. *Operated*										
0-19 YRS										
20-34	20	18.6	113	5	8	15	24	37	38	38
35-49	65	17.5	89	6	8	16	22	31	39	44
50-64	200	21.3	232	7	9	16	27	45	61	99+
65+	278	21.9	173	8	10	19	27	39	51	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	6.1	25	3	3	5	6	10	14	29
B. *Operated*	95	19.0	181	7	8	16	23	32	43	79
2. MULTIPLE DX										
A. *Not Operated*	182	9.5	115	1	2	6	11	18	34	53
B. *Operated*	563	21.1	183	7	9	17	27	39	52	91
1. SINGLE DX	126	15.8	173	3	4	13	20	30	40	71
2. MULTIPLE DX	745	18.2	191	3	5	15	24	37	47	80
A. NOT OPERATED	213	9.0	104	1	2	6	10	17	30	52
B. OPERATED	658	20.8	183	7	9	17	26	39	50	91
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	35	15.5	141	2	4	13	18	37	38	51
35-49	102	15.3	157	2	3	13	19	29	39	68
50-64	313	18.8	234	3	5	14	25	40	55	95
65+	420	18.0	166	3	4	15	23	35	45	73
GRAND TOTAL	**871**	**17.9**	**189**	**3**	**5**	**15**	**23**	**36**	**46**	**80**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	17	4.3	5	1	1	5	5	7	9	10
35-49	63	7.7	69	1	2	5	8	17	29	44
50-64	333	6.5	46	1	2	5	7	13	19	36
65+	540	7.6	50	1	1	5	10	17	24	32
B. *Operated*										
0-19 YRS	12	9.6	38	2	2	11	15	17	18	18
20-34	66	12.9	49	3	6	12	16	21	24	38
35-49	431	12.7	42	3	6	12	16	20	24	40
50-64	1675	13.8	45	4	8	13	16	21	26	38
65+	3258	16.3	80	5	9	15	19	26	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	12	6	6	6	11	12	12	12
20-34	73	7.1	32	2	2	5	9	16	17	26
35-49	326	8.0	67	1	2	5	9	16	23	50
50-64	1660	8.6	69	2	2	6	10	18	26	43
65+	3689	10.5	99	2	3	7	13	22	30	51
B. *Operated*										
0-19 YRS	39	19.6	85	5	8	19	26	32	36	41
20-34	180	15.9	100	5	7	13	20	30	39	57
35-49	1012	17.2	99	6	8	15	21	29	38	55
50-64	4878	17.9	118	6	9	15	21	30	39	70
65+	12762	21.2	143	8	10	18	26	36	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	7.2	50	1	2	5	9	16	23	34
B. *Operated*	5442	15.2	67	4	8	14	18	24	29	46
2. MULTIPLE DX										
A. *Not Operated*	5751	9.8	89	2	3	7	12	21	28	49
B. *Operated*	18871	20.1	136	8	10	17	24	34	43	69
1. SINGLE DX	6398	14.0	73	2	4	13	17	23	28	45
2. MULTIPLE DX	24622	17.7	144	3	5	15	23	32	41	65
A. NOT OPERATED	6707	9.4	84	2	2	6	12	20	28	47
B. OPERATED	24313	19.0	125	7	9	16	23	32	41	65
TOTAL 0-19 YRS	57	16.1	94	3	4	15	22	30	33	41
20-34	336	12.8	86	2	4	11	16	25	31	52
35-49	1832	14.2	93	2	4	13	18	26	32	51
50-64	8546	14.9	107	3	4	13	19	26	33	55
65+	20249	18.1	142	3	5	16	23	33	41	64
GRAND TOTAL	**31020**	**16.9**	**131**	**3**	**5**	**15**	**21**	**31**	**39**	**62**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.5	19	1	1	2	6	10	10	10
35-49	63	7.3	61	1	1	5	8	15	24	40
50-64	242	7.0	50	1	1	4	9	15	22	35
65+	378	8.9	1[illegible]1	1	2	5	10	22	31	53
B. *Operated*										
0-19 YRS	9	13.3	133	1	1	16	23	29	29	29
20-34	52	11.3	65	2	3	10	15	21	29	34
35-49	344	13.3	72	2	3	13	17	21	25	48
50-64	1473	15.0	80	2	3	14	19	25	29	46
65+	2284	15.9	103	2	4	15	21	28	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	33	4	4	7	12	17	17	17
20-34	32	11.1	232	1	2	5	14	26	41	76
35-49	156	8.1	51	1	2	5	11	17	22	45
50-64	881	9.7	112	1	2	6	12	20	30	60
65+	1888	11.2	121	2	3	8	14	23	35	62
B. *Operated*										
0-19 YRS	14	15.6	253	4	4	11	19	32	58	65
20-34	90	16.7	101	2	5	15	21	31	36	46
35-49	516	17.2	114	4	6	15	21	29	39	56
50-64	2869	19.0	135	4	7	17	24	33	40	67
65+	6070	21.6	180	5	7	19	27	38	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	8.1	85	1	2	5	9	18	28	45
B. *Operated*	4162	15.3	92	2	3	14	20	27	31	49
2. MULTIPLE DX										
A. *Not Operated*	2961	10.6	117	2	2	7	14	22	33	62
B. *Operated*	9559	20.6	164	4	7	18	26	37	45	72
1. SINGLE DX	4850	14.3	98	2	3	13	19	26	31	48
2. MULTIPLE DX	12520	18.2	171	3	4	16	24	35	43	69
A. NOT OPERATED	3649	10.1	112	1	2	6	13	22	31	59
B. OPERATED	13721	19.0	148	3	6	17	24	34	42	66
TOTAL 0-19 YRS	28	13.5	174	2	2	9	18	28	33	65
20-34	178	13.8	120	2	3	12	19	29	33	46
35-49	1079	14.1	101	2	3	13	18	25	32	52
50-64	5465	15.9	127	2	4	14	21	29	36	59
65+	10620	18.1	170	3	4	16	24	34	44	68
GRAND TOTAL	**17370**	**17.1**	**154**	**2**	**4**	**15**	**22**	**32**	**41**	**65**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.5	42	1	1	4	6	11	24	30
20-34	29	6.1	27	2	2	5	7	12	17	27
35-49	48	7.4	25	1	2	6	10	14	16	23
50-64	155	6.2	29	<1	1	5	7	13	17	23
65+	185	9.4	81	1	1	7	12	19	30	44
B. *Operated*										
0-19 YRS	11	11.5	82	2	2	10	15	25	32	33
20-34	39	12.3	77	3	5	10	14	21	29	50
35-49	83	15.3	72	5	6	13	21	27	30	42
50-64	253	16.8	109	4	7	15	21	29	37	64
65+	347	16.9	127	3	6	15	22	29	40	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	16	1	2	5	9	12	14	16
20-34	67	8.0	51	2	2	5	10	20	24	33
35-49	143	8.4	47	1	2	6	10	18	24	29
50-64	479	9.4	77	2	2	6	12	20	27	48
65+	861	11.7	140	2	3	8	14	24	34	70
B. *Operated*										
0-19 YRS	20	20.4	260	3	4	15	24	48	51	54
20-34	53	19.7	241	2	4	15	26	35	55	76
35-49	197	19.1	186	4	6	16	25	41	50	67
50-64	722	20.2	171	5	7	17	26	38	46	74
65+	1452	22.0	189	7	9	19	28	40	50	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	7.6	53	1	1	5	10	16	21	39
B. *Operated*	733	16.3	112	3	6	15	21	28	36	64
2. MULTIPLE DX										
A. *Not Operated*	1572	10.5	109	2	2	7	13	22	31	53
B. *Operated*	2444	21.1	186	5	8	18	27	39	49	76
1. SINGLE DX	1178	13.0	108	1	3	11	18	25	32	53
2. MULTIPLE DX	4016	17.0	183	3	4	14	23	35	44	70
A. NOT OPERATED	2017	9.8	98	1	2	7	12	21	29	50
B. OPERATED	3177	20.0	173	5	7	17	25	37	47	73
TOTAL 0-19 YRS	81	10.0	130	1	1	6	13	22	39	52
20-34	188	11.9	132	2	2	8	15	26	34	60
35-49	471	14.0	132	2	3	10	19	28	39	56
50-64	1609	15.1	149	2	3	12	21	32	39	66
65+	2845	17.4	184	3	4	14	23	35	44	74
GRAND TOTAL	**5194**	**16.1**	**169**	**2**	**4**	**13**	**22**	**33**	**42**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.5	11	<1	<1	2	6	8	8	8
35-49	59	9.2	155	1	2	5	10	20	30	75
50-64	184	7.4	36	1	2	5	10	16	21	29
65+	323	9.8	72	2	2	7	13	20	26	43
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	9	16.7	89	1	4	18	23	29	31	31
35-49	51	16.2	66	2	6	16	21	27	34	99
50-64	250	18.9	102	6	8	17	24	33	38	51
65+	404	20.9	160	4	9	18	26	35	49	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	5	2	2	5	6	8	8	8
20-34	28	7.6	22	1	2	6	11	14	16	19
35-49	202	8.4	67	1	2	6	10	19	23	45
50-64	841	9.7	94	1	2	7	12	20	27	56
65+	1250	11.6	118	2	3	8	15	24	33	62
B. *Operated*										
0-19 YRS	6	17.7	99	6	6	18	23	31	32	32
20-34	16	14.5	44	6	9	13	17	25	29	31
35-49	238	20.3	155	5	8	18	26	36	44	91
50-64	1240	21.8	185	6	9	18	27	39	49	82
65+	2165	22.9	157	8	10	20	28	39	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	571	8.9	70	1	2	6	11	19	25	43
B. *Operated*	716	19.8	134	4	8	18	25	34	42	65
2. MULTIPLE DX										
A. *Not Operated*	2326	10.6	105	2	3	8	13	22	30	57
B. *Operated*	3665	22.3	167	7	9	20	28	39	48	74
1. SINGLE DX	1287	15.0	135	2	3	13	21	29	36	60
2. MULTIPLE DX	5991	17.7	175	3	4	15	24	35	44	67
A. NOT OPERATED	2897	10.3	98	2	2	7	13	21	29	54
B. OPERATED	4381	21.9	162	7	9	19	27	38	47	72
TOTAL 0-19 YRS	14	10.8	82	2	2	7	13	24	30	32
20-34	57	10.7	54	1	2	10	13	21	26	31
35-49	550	14.3	145	2	3	12	20	30	37	72
50-64	2515	16.4	171	2	4	14	22	33	42	66
65+	4142	18.3	170	3	4	16	24	35	44	66
GRAND TOTAL	**7278**	**17.3**	**169**	**3**	**4**	**15**	**23**	**34**	**43**	**66**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	2	5	5	6	7	8	8	8
20-34	29	9.2	99	1	1	6	13	18	32	46
35-49	470	5.7	43	1	1	4	7	13	17	30
50-64	1654	6.9	61	1	1	4	8	15	22	40
65+	1646	8.3	69	1	1	6	11	17	24	42
B. *Operated*										
0-19 YRS	14	12.0	77	<1	<1	9	15	24	31	33
20-34	66	10.0	40	2	2	9	14	20	22	24
35-49	911	11.6	68	2	3	10	15	21	27	42
50-64	4017	12.6	81	2	3	11	17	23	29	43
65+	3773	12.6	95	2	3	11	17	24	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	9.7	57	1	1	9	14	18	26	30
20-34	81	8.9	85	1	2	5	12	20	30	44
35-49	1600	8.9	82	1	2	6	11	20	27	45
50-64	7318	9.7	91	1	2	7	12	21	28	48
65+	8817	11.1	97	2	2	8	14	23	30	50
B. *Operated*										
0-19 YRS	28	14.9	243	3	4	10	18	25	58	72
20-34	105	12.4	88	2	3	11	16	22	27	85
35-49	1931	15.0	127	2	4	13	19	29	37	60
50-64	9955	16.1	141	3	4	13	21	31	39	62
65+	11168	16.8	149	3	4	14	22	32	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3803	7.4	63	1	1	5	9	16	22	40
B. *Operated*	8781	12.5	85	2	3	11	17	24	29	45
2. MULTIPLE DX										
A. *Not Operated*	17852	10.3	93	1	2	7	13	22	29	49
B. *Operated*	23187	16.3	144	3	4	14	21	31	40	62
1. SINGLE DX	12584	10.9	84	1	2	9	15	22	28	44
2. MULTIPLE DX	41039	13.7	131	2	3	11	18	28	36	58
A. NOT OPERATED	21655	9.8	89	1	2	7	13	21	28	47
B. OPERATED	31968	15.3	131	2	4	13	20	29	37	59
TOTAL 0-19 YRS	82	11.7	125	1	2	9	15	22	28	67
20-34	281	10.5	78	2	2	9	14	20	25	46
35-49	4912	11.5	104	1	2	9	15	24	31	51
50-64	22944	12.8	119	2	2	10	17	26	34	55
65+	25404	13.6	126	2	3	11	18	28	36	57
GRAND TOTAL	**53623**	**13.1**	**121**	**2**	**3**	**10**	**17**	**27**	**34**	**56**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	6	<1	<1	3	5	7	8	8
20-34	46	5.5	28	1	1	4	6	14	18	23
35-49	71	6.0	37	1	1	4	7	14	22	27
50-64	211	5.8	53	1	1	4	6	11	24	39
65+	186	6.4	64	1	1	4	7	16	24	42
B. *Operated*										
0-19 YRS	30	9.8	263	1	1	4	15	18	24	88
20-34	86	10.2	87	1	2	8	14	22	24	52
35-49	336	7.9	80	1	1	3	12	20	25	43
50-64	1503	8.5	92	1	1	3	13	21	26	47
65+	1211	7.6	89	1	1	3	11	19	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.0	11	1	1	5	7	10	11	12
20-34	58	7.4	43	1	2	6	8	15	20	36
35-49	102	7.8	59	1	2	6	10	17	22	44
50-64	379	8.0	85	1	2	5	10	18	27	52
65+	468	10.9	143	2	2	7	13	23	35	67
B. *Operated*										
0-19 YRS	20	11.9	99	1	2	10	17	28	32	35
20-34	54	15.2	244	1	2	12	15	28	40	96
35-49	279	14.2	188	1	2	11	22	32	40	96
50-64	1338	15.3	226	2	2	12	21	36	49	93
65+	1294	15.0	225	2	2	11	20	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	6.0	52	1	1	4	6	13	23	38
B. *Operated*	3166	8.2	91	1	1	3	12	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	1035	9.2	107	1	2	6	11	20	30	53
B. *Operated*	2985	15.0	221	2	2	11	21	34	47	91
1. SINGLE DX	3692	7.8	86	1	1	3	12	20	26	45
2. MULTIPLE DX	4020	13.5	198	1	2	9	18	31	43	85
A. NOT OPERATED	1561	8.1	91	1	2	5	10	18	27	48
B. OPERATED	6151	11.5	166	1	2	7	16	27	38	71
TOTAL 0-19 YRS	90	7.9	121	1	1	5	10	18	24	67
20-34	244	9.7	111	1	2	7	13	21	24	58
35-49	788	10.0	122	1	1	5	14	25	32	51
50-64	3431	10.9	154	1	2	6	16	26	37	69
65+	3159	11.1	163	1	2	6	16	27	38	70
GRAND TOTAL	**7712**	**10.8**	**153**	**1**	**2**	**6**	**15**	**26**	**36**	**68**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	4.3	22	<1	1	3	5	7	9	27
20-34	94	3.9	8	1	1	3	5	8	9	15
35-49	80	5.5	24	1	1	4	7	11	15	25
50-64	144	6.9	49	1	1	5	8	15	25	44
65+	125	7.9	89	1	1	5	8	20	32	42
B. *Operated*										
0-19 YRS	239	8.2	89	1	2	5	11	18	24	61
20-34	282	8.2	62	1	2	6	10	17	22	44
35-49	320	8.3	62	1	2	6	11	17	25	37
50-64	470	9.4	105	1	2	6	12	21	28	73
65+	583	9.5	105	1	2	6	13	21	29	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	4.8	23	1	1	4	5	9	12	29
20-34	207	6.6	66	1	1	4	8	14	21	36
35-49	139	9.4	147	1	2	6	10	18	35	77
50-64	319	8.5	99	1	2	5	10	17	26	55
65+	428	10.4	101	2	2	7	13	24	33	48
B. *Operated*										
0-19 YRS	133	12.5	201	2	2	8	15	27	46	73
20-34	153	13.3	171	1	2	10	18	28	38	81
35-49	196	14.4	192	2	3	11	17	32	45	98
50-64	467	14.8	216	2	2	11	20	35	46	99
65+	766	16.9	233	2	3	13	23	36	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	5.7	42	1	1	4	6	12	18	39
B. *Operated*	1894	8.9	90	1	2	6	12	19	26	54
2. MULTIPLE DX										
A. *Not Operated*	1421	8.0	87	1	2	5	9	17	26	46
B. *Operated*	1715	15.4	217	2	2	11	20	34	45	85
1. SINGLE DX	2506	8.1	80	1	2	5	10	18	25	48
2. MULTIPLE DX	3136	12.0	171	1	2	8	16	29	38	71
A. NOT OPERATED	2033	7.3	74	1	1	5	8	16	25	44
B. OPERATED	3609	12.0	161	2	2	8	16	27	38	70
TOTAL 0-19 YRS	869	6.8	77	1	1	4	8	15	22	50
20-34	736	8.2	87	1	1	5	10	18	25	50
35-49	735	9.8	117	1	2	7	12	22	31	63
50-64	1400	10.7	143	1	2	7	14	25	37	74
65+	1902	12.6	167	2	2	8	17	29	38	66
GRAND TOTAL	**5642**	**10.3**	**135**	**1**	**2**	**6**	**13**	**24**	**33**	**65**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	31	4.7	18	2	2	4	5	9	13	23
35-49	69	4.2	8	1	1	3	6	9	10	14
50-64	121	6.0	40	1	1	4	6	13	19	34
65+	109	6.9	33	2	2	5	8	14	16	33
B. *Operated*										
0-19 YRS	33	5.7	26	<1	1	5	7	11	13	27
20-34	417	6.0	21	1	2	5	8	11	14	24
35-49	665	6.6	23	2	2	5	9	12	15	24
50-64	728	7.4	44	2	2	6	10	15	18	31
65+	632	7.6	50	1	2	6	10	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	101	5.6	26	1	2	4	6	11	16	26
35-49	152	6.4	32	1	1	5	8	12	17	32
50-64	235	7.9	77	1	2	5	9	15	21	51
65+	285	9.4	97	2	3	6	10	21	30	52
B. *Operated*										
0-19 YRS	12	8.2	28	1	2	7	12	16	19	19
20-34	191	7.8	33	1	2	7	10	17	20	29
35-49	342	8.7	47	2	2	7	11	18	22	30
50-64	513	11.5	102	2	2	9	14	25	32	51
65+	641	11.3	101	2	2	8	15	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	5.7	30	1	2	4	6	12	16	32
B. *Operated*	2475	7.0	36	1	2	5	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	777	7.8	71	1	2	5	9	15	23	44
B. *Operated*	1699	10.4	84	2	2	8	13	22	29	44
1. SINGLE DX	2809	6.8	35	1	2	5	9	13	18	28
2. MULTIPLE DX	2476	9.6	81	2	2	7	12	21	28	44
A. NOT OPERATED	1111	7.2	59	1	2	5	8	14	21	42
B. OPERATED	4174	8.4	58	2	2	6	11	17	23	39
TOTAL 0-19 YRS	53	5.8	24	1	2	5	7	12	14	27
20-34	740	6.4	25	1	2	5	8	13	17	25
35-49	1228	7.0	31	1	2	6	9	14	18	27
50-64	1597	8.7	71	2	2	6	11	18	24	42
65+	1667	9.3	79	2	2	6	12	19	27	44
GRAND TOTAL	**5285**	**8.1**	**59**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	1	1	2	2	5	6	6
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	13	3.2	18	1	1	2	3	7	15	17
50-64	42	4.5	30	<1	1	3	6	9	12	33
65+	134	5.8	40	1	1	4	7	12	20	28
B. *Operated*										
0-19 YRS	50	2.4	7	<1	<1	2	3	4	5	18
20-34	197	3.8	13	<1	<1	2	4	9	11	20
35-49	663	3.0	10	<1	1	2	3	6	9	15
50-64	1707	3.2	14	<1	1	2	3	6	9	19
65+	2943	3.9	19	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	6.1	29	1	1	3	11	14	16	16
35-49	20	8.8	329	<1	1	4	7	10	47	85
50-64	92	6.6	44	1	2	4	9	14	19	38
65+	289	10.1	135	1	2	7	12	21	34	80
B. *Operated*										
0-19 YRS	17	5.5	34	1	1	4	7	15	20	22
20-34	83	6.1	51	1	1	4	8	13	22	37
35-49	413	5.6	70	1	1	3	6	12	20	48
50-64	1402	5.4	55	1	1	3	6	12	18	39
65+	3550	7.1	69	1	2	4	9	16	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.2	35	1	1	3	7	11	18	29
B. *Operated*	5560	3.6	16	<1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	411	9.1	122	1	2	6	11	19	28	77
B. *Operated*	5465	6.5	65	1	2	4	8	15	22	46
1. SINGLE DX	5759	3.6	17	<1	1	2	4	8	11	21
2. MULTIPLE DX	5876	6.7	70	1	2	4	8	15	22	47
A. NOT OPERATED	610	7.9	97	1	1	5	9	16	24	54
B. OPERATED	11025	5.0	43	1	1	3	6	11	16	36
TOTAL 0-19 YRS	75	3.2	14	<1	1	2	3	6	9	21
20-34	292	4.5	25	<1	1	3	5	10	13	25
35-49	1109	4.1	40	<1	1	2	4	8	12	34
50-64	3243	4.3	34	<1	1	2	4	9	13	33
65+	6916	5.8	53	1	1	3	7	13	19	40
GRAND TOTAL	**11635**	**5.2**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	45	5.2	38	<1	<1	3	6	13	17	30
35-49	277	6.4	56	1	1	4	8	12	20	44
50-64	574	6.6	59	1	1	4	8	14	21	43
65+	404	8.8	71	1	2	6	11	18	26	58
B. *Operated*										
0-19 YRS	39	3.4	10	<1	1	2	4	7	12	14
20-34	754	6.8	16	1	2	7	9	11	13	18
35-49	3536	7.6	16	2	3	7	9	12	14	20
50-64	5715	8.4	19	2	4	8	10	13	15	23
65+	5630	9.1	24	3	4	8	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.7	223	1	1	11	15	39	42	42
20-34	193	8.1	76	1	1	5	11	19	29	99+
35-49	1173	9.2	101	1	2	6	11	19	26	48
50-64	3159	10.1	110	1	2	7	13	23	31	53
65+	3344	12.0	132	2	2	9	15	26	35	57
B. *Operated*										
0-19 YRS	27	9.8	44	1	3	8	12	22	25	26
20-34	620	9.1	36	2	3	8	11	15	20	32
35-49	3733	9.9	49	3	4	8	11	16	22	39
50-64	7418	11.3	72	3	5	9	13	20	27	51
65+	9290	12.6	84	4	5	10	15	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	7.2	63	1	1	5	9	15	22	46
B. *Operated*	15674	8.4	21	2	3	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	7875	10.7	119	1	2	7	14	24	32	56
B. *Operated*	21088	11.6	73	3	5	9	13	20	27	51
1. SINGLE DX	16976	8.3	24	2	3	8	10	13	16	26
2. MULTIPLE DX	28963	11.4	86	2	3	9	13	21	29	52
A. NOT OPERATED	9177	10.2	112	1	2	7	13	23	31	55
B. OPERATED	36762	10.2	53	3	4	9	12	17	22	43
TOTAL 0-19 YRS	74	6.5	50	<1	1	4	9	14	22	38
20-34	1612	7.8	32	1	2	7	10	14	17	32
35-49	8719	8.8	44	2	3	8	10	14	19	36
50-64	16866	9.9	63	2	3	8	11	17	24	46
65+	18668	11.4	77	3	4	9	13	20	28	51
GRAND TOTAL	**45939**	**10.2**	**65**	**2**	**3**	**9**	**12**	**18**	**25**	**46**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	164	4.5	13	1	2	4	5	7	11	16
35-49	586	4.5	18	1	2	4	5	7	11	27
50-64	668	4.6	23	1	2	4	5	7	10	25
65+	483	5.5	44	1	2	4	5	9	13	38
B. *Operated*										
0-19 YRS	21	4.6	13	<1	1	3	6	10	12	14
20-34	1002	5.4	19	1	2	4	7	10	13	23
35-49	950	6.3	34	2	2	5	8	12	17	27
50-64	905	6.2	32	1	2	5	8	12	17	28
65+	584	6.8	49	2	2	5	8	12	19	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	35	2	2	5	15	84	99+	99+
20-34	160	6.1	31	1	1	4	8	14	18	27
35-49	424	8.0	90	1	2	5	9	19	30	47
50-64	703	7.8	76	1	2	5	9	16	25	45
65+	696	9.6	101	2	2	6	12	22	28	52
B. *Operated*										
0-19 YRS	9	12.2	222	2	2	6	16	38	47	47
20-34	691	8.1	50	2	2	7	10	17	21	36
35-49	940	10.3	92	2	3	8	13	21	28	52
50-64	1089	12.5	177	2	2	8	15	27	40	75
65+	919	12.8	158	2	3	9	16	29	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.8	26	1	2	4	5	8	11	28
B. *Operated*	3462	6.1	32	1	2	5	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	1989	8.4	85	1	2	5	10	18	27	47
B. *Operated*	3648	11.2	129	2	2	8	14	24	33	67
1. SINGLE DX	5363	5.6	30	1	2	4	6	11	15	28
2. MULTIPLE DX	5637	10.2	115	2	2	7	12	22	31	61
A. NOT OPERATED	3890	6.6	59	1	2	4	7	14	21	42
B. OPERATED	7110	8.7	88	2	2	6	10	18	26	54
TOTAL 0-19 YRS	36	6.8	73	1	2	4	8	17	39	99+
20-34	2017	6.3	32	1	2	5	8	13	17	31
35-49	2900	7.5	62	2	2	5	9	16	23	41
50-64	3365	8.3	96	2	2	5	10	18	26	56
65+	2682	9.4	107	2	2	6	11	21	30	58
GRAND TOTAL	**11000**	**8.0**	**79**	**2**	**2**	**5**	**9**	**17**	**24**	**49**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	22	4.0	2	2	2	4	5	6	6	7
35-49	111	4.0	5	1	2	4	5	6	9	14
50-64	621	4.3	15	1	2	4	5	6	9	21
65+	534	5.2	23	1	2	4	5	9	13	27
B. *Operated*										
0-19 YRS	11	9.9	269	<1	<1	5	8	31	56	58
20-34	85	6.8	18	1	2	7	8	10	13	24
35-49	467	6.3	20	1	2	6	8	10	14	23
50-64	2473	6.4	20	1	2	7	8	11	14	23
65+	1927	7.5	36	1	2	7	10	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	11	1	2	8	9	10	10	10
20-34	18	9.4	108	<1	2	7	13	16	34	46
35-49	124	6.3	38	1	2	4	7	16	19	32
50-64	632	7.3	63	1	2	4	8	17	23	43
65+	957	9 4	100	1	2	5	11	21	30	51
B. *Operated*										
0-19 YRS	10	8.4	19	3	4	8	9	15	19	19
20-34	132	8.1	44	1	2	7	10	15	20	31
35-49	757	8.5	38	1	2	8	10	15	19	34
50-64	3657	9.1	53	2	2	8	11	16	21	40
65+	3601	11.3	90	2	2	9	13	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	4.6	17	1	2	4	5	7	10	24
B. *Operated*	4963	6.8	27	1	2	7	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	1737	8.4	83	1	2	5	10	19	27	47
B. *Operated*	8157	10.0	69	2	2	8	12	18	24	45
1. SINGLE DX	6254	6.4	26	1	2	6	8	11	14	25
2. MULTIPLE DX	9894	9.7	72	2	2	8	12	18	25	45
A. NOT OPERATED	3028	6.8	58	1	2	4	7	15	21	43
B. OPERATED	13120	8.8	56	2	2	8	11	16	21	40
TOTAL 0-19 YRS	30	8.3	103	1	1	7	9	12	19	58
20-34	257	7.4	37	1	2	7	9	13	18	27
35-49	1459	7.3	32	1	2	7	9	13	17	30
50-64	7383	7.7	42	1	2	7	9	14	18	34
65+	7019	9.5	76	2	2	8	12	18	25	45
GRAND TOTAL	**16148**	**8.4**	**57**	**1**	**2**	**7**	**10**	**16**	**21**	**40**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	2	2	2	5	5	6	7	7
20-34	74	3.5	7	1	1	3	4	7	8	15
35-49	249	3.5	15	1	1	2	4	6	10	24
50-64	897	3.5	25	1	1	2	4	7	9	19
65+	444	4.9	35	1	1	3	6	11	15	35
B. *Operated*										
0-19 YRS	50	8.5	8	5	5	8	10	13	14	16
20-34	176	8.4	18	4	5	8	10	12	16	21
35-49	244	10.3	28	4	6	9	12	17	21	31
50-64	499	11.7	40	5	6	10	14	20	24	37
65+	307	13.8	55	5	7	12	17	23	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.9	25	1	2	4	7	11	18	24
20-34	93	4.7	44	1	1	3	5	9	17	40
35-49	503	5.8	46	1	1	3	7	14	20	38
50-64	1545	6.1	62	1	1	3	7	14	20	41
65+	1417	8.7	102	1	2	5	11	21	30	53
B. *Operated*										
0-19 YRS	42	12.0	63	5	6	10	13	19	29	46
20-34	220	10.9	62	4	5	9	13	19	23	45
35-49	682	14.3	130	6	7	11	16	25	33	75
50-64	1625	15.7	105	6	7	13	19	27	38	60
65+	1585	19.1	150	6	8	16	23	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1677	[illegible].9	25	1	1	2	4	7	11	25
B. *Operated*	1276	11.4	40	5	6	10	13	20	23	37
2. MULTIPLE DX										
A. *Not Operated*	3580	7.1	77	1	1	4	8	16	24	48
B. *Operated*	4154	16.5	129	6	7	14	20	30	39	66
1. SINGLE DX	2953	7.1	45	1	1	5	10	15	20	33
2. MULTIPLE DX	7734	12.1	127	1	2	9	16	25	34	60
A. NOT OPERATED	5257	6.0	63	1	1	3	7	14	21	41
B. OPERATED	5430	15.3	113	5	7	12	19	27	36	62
TOTAL 0-19 YRS	127	8.8	35	3	4	7	11	14	18	37
20-34	563	8.1	46	1	2	7	10	15	19	29
35-49	1678	9.6	92	1	1	8	12	20	26	53
50-64	4566	9.6	93	1	1	7	13	21	27	48
65+	3753	13.1	141	1	2	10	18	28	36	61
GRAND TOTAL	**10687**	**10.7**	**109**	**1**	**2**	**8**	**14**	**23**	**31**	**54**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	14	1	1	5	8	11	11	11
20-34	24	7.5	54	3	4	6	7	10	27	37
35-49	12	4.1	10	1	1	3	7	29	87	99+
50-64	70	4.4	23	1	1	3	5	10	17	27
65+	89	5.9	39	1	2	4	7	12	17	35
B. *Operated*										
0-19 YRS	7	9.9	49	2	2	10	15	20	21	21
20-34	57	5.4	40	<1	1	3	6	12	19	35
35-49	101	9.0	88	1	2	5	14	20	26	49
50-64	160	8.8	107	1	2	6	11	18	25	55
65+	317	9.2	83	2	2	6	12	20	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	10.5	363	1	2	5	7	23	62	81
20-34	18	6.6	35	1	1	6	8	9	20	28
35-49	41	4.8	17	1	1	4	5	8	10	26
50-64	89	9.5	142	1	1	5	10	24	34	92
65+	198	10.7	141	1	2	7	14	25	35	72
B. *Operated*										
0-19 YRS	8	15.5	247	2	2	9	28	39	41	41
20-34	30	8.8	46	1	2	7	13	19	21	28
35-49	101	11.8	114	2	2	7	16	26	35	50
50-64	276	14.9	197	2	3	11	19	34	47	89
65+	582	17.3	218	2	3	13	24	41	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	5.4	33	1	1	4	7	11	17	37
B. *Operated*	642	8.8	87	1	2	6	12	19	26	52
2. MULTIPLE DX										
A. *Not Operated*	363	9.5	134	1	2	6	11	23	33	79
B. *Operated*	997	15.8	200	2	3	11	21	36	48	71
1. SINGLE DX	846	8.0	76	1	2	5	10	18	25	48
2. MULTIPLE DX	1360	14.1	191	2	2	9	18	34	45	73
A. NOT OPERATED	567	8.0	102	1	2	5	9	19	30	72
B. OPERATED	1639	13.0	168	2	2	9	17	30	42	66
TOTAL 0-19 YRS	41	10.2	210	1	2	5	10	24	38	81
20-34	129	6.7	44	1	1	5	8	15	21	36
35-49	255	9.2	90	1	2	6	12	22	28	52
50-64	595	11.2	157	1	2	7	15	26	35	77
65+	1186	13.2	173	2	2	9	17	31	43	68
GRAND TOTAL	**2206**	**11.8**	**155**	**1**	**2**	**8**	**15**	**28**	**40**	**67**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34										
35-49	14	5.6	60	<1	1	2	6	17	26	28
50-64	232	5.2	42	1	1	3	6	11	16	28
65+	825	7.1	40	1	2	5	9	14	19	32
B. *Operated*										
0-19 YRS	9	6.8	16	2	2	7	9	13	14	14
20-34	7	15.3	355	1	1	10	22	47	53	53
35-49	75	7.1	29	1	1	6	10	15	17	25
50-64	2153	8.1	38	2	2	7	11	16	20	29
65+	6813	8.6	39	2	2	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	9.4	47	2	2	8	11	23	25	25
20-34	3	7.3	21	2	2	10	10	10	10	10
35-49	49	7.0	52	1	2	5	9	15	17	44
50-64	979	8.6	75	1	2	6	11	19	25	43
65+	5696	10.2	89	2	2	8	13	21	28	49
B. *Operated*										
0-19 YRS	15	16.3	110	3	5	14	22	32	38	40
20-34	7	18.9	888	2	3	9	12	71	86	86
35-49	106	11.6	64	3	4	10	15	21	28	42
50-64	2935	11.4	74	2	3	9	15	23	28	46
65+	14954	12.3	86	3	4	10	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1073	6.7	41	1	2	5	9	14	18	31
B. *Operated*	9057	8.4	39	2	2	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	6743	9.9	87	2	2	7	13	21	28	48
B. *Operated*	18017	12.1	84	3	4	10	15	23	29	49
1. SINGLE DX	10130	8.3	39	2	2	7	11	16	19	31
2. MULTIPLE DX	24760	11.5	86	2	3	9	15	22	29	49
A. NOT OPERATED	7816	9.5	82	1	2	7	12	20	27	47
B. OPERATED	27074	10.9	72	2	3	9	14	21	27	45
TOTAL 0-19 YRS	42	11.2	75	2	3	9	14	24	29	40
20-34	17	15.4	486	1	1	10	13	47	74	86
35-49	244	9.0	56	1	2	7	12	17	24	35
50-64	6299	9.6	64	2	2	8	13	19	24	40
65+	28288	10.8	77	2	3	9	14	21	27	46
GRAND TOTAL	**34890**	**10.6**	**75**	**2**	**3**	**8**	**13**	**21**	**27**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	5.0	8	1	1	5	7	9	9	9
20-34	185	4.8	10	1	1	5	6	9	10	19
35-49	54	4.7	10	1	1	5	6	8	12	16
50-64	22	4.1	8	<1	1	4	6	8	9	10
65+	24	4.7	55	<1	1	2	4	12	22	35
B. *Operated*										
0-19 YRS	77	6.8	38	2	2	4	8	17	21	29
20-34	647	6.7	29	2	2	5	8	14	17	27
35-49	260	6.4	20	2	2	5	8	13	15	24
50-64	114	6.4	23	2	2	5	8	12	16	25
65+	98	9.5	123	1	2	7	11	19	24	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.2	14	1	2	5	6	13	16	16
20-34	269	5.9	26	1	2	5	7	10	15	26
35-49	88	6.6	42	1	1	5	7	15	18	38
50-64	42	6.7	29	1	2	5	10	14	17	28
65+	30	8.4	51	2	3	5	13	15	16	36
B. *Operated*										
0-19 YRS	40	11.2	98	2	3	9	14	19	24	61
20-34	275	12.1	127	3	3	9	15	21	25	73
35-49	129	10.8	60	2	3	9	15	22	26	39
50-64	133	11.9	103	2	3	8	18	26	33	49
65+	170	13.4	122	3	3	11	17	25	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	4.8	13	1	1	5	6	9	10	18
B. *Operated*	1196	6.9	35	2	2	5	8	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	479	6.3	30	1	2	5	7	13	16	27
B. *Operated*	747	12.1	109	2	3	9	16	23	29	61
1. SINGLE DX	1505	6.4	31	1	2	5	8	12	16	27
2. MULTIPLE DX	1226	9.8	86	2	2	7	13	19	25	50
A. NOT OPERATED	788	5.7	24	1	1	5	6	11	15	25
B. OPERATED	1943	8.9	70	2	2	6	11	18	23	40
TOTAL 0-19 YRS	191	7.4	44	1	2	5	9	15	19	29
20-34	1376	7.4	51	1	2	5	9	15	19	32
35-49	531	7.3	36	1	2	6	9	15	19	30
50-64	311	8.6	65	2	2	6	10	19	26	36
65+	322	11.1	117	1	2	8	15	21	30	52
GRAND TOTAL	**2731**	**8.0**	**59**	**1**	**2**	**6**	**10**	**16**	**21**	**36**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	26	3.3	5	1	1	2	5	6	7	9
50-64	155	5.3	33	1	1	3	6	11	18	30
65+	504	7.1	66	1	1	4	8	16	26	41
B. *Operated*										
0-19 YRS	25	5.8	14	1	2	5	8	10	13	17
20-34	114	4.4	17	1	1	3	5	8	11	26
35-49	748	5.5	36	1	1	4	6	12	16	32
50-64	3855	5.6	31	1	2	4	6	12	17	28
65+	7870	6.4	38	1	2	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	<1	<1	4	6	7	7	7
20-34	9	4.3	14	<1	<1	3	7	10	11	11
35-49	42	6.6	19	2	2	6	9	14	15	16
50-64	490	6.7	56	1	1	4	8	15	22	40
65+	1567	9.9	98	1	2	7	12	22	29	54
B. *Operated*										
0-19 YRS	22	6.3	40	1	1	4	7	16	22	26
20-34	53	9.0	90	2	2	5	10	21	27	51
35-49	394	8.7	111	1	2	5	10	19	30	57
50-64	3247	9.7	99	2	2	6	13	22	29	52
65+	10555	10.6	105	2	2	7	13	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	6.5	57	1	1	4	7	14	23	40
B. *Operated*	12612	6.1	36	1	2	4	7	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	2111	9.0	88	1	2	6	11	20	28	51
B. *Operated*	14271	10.4	104	2	2	7	13	22	30	54
1. SINGLE DX	13301	6.1	37	1	2	4	7	13	18	31
2. MULTIPLE DX	16382	10.2	102	2	2	7	13	22	30	54
A. NOT OPERATED	2800	8.4	82	1	2	5	10	19	27	47
B. OPERATED	26883	8.3	77	2	2	5	10	18	25	45
TOTAL 0-19 YRS	50	5.9	25	1	1	5	8	11	17	26
20-34	180	5.7	42	1	1	4	6	11	19	28
35-49	1210	6.5	62	1	2	4	7	14	20	42
50-64	7747	7.4	65	1	2	5	9	17	23	40
65+	20496	8.9	82	2	2	6	11	19	26	47
GRAND TOTAL	**29683**	**8.3**	**77**	**1**	**2**	**5**	**10**	**18**	**25**	**46**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	7	<1	1	4	5	7	10	13
20-34	15	5.1	19	1	2	4	6	9	16	19
35-49	36	6.8	134	1	1	3	7	11	23	67
50-64	119	6.4	37	1	1	4	8	17	20	27
65+	94	8.5	66	1	2	6	12	18	23	39
B. *Operated*										
0-19 YRS	44	11.3	48	3	5	9	13	20	28	34
20-34	57	13.6	132	1	4	11	16	23	31	68
35-49	282	11.3	38	2	3	11	14	19	21	30
50-64	717	12.6	54	2	3	12	16	21	25	39
65+	708	13.7	61	2	4	13	18	24	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.2	151	<1	1	4	6	12	14	87
20-34	31	6.8	100	1	1	4	6	15	21	54
35-49	154	9.0	93	1	1	6	11	22	30	69
50-64	563	9.7	101	1	2	7	12	21	28	53
65+	687	11.8	121	2	3	8	16	26	36	80
B. *Operated*										
0-19 YRS	47	16.3	163	3	4	13	19	32	47	58
20-34	45	13.5	30	5	8	13	17	20	23	29
35-49	347	15.9	129	3	7	13	19	28	40	66
50-64	1278	17.1	136	3	6	15	21	31	40	65
65+	1971	18.6	150	4	6	16	23	33	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	6.6	53	1	1	4	8	16	19	37
B. *Operated*	1808	12.9	57	2	4	12	16	22	26	39
2. MULTIPLE DX										
A. *Not Operated*	1492	10.4	113	1	2	7	13	23	32	61
B. *Operated*	3688	17.7	143	3	6	15	22	32	40	67
1. SINGLE DX	2119	11.9	61	2	3	11	16	21	26	38
2. MULTIPLE DX	5180	15.6	145	2	3	13	21	30	39	66
A. NOT OPERATED	1803	9.7	105	1	2	6	12	22	30	58
B. OPERATED	5496	16.1	120	3	5	14	20	29	36	61
TOTAL 0-19 YRS	195	9.2	117	1	1	6	12	18	32	57
20-34	148	11.3	93	1	2	10	14	21	24	54
35-49	819	12.6	100	2	3	11	16	23	30	57
50-64	2677	13.9	114	2	3	12	18	26	33	57
65+	3460	16.0	133	3	4	14	21	30	37	64
GRAND TOTAL	**7299**	**14.6**	**124**	**2**	**3**	**12**	**19**	**27**	**35**	**61**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.0	4	<1	<1	1	2	5	5	12
20-34	3	4.0	7	1	1	5	6	6	6	6
35-49	6	4.8	17	2	2	3	5	12	13	13
50-64	14	6.3	31	2	2	5	6	12	21	24
65+	11	7.9	39	1	1	8	13	17	19	19
B. *Operated*										
0-19 YRS	42	3.6	6	1	2	3	5	8	9	11
20-34	27	4.2	4	1	2	4	5	7	8	10
35-49	40	4.3	7	1	1	4	6	8	10	12
50-64	101	5.2	25	2	2	4	5	8	17	29
65+	126	5.6	43	1	2	4	7	10	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	6	<1	<1	1	4	5	7	11
20-34	9	12.6	517	3	3	5	7	47	73	73
35-49	10	7.3	22	2	2	6	9	15	16	16
50-64	21	5.9	19	2	2	5	9	11	15	19
65+	41	7.9	43	2	2	6	12	18	27	99+
B. *Operated*										
0-19 YRS	9	5.2	26	1	1	3	8	14	14	14
20-34	5	8.6	68	2	2	5	14	22	22	22
35-49	20	7.3	47	2	2	5	8	17	25	28
50-64	71	5.9	25	1	2	4	8	12	16	25
65+	114	9.7	109	2	3	6	12	20	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.7	18	<1	<1	2	5	9	13	22
B. *Operated*	336	5.0	26	1	2	4	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	111	6.4	68	1	1	4	8	14	19	83
B. *Operated*	219	8.0	74	2	2	5	9	17	25	44
1. SINGLE DX	421	4.7	24	<1	1	4	5	9	12	22
2. MULTIPLE DX	330	7.5	72	1	2	5	9	16	23	49
A. NOT OPERATED	196	5.2	48	<1	<1	3	6	12	16	54
B. OPERATED	555	6.2	47	2	2	4	7	12	18	36
TOTAL 0-19 YRS	132	2.9	7	<1	<1	2	4	6	8	13
20-34	44	6.4	117	1	2	4	5	8	14	73
35-49	76	5.5	21	1	2	4	7	10	14	27
50-64	207	5.6	24	2	2	4	6	11	16	25
65+	292	7.6	71	2	2	5	9	16	22	56
GRAND TOTAL	**751**	**5.9**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.5	73	1	1	3	8	15	25	42
20-34	112	6.7	55	1	1	4	8	14	21	41
35-49	187	10.3	145	2	2	6	12	23	34	67
50-64	367	11.7	178	1	2	7	15	25	50	99
65+	240	14.1	166	2	3	10	20	33	39	58
B. *Operated*										
0-19 YRS	186	16.1	115	5	7	13	19	28	44	90
20-34	244	14.8	102	3	5	13	17	26	34	65
35-49	354	17.0	136	3	6	15	21	30	39	67
50-64	551	20.4	203	5	7	17	24	38	55	75
65+	353	24.0	307	3	7	20	30	49	61	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	8.1	103	1	1	4	9	21	37	99+
20-34	145	9.1	102	1	1	5	10	22	34	45
35-49	265	11.4	138	2	2	8	15	26	40	77
50-64	473	13.4	207	1	2	9	16	30	43	86
65+	381	16.2	230	2	3	12	20	36	51	99+
B. *Operated*										
0-19 YRS	159	23.4	267	5	7	20	31	51	67	99+
20-34	172	19.3	232	3	5	15	26	41	61	99+
35-49	241	23.6	339	5	8	17	29	56	68	99+
50-64	419	26.6	389	6	8	20	35	59	72	99+
65+	402	29.6	364	8	10	25	39	63	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	10.9	150	1	2	7	14	25	38	69
B. *Operated*	1688	19.2	196	4	7	16	23	36	52	76
2. MULTIPLE DX										
A. *Not Operated*	1395	12.8	186	1	2	8	16	31	43	91
B. *Operated*	1393	25.7	350	5	8	20	33	57	71	99+
1. SINGLE DX	2709	16.0	195	2	3	13	21	33	46	74
2. MULTIPLE DX	2788	19.3	309	2	3	14	26	46	62	99+
A. NOT OPERATED	2416	12.0	172	1	2	8	15	29	41	83
B. OPERATED	3081	22.1	276	5	7	18	27	48	63	96
TOTAL 0-19 YRS	591	14.4	188	1	2	11	20	33	48	99+
20-34	673	13.4	148	1	2	11	17	29	39	68
35-49	1047	15.9	209	2	3	13	20	33	51	84
50-64	1810	18.2	274	2	3	14	23	42	57	91
65+	1376	21.8	315	3	5	18	29	48	64	99+
GRAND TOTAL	**5497**	**17.7**	**256**	**2**	**3**	**13**	[illegible]	**40**	**55**	**92**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.8	97	<1	<1	3	7	9	25	50
20-34	18	3.4	9	2	2	2	3	8	11	13
35-49	4	6.3	45	<1	<1	4	10	16	16	16
50-64	13	11.8	129	<1	1	10	16	25	39	42
65+	9	11.2	92	3	3	8	15	26	33	33
B. *Operated*										
0-19 YRS	20	16.7	416	2	2	11	19	36	69	90
20-34	32	20.2	291	3	5	15	22	48	54	76
35-49	24	14.9	43	3	8	15	18	24	27	28
50-64	37	21.4	308	4	7	15	25	47	66	78
65+	19	22.3	484	2	3	16	35	57	71	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	35	<1	1	4	5	19	20	20
20-34	13	14.9	365	2	2	7	18	48	63	66
35-49	13	17.2	255	3	4	11	20	42	55	58
50-64	28	13.9	175	2	3	9	17	37	47	52
65+	37	16.3	311	2	3	10	19	51	58	71
B. *Operated*										
0-19 YRS	23	17.3	191	1	2	14	24	39	45	53
20-34	21	20.4	189	4	5	18	31	49	71	99+
35-49	28	21.0	145	8	9	18	27	41	44	49
50-64	55	25.7	281	5	8	24	49	99+	99+	99+
65+	39	33.5	460	3	7	32	55	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.0	83	<1	1	3	9	16	21	48
B. *Operated*	132	19.3	295	2	4	15	23	46	54	80
2. MULTIPLE DX										
A. *Not Operated*	113	13.6	231	2	2	8	17	34	55	68
B. *Operated*	166	24.9	301	3	7	23	39	61	99+	99+
1. SINGLE DX	202	15.1	255	1	2	11	18	34	49	77
2. MULTIPLE DX	279	20.3	302	2	3	16	31	55	71	99+
A. NOT OPERATED	183	11.1	184	1	2	6	14	24	45	64
B. OPERATED	298	22.4	305	3	5	18	32	55	77	99+
TOTAL 0-19 YRS	91	11.1	201	1	1	5	16	24	40	75
20-34	84	15.8	255	2	2	11	20	45	53	92
35-49	69	17.3	134	3	5	15	23	34	42	56
50-64	133	20.6	275	3	4	16	31	55	89	99+
65+	104	23.4	440	2	3	17	36	60	79	99+
GRAND TOTAL	**481**	**18.1**	**289**	**2**	**2**	**14**	**24**	**49**	**63**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.1	12	<1	<1	2	4	5	8	22
20-34	107	3.4	10	1	1	3	4	6	7	20
35-49	93	4.0	19	1	1	3	4	7	11	26
50-64	78	3.7	22	1	1	3	4	6	10	31
65+	60	4.8	14	1	1	4	7	11	12	18
B. *Operated*										
0-19 YRS	82	6.0	17	2	3	5	7	10	15	23
20-34	453	5.4	10	3	3	5	6	8	11	19
35-49	348	6.2	18	3	3	5	7	11	15	27
50-64	299	7.1	34	3	3	5	8	15	18	35
65+	180	8.9	44	3	4	7	10	16	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	5.0	39	<1	1	3	5	10	15	37
20-34	73	5.3	21	1	1	4	7	10	11	29
35-49	111	5.0	28	1	1	4	5	9	15	31
50-64	153	6.7	44	1	1	4	9	15	20	36
65+	194	10.5	133	2	2	6	12	27	43	85
B. *Operated*										
0-19 YRS	95	10.3	87	2	3	7	12	25	34	40
20-34	406	7.4	39	3	3	5	8	14	18	36
35-49	415	7.6	41	3	3	6	9	13	18	39
50-64	411	10.1	91	3	3	7	11	19	29	52
65+	411	14.4	148	3	4	11	17	30	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.7	15	1	1	3	4	7	10	23
B. *Operated*	1362	6.5	23	3	3	5	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	626	7.1	71	1	1	5	8	15	23	54
B. *Operated*	1738	9.9	87	3	3	7	11	20	29	50
1. SINGLE DX	1786	5.8	23	1	2	5	6	11	15	27
2. MULTIPLE DX	2364	9.2	84	2	3	6	11	18	28	50
A. NOT OPERATED	1050	5.8	51	1	1	4	6	12	18	44
B. OPERATED	3100	8.4	62	3	3	6	9	16	24	45
TOTAL 0-19 YRS	358	6.2	47	<1	1	4	7	13	19	37
20-34	1039	6.0	24	2	2	5	7	10	15	29
35-49	967	6.4	30	2	3	5	8	12	16	34
50-64	941	8.0	63	2	2	6	10	16	23	43
65+	845	11.6	121	2	3	8	14	25	36	59
GRAND TOTAL	**4150**	**7.7**	**61**	**2**	**2**	**5**	**9**	**15**	**23**	**45**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	13	<1	<1	2	4	6	14	99+
20-34	116	6.2	65	1	1	4	7	13	19	49
35-49	363	8.4	111	1	2	5	10	17	27	57
50-64	1132	7.3	64	1	1	5	9	16	24	44
65+	1422	9.3	88	1	2	6	12	20	27	52
B. *Operated*										
0-19 YRS	76	6.5	67	<1	1	4	9	13	19	51
20-34	216	7.2	58	1	2	5	9	16	20	34
35-49	601	8.8	73	1	2	6	12	19	25	47
50-64	1546	10.4	103	1	2	8	14	23	31	49
65+	1945	10.3	107	1	2	8	14	22	29	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	5.7	34	<1	1	4	7	12	15	33
20-34	771	8.1	90	1	2	5	9	16	25	51
35-49	3293	9.1	84	1	2	6	11	20	28	47
50-64	10948	9.8	98	1	2	7	13	22	29	51
65+	15019	11.6	111	2	3	8	15	24	33	54
B. *Operated*										
0-19 YRS	123	12.2	109	2	2	9	16	27	37	72
20-34	725	11.5	112	2	2	9	14	23	32	69
35-49	2996	13.3	144	2	3	10	17	28	37	65
50-64	8896	14.9	172	2	3	11	19	31	42	72
65+	11714	16.0	167	2	3	13	21	33	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3075	8.3	81	1	1	5	10	18	25	49
B. *Operated*	4384	9.9	99	1	2	7	13	22	29	51
2. MULTIPLE DX										
A. *Not Operated*	30209	10.5	104	1	2	7	14	23	31	53
B. *Operated*	24454	15.1	165	2	3	12	20	31	41	69
1. SINGLE DX	7459	9.2	92	1	2	6	12	20	28	50
2. MULTIPLE DX	54663	12.6	136	2	2	9	16	27	36	61
A. NOT OPERATED	33284	10.3	102	1	2	7	13	22	30	52
B. OPERATED	28838	14.4	159	2	3	11	19	30	40	67
TOTAL 0-19 YRS	419	7.5	69	1	1	5	9	17	26	50
20-34	1828	9.2	97	1	2	6	12	19	27	53
35-49	7253	10.8	114	1	2	8	14	24	32	56
50-64	22522	11.7	133	1	2	8	15	26	34	62
65+	30100	13.1	137	2	3	10	17	28	37	60
GRAND TOTAL	**62122**	**12.2**	**132**	**2**	**2**	**9**	**16**	**26**	**35**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	3.0	11	<1	1	2	4	7	8	20
20-34	345	4.2	29	<1	1	2	5	9	13	31
35-49	167	5.4	33	1	1	4	7	12	15	37
50-64	149	5.4	42	<1	1	3	7	13	17	42
65+	103	6.2	49	1	1	4	8	16	24	33
B. *Operated*										
0-19 YRS	376	7.9	41	1	2	7	11	17	20	29
20-34	924	9.0	52	1	2	7	12	19	23	33
35-49	342	10.1	84	2	2	8	13	20	24	58
50-64	260	10.5	76	2	2	8	14	22	26	43
65+	157	12.1	112	2	3	10	17	23	26	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	6.2	40	1	1	4	8	13	15	39
20-34	325	5.7	30	1	1	4	8	14	16	26
35-49	203	7.7	54	1	1	5	10	16	23	33
50-64	245	7.4	54	1	1	6	10	15	20	33
65+	256	10.1	99	1	1	7	14	23	31	47
B. *Operated*										
0-19 YRS	107	11.4	162	1	2	9	15	21	24	80
20-34	393	12.4	109	2	3	9	15	25	35	52
35-49	246	13.7	136	2	4	10	18	27	37	69
50-64	306	14.4	162	2	3	11	18	29	41	63
65+	270	18.2	191	2	4	15	25	34	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	4.7	33	<1	1	3	6	10	15	34
B. *Operated*	2059	9.4	64	1	2	8	13	20	23	38
2. MULTIPLE DX										
A. *Not Operated*	1118	7.5	59	1	1	5	10	16	23	36
B. *Operated*	1322	14.2	152	2	3	11	18	29	38	65
1. SINGLE DX	2949	8.0	59	1	1	6	11	18	22	37
2. MULTIPLE DX	2440	11.1	120	1	2	8	15	24	32	61
A. NOT OPERATED	2008	6.2	49	1	1	4	8	14	20	35
B. OPERATED	3381	11.3	104	2	2	9	15	23	29	55
TOTAL 0-19 YRS	698	7.3	60	1	1	5	10	16	20	34
20-34	1987	8.3	63	1	1	6	11	18	23	37
35-49	958	9.7	90	1	2	7	13	21	26	57
50-64	960	10.1	104	1	2	7	14	22	29	52
65+	786	12.8	145	1	2	10	18	28	34	64
GRAND TOTAL	**5389**	**9.4**	**89**	**1**	**1**	**7**	**13**	**21**	**26**	**48**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	400	4.0	23	<1	<1	2	5	10	14	23
20-34	62	7.7	53	<1	1	5	10	19	24	29
35-49	37	7.4	48	1	1	5	9	17	23	29
50-64	115	7.4	74	1	1	4	11	16	22	48
65+	239	7.6	48	1	1	6	10	16	20	32
B. *Operated*										
0-19 YRS	262	9.6	142	<1	<1	4	13	26	39	52
20-34	58	14.3	129	1	2	12	22	29	39	48
35-49	47	7.7	36	1	2	5	10	18	21	24
50-64	119	8.3	103	2	2	6	9	15	26	57
65+	174	10.6	112	2	2	8	12	23	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	5.7	54	<1	1	3	8	12	18	37
20-34	58	8.9	68	1	1	6	11	19	27	43
35-49	75	9.1	81	<1	1	6	12	22	26	43
50-64	485	9.4	92	1	2	7	12	19	27	53
65+	1259	9.9	79	2	2	8	13	20	26	48
B. *Operated*										
0-19 YRS	164	15.7	217	2	3	12	22	34	47	75
20-34	48	18.4	341	1	2	14	26	56	68	99+
35-49	70	15.5	240	2	3	11	20	33	53	77
50-64	333	13.2	165	2	3	9	17	29	41	86
65+	792	14.4	158	2	4	11	19	30	41	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	5.9	43	<1	1	4	8	14	18	31
B. *Operated*	660	9.9	120	1	1	6	12	23	33	52
2. MULTIPLE DX										
A. *Not Operated*	2178	9.2	80	1	2	7	12	19	26	48
B. *Operated*	1407	14.5	177	2	3	10	19	31	43	79
1. SINGLE DX	1513	7.7	80	<1	1	5	10	18	24	46
2. MULTIPLE DX	3585	11.3	125	1	2	8	14	24	33	63
A. NOT OPERATED	3031	8.3	72	1	1	6	11	18	24	44
B. OPERATED	2067	13.0	164	2	2	9	18	29	40	74
TOTAL 0-19 YRS	1127	7.5	103	<1	<1	4	9	19	29	50
20-34	226	12.0	153	1	1	8	18	28	36	69
35-49	229	10.5	125	1	2	7	13	24	30	63
50-64	1052	10.3	119	1	2	7	13	22	33	62
65+	2464	11.2	109	2	2	8	14	23	31	55
GRAND TOTAL	**5098**	**10.2**	**114**	**1**	**1**	**7**	**13**	**22**	**31**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	4.8	51	<1	<1	2	5	10	18	38
20-34	181	7.6	85	<1	1	5	7	21	27	45
35-49	235	7.6	78	<1	1	5	8	22	30	40
50-64	322	8.0	109	1	1	5	9	21	31	50
65+	526	6.0	61	1	1	4	7	14	19	34
B. *Operated*										
0-19 YRS	94	12.9	220	<1	1	7	17	36	52	57
20-34	119	19.7	421	1	1	10	31	48	62	87
35-49	189	15.5	311	2	2	8	23	39	56	88
50-64	230	14.5	218	1	2	9	22	34	44	66
65+	278	12.7	179	2	3	8	14	31	42	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.7	35	<1	1	4	7	13	17	32
20-34	208	9.3	89	1	1	6	11	24	30	42
35-49	305	8.2	109	1	1	5	9	18	31	55
50-64	639	8.8	97	1	1	6	11	19	30	50
65+	1573	8.4	84	1	1	5	11	19	26	45
B. *Operated*										
0-19 YRS	105	20.6	279	2	3	16	33	47	52	63
20-34	183	25.4	368	3	5	21	34	56	72	98
35-49	268	22.2	363	3	5	15	32	49	63	96
50-64	501	20.8	350	2	3	14	30	47	59	94
65+	932	18.0	264	3	4	12	24	40	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1462	6.7	77	<1	1	4	7	16	25	44
B. *Operated*	910	14.7	256	1	2	8	21	37	51	76
2. MULTIPLE DX										
A. *Not Operated*	2876	8.4	88	1	1	5	10	19	27	45
B. *Operated*	1989	20.1	314	3	4	14	29	46	59	92
1. SINGLE DX	2372	9.8	160	1	1	5	11	26	37	61
2. MULTIPLE DX	4865	13.2	213	1	2	8	17	33	45	74
A. NOT OPERATED	4338	7.8	85	1	1	5	9	18	26	45
B. OPERATED	2899	18.4	302	2	3	12	27	44	56	90
TOTAL 0-19 YRS	548	9.5	156	<1	<1	5	10	27	39	57
20-34	691	14.9	275	1	2	8	22	37	52	77
35-49	997	13.2	245	1	1	7	17	34	47	80
50-64	1692	13.0	220	1	1	7	16	34	44	73
65+	3309	11.1	160	1	1	7	14	26	38	66
GRAND TOTAL	**7237**	**12.1**	**198**	**1**	**1**	**7**	**15**	**31**	**42**	**70**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.1	27	<1	<1	2	5	9	14	27
20-34	172	5.5	55	<1	1	3	6	12	19	37
35-49	411	5.9	53	1	1	3	8	13	17	32
50-64	999	6.8	78	1	1	4	9	15	23	40
65+	1303	8.3	78	1	1	6	11	18	25	44
B. *Operated*										
0-19 YRS	106	6.1	43	1	1	4	9	13	18	37
20-34	303	8.5	52	1	2	7	12	18	23	39
35-49	641	8.9	75	2	2	7	11	18	24	45
50-64	1442	10.2	80	1	2	8	13	21	28	43
65+	1615	11.1	88	2	2	9	15	23	30	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	7.4	103	<1	1	5	9	14	21	52
20-34	221	8.2	69	1	1	5	11	19	24	42
35-49	625	8.6	90	1	1	6	11	18	26	50
50-64	2204	9.4	99	1	1	6	12	21	29	51
65+	4115	10.9	114	1	2	8	14	24	32	53
B. *Operated*										
0-19 YRS	92	13.5	184	2	3	10	17	32	42	93
20-34	252	14.4	159	2	3	11	19	32	40	68
35-49	580	14.1	184	2	3	10	18	32	44	76
50-64	2094	15.7	188	2	3	12	21	33	46	76
65+	3656	18.1	213	3	5	14	23	37	50	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3012	7.1	73	1	1	4	9	16	23	41
B. *Operated*	4107	10.1	80	2	2	8	13	21	28	45
2. MULTIPLE DX										
A. *Not Operated*	7296	10.1	107	1	2	7	13	22	30	52
B. *Operated*	6674	16.8	202	3	4	13	22	36	47	79
1. SINGLE DX	7119	8.8	79	1	1	6	12	19	26	44
2. MULTIPLE DX	13970	13.3	164	1	2	9	17	29	40	69
A. NOT OPERATED	10308	9.2	99	1	1	6	12	21	28	50
B. OPERATED	10781	14.2	166	2	3	11	19	30	41	71
TOTAL 0-19 YRS	456	7.4	95	<1	1	5	9	17	23	56
20-34	948	9.5	95	1	1	6	12	22	30	51
35-49	2257	9.6	111	1	2	7	12	20	30	57
50-64	6739	11.2	130	1	2	8	14	25	34	61
65+	10689	13.1	153	2	2	9	17	28	39	65
GRAND TOTAL	**21089**	**11.8**	**140**	**1**	**2**	**8**	**15**	**26**	**36**	**62**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	10	2.6	4	<1	<1	2	2	6	7	7
35-49	13	2.7	2	<1	<1	3	4	4	5	5
50-64	14	3.4	1	2	2	3	4	5	6	6
65+	9	4.1	8	1	1	4	5	9	10	10
B. *Operated*										
0-19 YRS	299	3.0	7	<1	1	2	4	6	8	15
20-34	734	3.4	4	1	1	3	4	6	6	9
35-49	808	3.6	4	1	2	3	4	6	7	11
50-64	1014	4.0	12	1	2	4	5	6	8	14
65+	651	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	7	6.4	46	2	2	3	9	18	20	20
50-64	13	5.2	28	<1	<1	3	8	14	16	16
65+	23	7.0	34	1	2	5	9	13	19	28
B. *Operated*										
0-19 YRS	50	3.8	10	1	1	2	5	8	11	16
20-34	147	4.0	17	1	2	3	4	7	9	31
35-49	298	4.4	17	1	2	3	5	8	10	15
50-64	470	5.1	33	1	2	4	6	9	13	25
65+	433	6.3	25	2	2	5	7	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.1	4	<1	1	3	4	6	7	10
B. *Operated*	3506	3.7	7	1	2	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	51	5.6	31	<1	1	3	7	13	16	28
B. *Operated*	1398	5.2	25	1	2	4	6	10	13	25
1. SINGLE DX	3559	3.7	7	1	2	3	5	6	7	12
2. MULTIPLE DX	1449	5.2	26	1	2	4	6	10	14	26
A. NOT OPERATED	104	4.3	18	<1	1	3	5	9	13	24
B. OPERATED	4904	4.1	13	1	2	3	5	7	9	17
TOTAL 0-19 YRS	358	3.1	8	<1	1	2	4	6	8	16
20-34	897	3.5	6	1	1	3	4	6	7	13
35-49	1126	3.8	8	1	2	3	5	6	8	12
50-64	1511	4.3	19	1	2	4	5	7	10	18
65+	1116	5.0	15	2	2	4	6	9	12	22
GRAND TOTAL	**5008**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	6	1	1	2	3	7	9	9
20-34	73	3.2	9	<1	1	2	4	6	9	18
35-49	199	2.8	7	1	1	2	3	5	8	15
50-64	410	2.9	13	<1	1	2	3	5	8	14
65+	436	3.4	9	1	1	2	4	7	9	14
B. *Operated*										
0-19 YRS	215	4.7	16	1	1	3	6	10	12	20
20-34	382	6.3	29	1	1	5	9	14	17	23
35-49	926	4.7	22	<1	1	2	7	11	14	21
50-64	2491	4.3	21	1	1	2	5	11	14	22
65+	2507	4.9	30	1	1	2	6	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	4	1	1	3	4	7	8	9
20-34	88	5.2	18	1	2	4	6	11	14	22
35-49	198	4.9	14	1	1	4	7	9	12	18
50-64	584	4.8	24	1	1	3	6	10	13	25
65+	979	6.5	39	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	107	7.9	50	1	2	6	10	16	21	37
20-34	350	8.2	63	1	2	6	11	17	22	41
35-49	872	7.8	48	1	2	6	10	15	21	35
50-64	2961	7.8	60	1	2	5	11	17	21	36
65+	4314	9.2	79	1	2	7	13	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1180	3.1	10	1	1	2	4	6	8	14
B. *Operated*	6521	4.7	25	1	1	2	6	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1897	5.7	31	1	1	4	7	12	15	28
B. *Operated*	8604	8.5	69	1	2	6	12	18	23	40
1. SINGLE DX	7701	4.5	23	1	1	2	6	11	14	22
2. MULTIPLE DX	10501	8.0	63	1	2	6	11	17	22	38
A. NOT OPERATED	3077	4.7	24	1	1	3	6	10	13	24
B. OPERATED	15125	6.9	53	1	1	4	10	16	20	34
TOTAL 0-19 YRS	432	5.1	25	1	1	3	7	11	14	25
20-34	893	6.7	42	1	1	5	9	14	18	28
35-49	2195	5.8	33	1	1	4	8	13	16	27
50-64	6446	5.9	42	1	1	3	8	14	17	29
65+	8236	7.3	60	1	1	4	10	17	22	37
GRAND TOTAL	**18202**	**6.5**	**49**	**1**	**1**	**4**	**9**	**15**	**19**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.7	1	<1	<1	1	2	3	4	4
20-34	19	3.4	21	<1	<1	2	2	7	15	21
35-49	22	2.5	2	<1	1	2	3	5	6	6
50-64	18	3.4	23	<1	1	2	3	5	15	22
65+	18	3.2	8	<1	1	2	4	6	10	13
B. *Operated*										
0-19 YRS	412	2.5	10	<1	1	2	2	4	8	22
20-34	319	3.6	14	<1	1	2	4	9	12	18
35-49	387	3.6	12	1	1	2	4	9	11	17
50-64	533	4.8	25	1	1	2	7	12	16	22
65+	300	4.6	27	1	1	2	5	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	2	1	1	2	3	5	6	6
20-34	7	5.1	6	1	2	5	7	8	8	8
35-49	13	6.5	71	<1	1	3	8	15	29	32
50-64	19	8.8	146	1	1	5	9	22	39	52
65+	42	10.2	80	1	2	7	14	24	31	37
B. *Operated*										
0-19 YRS	130	4.0	39	<1	1	2	3	9	15	40
20-34	111	7.0	54	1	1	4	10	15	24	41
35-49	193	6.8	75	1	1	4	10	15	22	63
50-64	297	8.2	86	1	2	5	11	20	25	45
65+	277	9.2	66	1	2	7	13	22	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.7	10	<1	<1	2	3	4	6	21
B. *Operated*	1951	3.9	18	<1	1	2	4	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	90	8.2	83	1	1	5	10	20	29	46
B. *Operated*	1008	7.6	71	1	1	4	11	19	24	39
1. SINGLE DX	2061	3.8	18	<1	1	2	4	9	13	21
2. MULTIPLE DX	1098	7.6	72	1	1	4	11	19	25	39
A. NOT OPERATED	200	5.2	50	<1	1	2	6	12	21	35
B. OPERATED	2959	5.1	39	1	1	2	7	13	18	29
TOTAL 0-19 YRS	584	2.8	16	<1	1	2	2	5	9	23
20-34	456	4.4	26	<1	1	2	6	10	14	24
35-49	615	4.6	35	1	1	2	6	11	14	28
50-64	867	6.1	51	1	1	3	8	15	20	35
65+	637	7.0	53	1	2	3	10	17	23	31
GRAND TOTAL	**3159**	**5.1**	**40**	**1**	**1**	**2**	**7**	**13**	**18**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	7	<1	1	2	3	5	7	16
20-34	95	3.3	8	<1	<1	2	4	7	9	13
35-49	108	3.1	6	<1	<1	2	3	7	8	14
50-64	116	3.1	6	<1	<1	2	4	6	8	15
65+	51	3.5	15	<1	<1	2	4	7	11	24
B. *Operated*										
0-19 YRS	3354	3.2	5	1	1	3	4	6	7	12
20-34	4214	3.1	7	<1	1	2	4	5	7	14
35-49	4327	3.0	9	<1	1	2	3	5	7	16
50-64	4408	3.1	7	<1	1	2	3	5	7	14
65+	1612	3.6	12	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	<1	2	3	5	5	5
20-34	76	4.4	30	<1	1	3	6	8	10	35
35-49	105	3.9	10	<1	1	3	5	7	11	15
50-64	125	5.2	28	<1	1	4	6	11	14	27
65+	116	7.4	85	1	1	5	9	14	21	51
B. *Operated*										
0-19 YRS	544	4.1	17	1	2	3	5	8	11	24
20-34	1403	4.5	25	1	2	3	5	9	12	23
35-49	2183	4.8	25	1	2	3	6	10	13	25
50-64	2833	5.1	27	1	2	3	6	10	14	26
65+	1506	6.6	51	2	2	4	8	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	3.1	8	<1	<1	2	4	7	8	14
B. *Operated*	17915	3.2	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	469	5.0	38	<1	1	3	6	10	14	29
B. *Operated*	8469	5.1	30	1	2	3	6	10	15	27
1. SINGLE DX	18362	3.2	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	8938	5.1	31	1	2	3	6	10	15	27
A. NOT OPERATED	916	4.1	24	<1	1	3	5	8	12	21
B. OPERATED	26384	3.8	16	1	1	3	4	7	10	21
TOTAL 0-19 YRS	4022	3.3	7	1	1	3	4	6	8	13
20-34	5788	3.5	12	1	1	3	4	6	9	17
35-49	6723	3.6	15	<1	1	2	4	7	10	21
50-64	7482	3.9	16	1	1	3	4	8	11	21
65+	3285	5.1	35	1	2	3	6	11	15	31
GRAND TOTAL	**27300**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.9	11	<1	<1	2	3	7	9	18
20-34	51	2.8	5	<1	1	2	3	5	8	13
35-49	39	3.9	38	<1	1	2	4	8	14	36
50-64	46	3.5	17	<1	1	2	3	8	13	21
65+	36	7.2	40	1	2	5	9	18	23	24
B. *Operated*										
0-19 YRS	3346	2.4	9	<1	<1	2	2	4	6	13
20-34	1556	3.0	16	<1	<1	2	3	5	8	17
35-49	1228	3.1	16	<1	<1	2	3	6	9	19
50-64	1101	3.4	16	<1	<1	2	4	7	10	23
65+	624	4.1	26	<1	1	2	4	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.1	34	<1	<1	1	3	7	10	32
20-34	39	8.3	142	<1	<1	4	9	19	38	59
35-49	58	4.1	12	1	1	3	5	8	12	17
50-64	52	5.3	19	1	2	4	6	10	13	22
65+	91	7.2	34	1	2	5	11	15	18	29
B. *Operated*										
0-19 YRS	637	4.1	49	<1	1	2	4	8	12	34
20-34	819	3.9	30	<1	1	2	4	8	13	23
35-49	887	4.3	20	<1	1	3	5	9	12	22
50-64	960	5.4	54	<1	1	3	6	12	17	33
65+	683	8.0	109	1	2	4	9	19	24	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.6	19	<1	1	2	4	8	13	22
B. *Operated*	7855	2.9	14	<1	<1	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	358	5.2	43	<1	1	3	6	12	16	34
B. *Operated*	3986	5.1	52	<1	1	3	5	11	17	33
1. SINGLE DX	8156	2.9	14	<1	<1	2	3	5	8	18
2. MULTIPLE DX	4344	5.1	52	<1	1	3	6	11	17	33
A. NOT OPERATED	659	4.5	33	<1	1	2	5	10	14	24
B. OPERATED	11841	3.6	28	<1	1	2	4	7	11	25
TOTAL 0-19 YRS	4230	2.7	16	<1	<1	2	3	5	7	18
20-34	2465	3.4	23	<1	<1	2	4	6	10	20
35-49	2212	3.6	18	<1	1	2	4	8	11	22
50-64	2159	4.3	34	<1	1	3	5	9	13	28
65+	1434	6.2	70	1	1	3	7	15	22	37
GRAND TOTAL	**12500**	**3.7**	**28**	**<1**	**1**	**2**	**4**	**8**	**11**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	2	<1	<1	2	2	3	4	8
20-34	73	2.1	1	<1	<1	2	2	3	4	5
35-49	41	2.9	10	1	1	2	3	4	6	21
50-64	18	5.1	83	1	1	2	3	18	31	35
65+	10	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	2402	2.1	4	<1	1	2	2	3	3	5
20-34	4820	2.1	4	<1	1	2	2	3	3	6
35-49	2631	2.3	4	1	1	2	2	3	4	8
50-64	998	2.7	4	1	2	2	3	4	5	12
65+	544	3.1	11	1	2	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	3	3	3
20-34	38	2.9	10	<1	<1	2	3	5	11	17
35-49	37	2.9	3	<1	1	2	3	5	8	9
50-64	25	3.7	10	1	1	3	4	6	9	17
65+	18	5.3	13	1	2	3	8	11	12	12
B. *Operated*										
0-19 YRS	324	2.5	3	1	1	2	3	4	5	10
20-34	1371	2.8	6	1	1	2	3	4	7	13
35-49	1537	3.2	6	1	2	2	3	6	8	14
50-64	860	3.6	9	1	2	3	4	7	10	16
65+	559	5.3	29	2	2	3	6	10	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.5	12	<1	<1	2	3	4	4	23
B. *Operated*	11395	2.3	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	127	3.3	8	<1	1	3	4	7	10	17
B. *Operated*	4751	3.4	10	1	2	2	4	6	9	16
1. SINGLE DX	11574	2.3	4	<1	1	2	2	3	4	8
2. MULTIPLE DX	4878	3.4	10	1	2	2	4	6	9	17
A. NOT OPERATED	306	2.9	11	<1	1	2	3	4	8	19
B. OPERATED	16146	2.6	6	<1	1	2	3	4	5	12
TOTAL 0-19 YRS	2772	2.2	4	<1	1	2	2	3	4	7
20-34	6302	2.3	4	<1	1	2	2	3	4	10
35-49	4346	2.7	5	1	1	2	3	4	6	12
50-64	1901	3.2	7	1	2	2	3	5	8	15
65+	1131	4.2	21	2	2	3	4	8	11	23
GRAND TOTAL	**16452**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	127	3.3	6	<1	1	2	4	7	8	11
35-49	249	3.9	9	<1	1	3	6	8	9	13
50-64	52	3.6	7	<1	1	3	5	7	10	13
65+	14	6.4	23	1	2	5	8	13	16	17
B. *Operated*										
0-19 YRS	23	5.3	8	2	2	6	8	9	10	10
20-34	2609	6.0	8	1	2	6	8	9	10	14
35-49	7761	6.6	11	1	2	7	8	9	11	15
50-64	1507	6.4	13	1	2	7	8	10	12	18
65+	144	8.3	52	1	2	8	10	15	17	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	5	<1	<1	3	5	7	7	7
20-34	295	4.5	13	1	1	4	6	9	11	18
35-49	826	4.7	18	<1	1	4	7	9	11	17
50-64	185	5.0	18	1	1	4	7	10	10	22
65+	90	8.1	61	1	2	6	11	15	18	49
B. *Operated*										
0-19 YRS	55	6.7	15	1	2	7	9	11	12	24
20-34	7159	6.8	14	2	2	7	8	10	13	19
35-49	31471	7.6	15	2	3	7	9	11	13	21
50-64	7406	8.0	19	2	2	8	9	12	15	25
65+	836	10.6	42	2	5	9	13	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.8	9	<1	1	3	6	8	9	13
B. *Operated*	12044	6.4	11	1	2	7	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1403	4.9	20	1	1	4	7	9	12	19
B. *Operated*	46927	7.6	16	2	3	7	9	11	14	22
1. SINGLE DX	12487	6.3	11	1	2	7	8	9	11	16
2. MULTIPLE DX	48330	7.5	17	2	2	7	9	11	14	22
A. NOT OPERATED	1846	4.6	18	<1	1	4	7	9	11	17
B. OPERATED	58971	7.4	15	2	2	7	9	11	13	21
TOTAL 0-19 YRS	86	6.0	13	1	2	6	8	10	11	21
20-34	10190	6.5	13	1	2	7	8	10	12	18
35-49	40307	7.3	15	2	2	7	9	11	13	20
50-64	9150	7.6	19	2	2	7	9	12	14	24
65+	1084	10.1	46	2	3	9	12	17	23	39
GRAND TOTAL	**60817**	**7.3**	**16**	**2**	**2**	**7**	**9**	**11**	**13**	**21**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	12	2.1	4	<1	<1	2	2	4	7	8
20-34	127	3.5	8	<1	<1	2	5	7	9	13
35-49	226	4.5	11	<1	1	3	7	9	10	13
50-64	124	3.1	14	<1	1	2	3	7	8	18
65+	48	3.9	16	<1	<1	2	4	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	14	6.7	13	<1	1	6	9	12	12	12
50-64	5	5.8	11	1	1	5	9	9	9	9
65+	3	1[illegible].3	72	5	5	13	20	22	22	22
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	247	5.[illegible]	18	<1	1	5	8	10	12	18
35-49	688	6.[illegible]	15	1	2	7	9	11	12	18
50-64	296	5.7	22	1	1	5	8	10	12	27
65+	89	7.0	45	2	2	4	9	16	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	2	1	1	2	3	5	6	6
B. *Operated*	537	3.8	11	<1	1	2	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	27	6.6	22	1	1	5	9	12	14	22
B. *Operated*	1324	6.2	20	1	2	6	8	11	13	20
1. SINGLE DX	550	3.8	11	<1	1	2	6	8	10	14
2. MULTIPLE DX	1351	6.2	20	1	2	6	8	11	13	21
A. NOT OPERATED	40	5.3	20	1	1	5	7	11	13	22
B. OPERATED	1861	5.5	18	<1	1	5	8	10	12	19
TOTAL 0-19 YRS	19	2.1	2	<1	<1	2	2	3	6	8
20-34	381	4.8	15	<1	1	4	7	9	12	16
35-49	931	6.1	15	1	2	6	8	10	12	17
50-64	429	4.9	21	<1	1	3	7	9	12	26
65+	141	6.0	38	1	2	4	8	14	18	26
GRAND TOTAL	**1901**	**5.5**	**18**	**<1**	**1**	**5**	**8**	**10**	**12**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	4	<1	<1	2	3	6	6	6
20-34	22	4.0	5	<1	1	4	6	7	7	8
35-49	12	4.8	10	<1	<1	5	7	9	11	11
50-64	5	8.2	16	2	2	9	10	13	13	13
65+	4	4.0	7	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	583	6.1	3	4	4	6	7	8	9	12
20-34	1926	6.1	6	4	4	6	7	8	9	12
35-49	596	7.0	6	4	5	7	8	10	11	16
50-64	418	8.1	9	5	6	7	9	11	14	19
65+	213	10.1	23	5	6	9	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	11	<1	1	4	5	10	12	12
20-34	27	4.4	8	<1	1	5	6	8	9	12
35-49	20	5.3	7	<1	1	5	7	8	10	11
50-64	12	9.9	24	3	4	9	12	18	20	20
65+	14	7.9	38	1	1	7	8	15	24	26
B. *Operated*										
0-19 YRS	404	6.8	7	4	5	6	8	10	12	15
20-34	1865	6.9	11	4	5	6	8	9	11	19
35-49	1317	8.1	12	5	5	7	9	12	14	25
50-64	993	10.0	30	5	6	9	11	15	19	32
65+	655	13.0	52	6	7	11	16	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.2	9	<1	1	4	6	8	9	13
B. *Operated*	3736	6.7	8	4	4	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	84	6.0	19	1	1	5	8	11	13	24
B. *Operated*	5234	8.6	24	5	5	7	9	13	17	29
1. SINGLE DX	3792	6.6	8	4	4	6	8	9	11	16
2. MULTIPLE DX	5318	8.5	24	4	5	7	9	13	17	29
A. NOT OPERATED	140	5.3	15	<1	1	5	7	9	12	21
B. OPERATED	8970	7.8	18	4	5	7	9	12	15	26
TOTAL 0-19 YRS	1011	6.3	5	4	4	6	7	9	11	14
20-34	3840	6.5	9	4	4	6	7	9	10	16
35-49	1945	7.7	11	4	5	7	9	11	13	22
50-64	1428	9.4	24	5	6	8	10	14	18	28
65+	886	12.2	47	6	7	10	15	20	26	36
GRAND TOTAL	**9110**	**7.7**	**18**	**4**	**5**	**7**	**8**	**12**	**15**	**26**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	10	1	1	2	5	8	8	8
20-34	7	2.4	3	<1	<1	2	4	5	5	5
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	45	2.7	4	<1	<1	2	4	6	7	9
20-34	136	4.0	13	<1	1	3	6	7	8	15
35-49	123	3.1	7	<1	1	2	3	7	8	13
50-64	91	4.1	13	<1	1	3	5	8	12	19
65+	40	4.2	17	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.1	5	1	1	5	6	7	7	7
35-49	4	5.3	4	3	3	5	7	8	8	8
50-64	6	6.8	11	2	2	7	9	11	11	11
65+	4	9.0	35	3	3	9	14	15	15	15
B. *Operated*										
0-19 YRS	23	4.3	11	<1	1	3	6	8	12	13
20-34	112	5.3	10	1	2	5	7	9	11	17
35-49	143	5.5	15	1	1	6	8	11	12	30
50-64	98	5.4	21	<1	2	3	8	12	16	20
65+	53	6.1	29	2	2	4	8	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	8	<1	<1	2	4	7	10	12
B. *Operated*	435	3.7	11	<1	1	2	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	21	6.0	14	1	2	5	8	12	14	15
B. *Operated*	429	5.4	16	1	2	5	7	11	13	21
1. SINGLE DX	455	3.6	11	<1	1	2	5	7	9	16
2. MULTIPLE DX	450	5.5	16	1	2	5	7	11	13	20
A. NOT OPERATED	41	4.6	13	<1	1	4	6	10	12	15
B. OPERATED	864	4.5	14	<1	1	3	6	9	11	20
TOTAL 0-19 YRS	72	3.3	7	<1	1	2	5	7	8	13
20-34	262	4.5	12	<1	1	4	6	8	9	16
35-49	273	4.4	12	1	1	3	7	9	11	18
50-64	198	4.8	17	<1	1	3	7	10	14	20
65+	100	5.5	25	1	2	3	7	12	15	24
GRAND TOTAL	**905**	**4.5**	**14**	**<1**	**1**	**3**	**6**	**9**	**11**	**19**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	43	3.5	14	<1	<1	3	4	8	8	24
20-34	109	3.0	3	<1	1	3	4	6	6	8
35-49	88	3.3	6	1	1	3	4	6	8	15
50-64	66	3.7	11	1	1	3	4	7	12	18
65+	47	4.5	15	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	6	6.0	30	2	2	3	12	14	14	14
65+	10	15.1	630	1	1	7	12	51	85	85
B. *Operated*										
0-19 YRS	14	3.1	6	1	1	2	3	7	9	9
20-34	57	3.1	4	1	1	3	4	5	6	13
35-49	42	5.1	14	1	2	4	7	10	12	21
50-64	61	4.4	10	1	2	3	6	9	10	15
65+	78	7.6	63	1	2	5	10	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	5	<1	<1	2	4	7	7	7
B. *Operated*	353	3.5	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	20	10.3	334	1	2	4	11	16	51	85
B. *Operated*	252	5.1	28	1	2	3	6	10	15	29
1. SINGLE DX	365	3.5	8	<1	1	3	4	6	8	17
2. MULTIPLE DX	272	5.5	52	1	2	3	6	11	16	31
A. NOT OPERATED	32	7.5	219	<1	1	3	8	13	18	85
B. OPERATED	605	4.2	17	1	1	3	5	8	11	22
TOTAL 0-19 YRS	60	3.4	12	<1	1	3	4	7	8	22
20-34	169	3.0	3	1	1	3	4	5	6	10
35-49	136	3.9	10	1	1	3	5	8	10	18
50-64	135	4.1	11	1	1	3	5	9	12	16
65+	137	7.0	90	1	2	4	8	16	21	48
GRAND TOTAL	**637**	**4.3**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.0	98	5	5	12	19	19	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	5.6	28	2	2	2	8	14	16	16
65+	12	3.1	3	<1	1	3	4	5	8	8
B. *Operated*										
0-19 YRS	16	3.1	5	<1	1	2	5	6	8	9
20-34	76	3.9	25	<1	1	2	4	8	11	33
35-49	101	3.7	11	<1	1	2	4	9	11	15
50-64	226	3.6	11	1	1	2	4	8	11	18
65+	291	3.9	12	1	1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	12	3.9	5	1	1	4	5	7	8	8
65+	16	6.1	42	<1	1	5	7	9	22	28
B. *Operated*										
0-19 YRS	15	5.1	30	1	1	2	6	14	18	19
20-34	62	5.3	23	1	2	4	6	12	15	24
35-49	83	5.6	31	1	2	3	6	12	16	31
50-64	194	6.4	45	1	1	4	9	15	19	34
65+	387	5.7	26	1	2	4	7	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.6	22	<1	1	3	5	11	17	19
B. *Operated*	710	3.7	13	1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	33	5.0	23	1	1	4	7	8	9	28
B. *Operated*	741	5.8	31	1	2	4	7	13	17	28
1. SINGLE DX	732	3.8	13	1	1	3	4	8	11	20
2. MULTIPLE DX	774	5.8	31	1	2	4	7	12	17	28
A. NOT OPERATED	55	4.8	22	1	1	3	7	8	14	28
B. OPERATED	1451	4.8	23	1	1	3	5	11	15	24
TOTAL 0-19 YRS	31	4.1	18	1	1	2	5	10	14	19
20-34	143	4.6	25	1	1	3	5	10	14	25
35-49	187	4.5	21	1	1	3	5	11	14	18
50-64	439	4.9	28	1	1	3	5	11	16	29
65+	706	4.9	21	1	2	3	6	10	15	24
GRAND TOTAL	**1506**	**4.8**	**23**	**1**	**1**	**3**	**6**	**11**	**15**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	185	1.6		<1	<1	1	2	2	3	5
20-34	56	3.2	24	<1	1	2	3	5	9	35
35-49	28	2.5	9	<1	1	2	3	4	6	17
50-64	40	2.7	2	1	1	2	3	5	6	7
65+	29	2.1		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	33	2.1	1	1	1	2	2	3	5	6
20-34	19	3.4	13	1	1	2	4	9	13	14
35-49	7	2.6		2	2	3	3	3	3	3
50-64	15	4.0	20	<1	<1	2	5	10	16	18
65+	34	3.8	17	<1	1	2	4	9	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*	338	2.1	6	<1	<1	2	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	12	5.1	20	<1	<1	4	7	13	14	14
B. *Operated*	108	3.2	11	<1	1	2	3	7	10	54
1. SINGLE DX	346	2.1	6	<1	<1	2	2	3	4	12
2. MULTIPLE DX	120	3.4	12	<1	1	2	3	8	12	45
A. NOT OPERATED	20	4.1	14	<1	<1	3	6	10	13	14
B. OPERATED	446	2.4	7	<1	1	2	2	4	6	18
TOTAL 0-19 YRS	225	1.7	1	<1	<1	2	2	2	3	6
20-34	79	3.4	21	<1	1	2	3	6	12	30
35-49	38	2.8	8	<1	1	2	3	4	7	17
50-64	60	3.0	7	<1	1	2	3	6	7	17
65+	64	3.2	12	1	1	2	3	8	10	88
GRAND TOTAL	**466**	**2.4**	**8**	**<1**	**1**	**2**	**2**	**4**	**6**	**18**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.9	66	<1	<1	5	13	21	23	23
20-34	28	4.0	12	1	1	3	4	9	11	16
35-49	34	4.9	53	1	1	3	5	9	13	43
50-64	61	5.8	62	1	1	4	8	12	14	53
65+	70	7.6	39	1	2	6	11	18	22	84
B. *Operated*										
0-19 YRS	46	12.0	72	3	3	10	14	21	26	51
20-34	199	11.4	54	1	2	11	15	21	25	36
35-49	342	13.4	130	1	2	11	17	25	35	57
50-64	537	14.2	108	2	3	13	18	28	36	55
65+	307	17.9	185	2	4	16	21	33	42	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.9	65	<1	1	4	6	22	25	26
20-34	23	6.1	19	<1	1	5	10	11	14	17
35-49	27	9.4	219	1	1	5	9	13	40	76
50-64	82	11.5	196	1	2	6	13	25	48	70
65+	209	11.4	112	2	3	9	14	23	30	88
B. *Operated*										
0-19 YRS	37	17.9	143	3	6	16	23	30	35	66
20-34	121	18.8	183	3	5	15	27	47	52	99+
35-49	220	20.0	212	3	6	16	26	40	50	94
50-64	428	23.3	399	4	6	17	28	58	84	99+
65+	430	28.3	394	5	8	23	40	63	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	6.1	47	1	1	4	8	14	19	50
B. *Operated*	1431	14.3	125	2	3	12	18	26	36	58
2. MULTIPLE DX										
A. *Not Operated*	357	10.7	132	2	2	7	13	22	31	77
B. *Operated*	1236	23.8	347	4	7	19	31	53	73	99+
1. SINGLE DX	1632	13.3	122	1	2	12	17	25	34	57
2. MULTIPLE DX	1593	20.9	329	3	4	16	27	49	68	99+
A. NOT OPERATED	558	9.1	106	1	2	6	11	19	27	76
B. OPERATED	2667	16.7	250	2	4	15	23	40	56	99
TOTAL 0-19 YRS	107	13.0	109	1	2	11	18	25	29	57
20-34	371	12.9	111	1	2	11	16	26	34	63
35-49	623	15.1	175	1	2	12	19	32	42	76
50-64	1108	17.0	252	2	3	13	21	36	57	99+
65+	1016	20.2	304	2	4	16	26	46	64	99+
GRAND TOTAL	**3225**	**17.1**	**239**	**2**	**3**	**13**	**21**	**37**	**52**	**97**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	5	2	2	4	6	8	8	8
20-34	25	3.9	2	1	2	4	5	5	6	8
35-49	26	4.1	18	1	1	3	4	7	12	23
50-64	22	5.0	11	1	2	5	6	8	12	17
65+	9	3.2	3	<1	<1	4	5	5	5	5
B. *Operated*										
0-19 YRS	233	4.0	2	2	2	4	5	6	6	9
20-34	1512	4.3	5	2	3	4	5	6	7	11
35-49	1633	4.4	3	3	3	4	5	6	7	12
50-64	1234	4.8	5	3	3	4	5	7	8	14
65+	493	5.6	12	3	3	5	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	4.1	9	<1	1	4	5	7	11	13
35-49	24	6.5	77	<1	<1	4	7	12	32	37
50-64	31	6.8	30	1	2	5	10	15	18	22
65+	35	9.5	70	2	3	7	12	24	37	99+
B. *Operated*										
0-19 YRS	48	4.4	5	2	2	4	5	8	8	12
20-34	471	4.8	6	3	3	4	5	7	8	17
35-49	749	5.7	15	3	3	5	6	9	13	24
50-64	816	6.3	25	3	3	5	7	11	14	29
65+	468	8.8	72	3	4	6	10	17	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.2	9	1	1	4	5	7	8	21
B. *Operated*	5105	4.6	5	3	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	107	7.2	52	1	1	5	8	15	25	65
B. *Operated*	2552	6.3	29	3	3	5	7	11	15	28
1. SINGLE DX	5193	4.6	5	3	3	4	5	6	8	13
2. MULTIPLE DX	2659	6.3	30	3	3	5	7	11	15	30
A. NOT OPERATED	195	5.9	35	1	1	4	6	13	19	39
B. OPERATED	7657	5.2	14	3	3	4	5	8	10	21
TOTAL 0-19 YRS	288	4.1	3	2	2	4	5	6	7	10
20-34	2024	4.4	5	2	3	4	5	6	8	12
35-49	2432	4.8	8	3	3	4	5	7	9	18
50-64	2103	5.4	14	3	3	5	6	8	11	22
65+	1005	7.2	44	3	3	5	8	13	18	41
GRAND TOTAL	**7852**	**5.2**	**14**	**3**	**3**	**4**	**5**	**8**	**11**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	63	4.4	29	1	1	3	5	8	9	38
35-49	25	6.2	63	1	2	4	6	15	24	38
50-64	25	6.6	16	1	2	6	9	12	16	16
65+	20	5.4	16	<1	1	5	7	9	14	19
B. *Operated*										
0-19 YRS	34	9.9	40	3	4	9	11	14	22	37
20-34	229	10.3	66	3	4	9	12	18	22	40
35-49	179	9.6	66	3	4	8	12	17	19	51
50-64	217	9.0	37	3	4	8	12	16	19	39
65+	107	10.8	96	3	4	7	13	20	25	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	16	2	2	7	10	11	11	11
20-34	61	5.4	19	1	1	4	6	11	12	23
35-49	59	6.4	35	1	1	5	8	10	18	37
50-64	60	7.6	48	2	3	5	10	15	24	34
65+	53	14.3	158	3	4	10	17	33	43	61
B. *Operated*										
0-19 YRS	18	9.4	113	2	2	7	10	16	37	49
20-34	155	11.4	104	3	4	9	14	21	24	94
35-49	192	12.6	121	4	4	10	16	23	31	61
50-64	363	12.9	146	3	4	9	16	28	35	79
65+	261	15.7	208	4	5	11	20	33	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.2	31	1	1	4	6	9	14	39
B. *Operated*	766	9.8	61	3	4	8	12	18	22	41
2. MULTIPLE DX										
A. *Not Operated*	239	8.2	71	1	2	6	10	16	25	44
B. *Operated*	989	13.3	152	4	4	10	16	27	36	72
1. SINGLE DX	902	9.1	59	2	3	8	11	17	20	40
2. MULTIPLE DX	1228	12.3	140	3	4	9	15	25	34	68
A. NOT OPERATED	375	7.1	58	1	2	5	8	13	22	43
B. OPERATED	1755	11.8	115	3	4	9	14	22	30	65
TOTAL 0-19 YRS	61	9.1	58	2	3	8	10	14	21	48
20-34	508	9.3	74	2	3	8	11	17	22	43
35-49	455	10.3	90	2	3	8	12	19	24	57
50-64	665	10.9	101	3	4	8	13	22	30	63
65+	441	13.9	173	3	4	9	17	28	40	70
GRAND TOTAL	**2130**	**11.0**	**108**	**2**	**4**	**8**	**13**	**21**	**29**	**60**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	56	3.5	6	<1	<1	3	5	7	9	10
35-49	22	6.5	23	<1	1	7	10	13	15	16
50-64	16	4.4	5	<1	1	4	5	9	9	9
65+	5	8.0	69	<1	<1	3	16	18	18	18
B. *Operated*										
0-19 YRS	92	3.0	5	1	1	2	3	6	8	12
20-34	4700	4.3	9	1	1	4	6	8	9	12
35-49	1742	5.3	11	1	2	5	7	9	10	16
50-64	499	5.4	27	1	2	5	7	9	11	16
65+	217	5.5	19	2	2	4	8	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	73	3.7	21	<1	1	2	5	8	12	28
35-49	40	4.9	16	<1	1	3	7	11	13	14
50-64	15	6.9	72	<1	1	4	7	12	29	35
65+	11	5.8	13	2	2	5	8	12	14	14
B. *Operated*										
0-19 YRS	54	3.7	7	1	1	3	5	7	8	15
20-34	3065	5.7	20	1	2	6	7	9	11	20
35-49	1982	.0	20	2	2	7	8	11	13	22
50-64	580	7.8	29	2	2	7	9	14	17	26
65+	306	8.3	48	2	2	7	10	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	14	<1	<1	4	6	10	12	17
B. *Operated*	7250	4.7	11	1	2	4	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	141	4.5	25	<1	1	3	6	10	13	32
B. *Operated*	5989	6.4	23	1	2	6	8	10	13	22
1. SINGLE DX	7351	4.7	11	1	2	4	7	8	9	13
2. MULTIPLE DX	6130	6.4	23	1	2	6	8	10	13	22
A. NOT OPERATED	242	4.5	20	<1	1	3	6	10	12	19
B. OPERATED	13239	5.5	17	1	2	5	7	9	11	18
TOTAL 0-19 YRS	150	3.3	6	1	1	2	4	7	8	12
20-34	7894	4.8	14	1	2	4	7	8	10	15
35-49	3786	6.2	17	1	2	6	8	10	12	19
50-64	1110	6.7	29	2	2	6	8	11	15	24
65+	541	7.2	37	2	2	6	9	13	17	29
GRAND TOTAL	**13481**	**5.4**	**17**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.6	1	1	2	2	3	4	5	7
20-34	11	3.5	5	<1	1	3	6	7	7	7
35-49	11	4.6	31	1	1	3	5	12	20	21
50-64	38	5.2	26	1	1	4	6	11	15	26
65+	38	7.1	90	1	1	4	7	14	35	40
B. *Operated*										
0-19 YRS	21	3.4	6	<1	<1	2	5	7	8	8
20-34	178	4.3	12	1	1	3	6	8	10	19
35-49	334	5.4	18	1	1	4	7	11	14	22
50-64	644	5.7	37	1	1	4	7	12	16	32
65+	659	6.1	48	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	9	3	3	5	8	10	10	10
20-34	15	6.1	19	<1	1	5	8	11	16	17
35-49	18	7.3	23	2	2	6	10	15	18	18
50-64	52	7.9	60	1	1	5	9	18	24	42
65+	96	9.9	76	2	3	7	14	21	28	77
B. *Operated*										
0-19 YRS	9	5.6	25	<1	<1	5	10	13	14	14
20-34	153	6.7	22	1	2	6	8	12	14	26
35-49	388	7.6	59	1	2	6	9	14	19	43
50-64	837	8.4	58	1	2	7	10	17	23	40
65+	1035	10.0	81	2	2	8	13	21	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	4.8	38	1	1	3	5	10	15	37
B. *Operated*	1836	5.6	35	1	1	4	7	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	186	8.7	61	1	2	6	12	18	24	48
B. *Operated*	2422	8.8	67	1	2	7	11	19	24	41
1. SINGLE DX	1972	5.6	35	1	1	4	7	12	16	32
2. MULTIPLE DX	2608	8.8	66	1	2	7	11	18	24	42
A. NOT OPERATED	322	7.0	55	1	2	5	9	17	22	41
B. OPERATED	4258	7.5	56	1	2	5	10	16	21	37
TOTAL 0-19 YRS	73	3.4	7	<1	1	2	4	7	10	13
20-34	357	5.4	18	1	1	5	7	10	13	23
35-49	751	6.6	41	1	2	5	8	12	17	31
50-64	1571	7.2	51	1	2	5	9	15	21	35
65+	1828	8.5	72	1	2	6	11	19	26	40
GRAND TOTAL	**4580**	**7.4**	**56**	**1**	**2**	**5**	**10**	**16**	**21**	**37**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.2	8	<1	1	2	4	6	9	20
20-34	326	3.9	11	1	1	3	5	7	10	19
35-49	324	4.3	14	1	1	3	6	8	11	22
50-64	528	5.7	48	1	1	4	7	12	17	39
65+	640	6.9	57	1	1	4	9	16	21	38
B. *Operated*										
0-19 YRS	765	4.6	36	1	1	3	5	9	14	28
20-34	1473	4.9	19	1	1	3	6	10	14	20
35-49	1344	5.4	35	1	1	3	6	12	16	31
50-64	1908	5.6	38	1	1	3	7	12	17	29
65+	1922	6.1	45	1	1	3	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.4	45	1	1	3	5	8	12	76
20-34	324	5.7	41	<1	1	4	7	11	15	26
35-49	449	6.0	31	1	1	5	8	11	16	29
50-64	988	6.8	44	1	1	5	9	14	18	31
65+	2082	9.1	76	1	2	7	12	20	26	47
B. *Operated*										
0-19 YRS	287	8.3	91	1	2	5	10	21	29	51
20-34	993	7.5	72	1	2	6	9	15	21	61
35-49	1229	8.1	74	1	2	6	9	15	22	48
50-64	2112	9.8	93	1	2	7	13	21	28	54
65+	3240	11.6	116	2	2	9	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2011	5.3	37	1	1	4	6	11	16	32
B. *Operated*	7412	5.4	36	1	1	3	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	3990	7.7	61	1	1	5	10	16	22	44
B. *Operated*	7861	9.9	99	2	2	7	13	22	29	55
1. SINGLE DX	9423	5.4	36	1	1	3	7	12	16	29
2. MULTIPLE DX	11851	9.2	87	1	2	6	12	20	27	53
A. NOT OPERATED	6001	6.9	54	1	1	5	9	15	21	40
B. OPERATED	15273	7.7	73	1	2	5	10	17	24	44
TOTAL 0-19 YRS	1392	5.2	47	1	1	3	6	11	17	34
20-34	3116	5.7	39	1	1	4	7	11	15	31
35-49	3346	6.3	49	1	1	4	8	13	18	38
50-64	5536	7.4	65	1	2	5	10	16	22	40
65+	7884	9.2	88	1	2	6	12	20	27	50
GRAND TOTAL	**21274**	**7.5**	**68**	**1**	**2**	**5**	**10**	**17**	**23**	**43**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.2	4	1	1	3	4	6	8	11
20-34	153	4.4	37	<1	1	3	5	9	10	35
35-49	115	4.1	11	1	1	3	5	8	10	19
50-64	110	4.9	28	1	1	4	6	8	10	35
65+	76	5.0	9	1	2	4	7	9	11	15
B. *Operated*										
0-19 YRS	128	4.3	2	2	3	4	5	6	6	11
20-34	985	4.5	3	3	3	4	5	6	7	11
35-49	1423	4.8	4	3	3	4	5	7	9	13
50-64	1386	5.2	6	3	3	5	6	8	10	14
65+	599	5.8	15	3	3	5	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.3	7	1	1	4	5	8	10	13
20-34	163	4.7	15	1	1	4	6	8	12	25
35-49	265	5.3	13	1	2	5	7	9	11	22
50-64	318	6.0	16	2	2	5	8	10	14	19
65+	353	6.8	27	2	3	5	8	12	16	28
B. *Operated*										
0-19 YRS	40	5.3	9	2	3	4	7	9	13	15
20-34	395	5.4	15	3	3	5	6	8	13	20
35-49	721	5.9	11	3	3	5	7	10	13	19
50-64	1015	7.0	28	3	3	5	8	12	17	26
65+	655	9.0	48	3	4	7	10	17	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	4.4	22	1	1	3	5	8	10	25
B. *Operated*	4521	5.0	6	3	3	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1142	5.8	19	1	2	5	7	10	13	25
B. *Operated*	2826	7.0	28	3	3	5	8	12	17	29
1. SINGLE DX	5026	4.9	8	2	3	4	6	7	9	14
2. MULTIPLE DX	3968	6.6	26	2	3	5	8	12	16	27
A. NOT OPERATED	1647	5.4	20	1	2	4	7	10	12	25
B. OPERATED	7347	5.7	15	3	3	5	6	9	12	22
TOTAL 0-19 YRS	262	4.3	5	1	2	4	5	7	8	13
20-34	1696	4.7	10	2	3	4	5	7	9	17
35-49	2524	5.1	8	2	3	4	6	8	10	17
50-64	2829	5.9	16	3	3	5	7	10	13	21
65+	1683	7.2	32	3	3	6	8	12	17	31
GRAND TOTAL	**8994**	**5.7**	**16**	**2**	**3**	**5**	**6**	**9**	**12**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	5.0	15	1	1	4	6	10	13	20
20-34	760	5.6	17	1	2	4	7	10	13	20
35-49	693	5.7	14	2	2	5	8	10	12	18
50-64	516	6.6	19	2	2	6	8	12	14	22
65+	314	7.4	25	2	3	6	10	13	16	26
B. *Operated*										
0-19 YRS	285	5.8	16	3	3	5	6	10	14	23
20-34	1208	5.5	10	3	3	5	6	8	11	20
35-49	916	5.2	7	3	3	5	6	7	10	17
50-64	702	5.6	21	3	3	5	6	8	11	20
65+	223	6.6	19	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	6.4	37	2	2	5	8	12	16	33
20-34	1080	6.5	25	2	2	5	8	12	15	25
35-49	1428	7.5	29	2	3	6	10	14	18	28
50-64	1840	8.5	44	2	3	7	10	15	20	34
65+	2255	11.3	85	3	4	9	14	21	28	47
B. *Operated*										
0-19 YRS	112	8.3	53	3	4	6	9	17	22	44
20-34	568	7.4	38	3	3	5	8	13	19	36
35-49	740	7.4	29	3	3	6	9	14	18	26
50-64	770	9.4	74	3	3	6	12	17	25	55
65+	567	12.9	99	3	4	10	17	27	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2563	6.0	18	2	2	5	8	11	14	21
B. *Operated*	3334	5.5	13	3	3	5	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	6876	8.8	54	2	3	7	11	17	22	38
B. *Operated*	2757	9.1	63	3	3	6	11	18	25	43
1. SINGLE DX	5897	5.7	15	2	3	5	7	10	13	20
2. MULTIPLE DX	9633	8.9	57	2	3	7	11	17	22	40
A. NOT OPERATED	9439	8.1	46	2	3	6	10	15	20	35
B. OPERATED	6091	7.2	39	3	3	5	8	13	18	34
TOTAL 0-19 YRS	950	6.1	27	2	2	5	7	11	16	28
20-34	3616	6.1	21	2	3	5	7	11	14	25
35-49	3777	6.6	22	2	3	5	8	12	15	25
50-64	3828	7.9	45	2	3	6	10	14	19	34
65+	3359	10.9	80	3	4	8	14	21	28	46
GRAND TOTAL	**15530**	**7.7**	**43**	**2**	**3**	**6**	**9**	**14**	**19**	**34**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2476	6.6	14	2	2	6	8	11	13	19
20-34	2191	6.1	14	2	2	5	8	10	13	20
35-49	2686	7.0	19	2	3	6	8	12	14	23
50-64	3821	7.2	17	2	3	6	9	12	15	22
65+	2969	8.0	26	3	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	15	6.8	12	<1	2	7	8	12	13	14
20-34	26	10.5	101	2	3	7	10	26	36	42
35-49	41	11.1	91	2	2	9	14	23	25	55
50-64	94	9.8	48	3	3	9	12	18	20	40
65+	69	12.0	99	2	2	10	16	21	27	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1743	6.2	22	1	2	5	8	12	15	24
20-34	4193	6.9	23	2	2	6	9	12	15	24
35-49	9255	7.9	27	2	3	7	10	14	17	28
50-64	19205	8.6	34	3	3	7	11	15	18	31
65+	23405	9.9	53	3	4	8	12	18	23	40
B. *Operated*										
0-19 YRS	86	9.2	47	2	2	7	12	21	23	30
20-34	520	11.6	118	2	3	9	15	22	29	59
35-49	1367	12.8	94	3	4	10	16	24	31	54
50-64	2947	14.4	134	3	5	11	18	28	37	68
65+	3145	17.0	171	4	5	14	22	34	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14143	7.0	19	2	3	6	9	12	15	22
B. *Operated*	245	10.5	73	2	3	8	13	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	57801	8.8	40	3	3	7	11	16	20	34
B. *Operated*	8065	14.9	143	3	4	12	18	30	39	71
1. SINGLE DX	14388	7.1	20	2	3	6	9	12	15	23
2. MULTIPLE DX	65866	9.6	57	3	3	8	12	17	23	42
A. NOT OPERATED	71944	8.5	37	2	3	7	10	15	19	32
B. OPERATED	8310	14.8	142	3	4	12	18	29	39	70
TOTAL 0-19 YRS	4320	6.5	18	2	2	6	8	11	14	22
20-34	6930	7.0	30	2	2	6	9	13	16	27
35-49	13349	8.2	35	2	3	7	10	14	19	32
50-64	26067	9.1	47	3	3	8	11	16	21	37
65+	29588	10.5	68	3	4	8	13	19	25	46
GRAND TOTAL	**80254**	**9.1**	**51**	**2**	**3**	**7**	**11**	**16**	**22**	**39**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2711	5.5	18	1	2	4	7	10	13	22
20-34	1860	5.2	13	1	2	4	7	10	12	19
35-49	686	6.8	20	2	2	6	9	12	15	22
50-64	618	7.5	21	2	3	7	9	13	16	25
65+	499	9.1	44	2	3	8	12	16	20	34
B. *Operated*										
0-19 YRS	11	12.5	154	3	5	8	14	29	46	48
20-34	10	10.2	90	3	3	8	10	23	36	36
35-49	5	6.8	13	4	4	5	8	13	13	13
50-64	9	15.8	156	4	4	10	29	34	36	36
65+	7	10.7	22	4	4	12	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1920	5.9	21	1	2	5	7	11	14	23
20-34	2457	6.7	26	2	2	5	9	13	16	28
35-49	1733	9.0	47	2	3	7	11	17	21	38
50-64	2123	10.3	55	3	4	9	13	18	24	39
65+	2414	12.3	85	3	4	10	15	22	29	55
B. *Operated*										
0-19 YRS	77	11.5	138	2	3	9	13	24	25	78
20-34	239	13.4	128	3	5	11	16	25	34	66
35-49	188	14.8	115	4	5	12	18	27	38	87
50-64	252	22.9	323	6	8	17	30	50	78	99+
65+	294	23.0	217	7	9	19	29	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6374	6.0	20	1	2	5	8	11	14	22
B. *Operated*	42	11.7	100	3	4	9	13	30	36	48
2. MULTIPLE DX										
A. *Not Operated*	10647	8.9	53	2	3	7	11	17	22	38
B. *Operated*	1050	18.5	220	4	6	14	23	37	55	99
1. SINGLE DX	6416	6.0	21	1	2	5	8	11	14	23
2. MULTIPLE DX	11697	9.8	76	2	3	8	12	19	25	49
A. NOT OPERATED	17021	7.8	43	2	2	6	10	15	19	33
B. OPERATED	1092	18.2	217	4	6	14	23	37	54	97
TOTAL 0-19 YRS	4719	5.7	22	1	2	5	7	11	14	24
20-34	4566	6.4	29	2	2	5	8	12	16	29
35-49	2612	8.8	49	2	3	7	11	17	21	38
50-64	3002	10.8	85	3	3	9	13	20	27	59
65+	3214	12.8	102	3	4	10	16	24	31	59
GRAND TOTAL	**18113**	**8.4**	**60**	**2**	**2**	**6**	**11**	**16**	**22**	**41**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	631	6.3	18	1	2	6	8	11	14	20
20-34	942	6.3	17	2	2	5	8	11	13	21
35-49	1167	7.1	22	2	3	6	9	12	14	21
50-64	1859	7.7	22	3	3	7	10	13	16	25
65+	1370	8.6	34	3	3	7	10	15	18	30
B. *Operated*										
0-19 YRS	21	4.9	27	1	1	3	6	10	17	24
20-34	131	5.9	45	<1	1	4	7	15	18	30
35-49	151	6.9	84	1	1	4	9	14	18	44
50-64	359	7.8	90	1	1	4	9	18	28	52
65+	316	8.0	87	2	2	5	10	17	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	6.3	23	1	2	5	8	11	16	27
20-34	2494	7.6	38	2	2	6	10	14	18	32
35-49	4717	8.7	36	3	3	7	11	15	19	31
50-64	10207	9.5	44	3	4	8	12	17	21	35
65+	11516	10.6	63	3	4	9	13	19	24	46
B. *Operated*										
0-19 YRS	55	10.9	66	2	3	9	14	26	27	35
20-34	757	13.5	149	2	3	10	17	31	40	68
35-49	1490	16.2	198	3	4	12	21	35	47	84
50-64	3813	18.9	264	3	4	14	25	42	58	98
65+	4443	22.8	305	4	5	18	31	50	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5969	7.4	24	2	3	6	9	13	16	25
B. *Operated*	978	7.4	81	1	1	4	9	16	26	44
2. MULTIPLE DX										
A. *Not Operated*	29539	9.6	50	3	4	8	12	17	22	37
B. *Operated*	10558	19.7	272	3	4	15	26	43	58	98
1. SINGLE DX	6947	7.4	32	2	2	6	9	13	16	29
2. MULTIPLE DX	40097	12.3	128	3	4	9	15	25	35	67
A. NOT OPERATED	35508	9.2	46	3	3	8	11	16	21	36
B. OPERATED	11536	18.7	268	2	4	14	25	42	57	94
TOTAL 0-19 YRS	1312	6.5	23	1	2	5	8	11	15	26
20-34	4324	8.3	59	2	2	6	10	15	22	43
35-49	7525	9.9	77	2	3	8	12	19	26	50
50-64	16238	11.5	111	3	4	8	13	22	32	64
65+	17645	13.5	151	3	4	10	16	27	40	74
GRAND TOTAL	**47044**	**11.5**	**117**	**2**	**3**	**8**	**14**	**23**	**33**	**65**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	11	1	1	3	5	8	10	18
20-34	109	3.7	7	1	1	3	5	7	9	13
35-49	7	3.1	7	1	1	3	3	8	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	222	4.2	7	1	1	4	6	8	9	13
20-34	1041	4.2	11	1	1	4	6	7	8	13
35-49	50	4.1	8	<1	1	3	7	8	9	9
50-64	6	4.2	20	1	1	2	7	11	12	12
65+	5	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.7	12	1	2	4	5	9	11	19
20-34	137	5.4	76	1	1	4	6	8	10	34
35-49	34	6.6	27	1	2	5	8	14	18	24
50-64	4	12.8	96	5	5	9	19	27	27	27
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	205	5.6	14	1	2	5	7	10	12	21
20-34	1618	4.8	11	1	1	5	7	8	10	16
35-49	163	5.8	13	1	2	6	7	9	12	20
50-64	17	3.5	7	<1	1	2	6	8	8	8
65+	8	6.9	26	1	1	7	13	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.7	8	1	1	3	5	7	9	15
B. *Operated*	1324	4.2	10	1	1	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	210	5.6	58	1	1	4	6	9	14	26
B. *Operated*	2011	5.0	12	1	1	5	7	8	11	17
1. SINGLE DX	1475	4.2	10	1	1	4	6	7	8	13
2. MULTIPLE DX	2221	5.0	16	1	1	5	7	8	11	19
A. NOT OPERATED	361	4.8	38	1	1	4	6	8	11	24
B. OPERATED	3335	4.7	11	1	1	4	6	8	10	17
TOTAL 0-19 YRS	494	4.8	11	1	1	4	6	9	11	19
20-34	2905	4.6	14	1	1	4	6	8	9	15
35-49	254	5.5	14	1	1	6	7	9	12	20
50-64	28	4.9	29	1	1	3	7	10	13	27
65+	15	6.1	16	1	2	6	8	16	75	99+
GRAND TOTAL	**3696**	**4.7**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	778	3.9	23	1	1	3	5	7	11	25
20-34	926	4.7	15	1	2	4	6	9	11	16
35-49	681	5.1	18	1	1	4	6	10	13	24
50-64	558	4.9	15	1	1	4	6	9	12	21
65+	441	5.5	19	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	82	5.8	22	1	1	4	7	12	16	22
20-34	201	7.1	27	2	2	6	9	14	17	25
35-49	160	7.6	58	1	2	6	9	14	18	45
50-64	160	7.5	38	1	2	6	9	14	23	33
65+	92	9.2	54	2	3	7	11	20	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	917	4.6	24	1	1	3	5	9	12	26
20-34	1986	5.6	25	1	2	4	7	10	14	27
35-49	2066	6.3	30	1	2	5	8	12	15	27
50-64	2704	7.3	42	1	2	6	9	14	18	34
65+	4258	8.6	56	2	2	7	11	17	21	39
B. *Operated*										
0-19 YRS	99	8.7	149	1	2	5	10	17	27	74
20-34	355	8.7	71	1	2	7	11	18	23	40
35-49	445	11.4	121	1	3	9	14	24	30	60
50-64	601	13.0	146	3	4	9	16	26	35	90
65+	537	17.1	200	4	5	13	22	34	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3384	4.7	18	1	1	4	6	9	12	21
B. *Operated*	695	7.4	40	1	2	6	9	14	19	34
2. MULTIPLE DX										
A. *Not Operated*	11931	7.1	42	1	2	5	9	14	18	34
B. *Operated*	2037	12.8	151	2	3	9	16	26	36	78
1. SINGLE DX	4079	5.2	23	1	1	4	7	10	13	25
2. MULTIPLE DX	13968	7.9	62	1	2	6	10	16	22	42
A. NOT OPERATED	15315	6.6	38	1	2	5	8	13	17	32
B. OPERATED	2732	11.4	128	2	2	8	14	24	33	67
TOTAL 0-19 YRS	1876	4.6	31	1	1	3	5	9	13	27
20-34	3468	5.8	28	1	2	4	7	11	15	28
35-49	3352	6.8	44	1	2	5	8	13	18	36
50-64	4023	7.8	59	1	2	6	10	15	21	41
65+	5328	9.2	75	2	2	7	11	18	24	46
GRAND TOTAL	**18047**	**7.3**	**55**	**1**	**2**	**5**	**9**	**15**	**20**	**38**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	33	1	2	4	7	13	20	27
20-34	27	5.1	19	1	2	4	7	11	17	17
35-49	24	6.4	18	2	2	5	8	13	15	19
50-64	55	8.1	51	1	2	7	9	16	27	36
65+	72	10.8	89	2	3	8	13	26	30	45
B. *Operated*										
0-19 YRS	12	8.0	30	1	2	6	12	17	18	18
20-34	15	4.3	24	<1	2	3	5	6	17	21
35-49	10	7.3	78	2	2	4	10	21	31	31
50-64	15	6.2	38	<1	1	4	9	13	21	24
65+	17	9.9	52	1	2	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	10.8	126	2	3	7	14	24	29	66
20-34	132	8.9	46	2	3	7	11	17	21	32
35-49	161	11.4	112	2	3	9	14	22	28	59
50-64	460	11.4	117	2	3	8	14	23	30	57
65+	1532	13.4	122	3	4	10	17	26	34	67
B. *Operated*										
0-19 YRS	22	12.2	164	1	2	8	14	41	43	44
20-34	53	11.3	121	2	2	9	12	27	32	58
35-49	53	18.4	223	4	4	13	30	42	64	99+
50-64	137	20.3	213	4	6	17	28	41	48	88
65+	276	22.0	274	5	7	17	29	44	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	7.9	55	1	2	6	9	17	26	37
B. *Operated*	69	7.2	44	1	2	4	10	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	2497	12.4	118	3	4	9	16	24	32	65
B. *Operated*	541	19.8	245	3	5	15	28	42	54	99+
1. SINGLE DX	303	7.8	52	1	2	5	9	17	24	34
2. MULTIPLE DX	3038	13.7	149	3	4	10	17	28	38	72
A. NOT OPERATED	2731	12.0	114	2	3	9	15	24	31	64
B. OPERATED	610	18.3	238	2	4	14	26	41	50	98
TOTAL 0-19 YRS	302	9.9	111	2	2	6	12	22	28	57
20-34	227	8.7	62	2	2	6	11	18	24	44
35-49	248	12.3	137	2	3	9	15	28	39	85
50-64	667	12.9	145	2	3	9	16	28	36	68
65+	1897	14.5	152	3	4	11	18	29	39	77
GRAND TOTAL	**3341**	**13.2**	**143**	**2**	**3**	**10**	**17**	**28**	**36**	**71**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	10.6	28	1	3	10	14	16	21	27
20-34	73	11.4	33	3	6	10	14	19	21	33
35-49	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	10	12.7	46	4	4	12	15	23	24	24
20-34	13	7.0	43	2	2	5	8	17	23	25
35-49	29	3.0	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	537	10.6	50	2	3	10	14	18	23	38
20-34	180	11.6	78	3	4	10	14	20	27	51
35-49	18	9.0	28	2	3	9	13	15	19	21
B. *Operated*										
0-19 YRS	55	16.3	98	4	4	15	21	38	77	99+
20-34	30	10.4	133	1	2	6	15	22	43	48
35-49	24	3.6	11	2	2	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	10.7	29	2	4	10	14	16	21	28
B. *Operated*	52	5.9	35	1	2	3	7	14	22	25
2. MULTIPLE DX										
A. *Not Operated*	735	10.8	56	2	3	10	14	19	25	39
B. *Operated*	109	11.9	113	2	2	10	17	30	43	99+
1. SINGLE DX	404	10.1	33	2	2	10	14	16	21	28
2. MULTIPLE DX	844	11.0	63	2	3	10	14	20	26	44
A. NOT OPERATED	1087	10.8	47	2	3	10	14	18	22	37
B. OPERATED	161	9.9	95	2	2	6	15	23	37	99+
TOTAL 0-19 YRS	879	11.0	48	2	3	10	14	19	24	40
20-34	296	11.2	71	2	3	10	14	20	25	49
35-49	73	4.7	18	1	2	3	6	12	13	20
GRAND TOTAL	**1248**	**10.7**	**54**	**2**	**3**	**10**	**14**	**19**	**23**	**42**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	7.2	193	1	1	3	7	12	28	97
20-34	117	4.7	26	1	1	3	6	9	12	35
35-49	76	4.8	28	1	1	3	6	8	11	34
50-64	38	6.7	29	2	2	5	10	13	23	99+
65+	8	6.0	4	3	3	6	8	8	8	8
B. *Operated*										
0-19 YRS	83	9.8	38	6	7	9	10	13	16	46
20-34	1265	9.2	17	5	6	8	10	13	16	28
35-49	797	9.5	15	6	6	9	11	14	16	26
50-64	109	9.5	15	5	6	9	11	14	17	26
65+	10	8.6	27	2	2	9	10	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	6.8	105	1	2	4	7	11	16	64
20-34	401	5.9	33	1	2	4	7	11	15	31
35-49	602	6.4	33	1	2	5	8	12	16	29
50-64	522	7.7	47	2	2	6	10	15	19	38
65+	254	9.2	62	2	3	7	11	18	26	39
B. *Operated*										
0-19 YRS	76	9.8	20	3	4	9	12	15	17	23
20-34	1572	10.5	42	4	6	9	12	16	21	39
35-49	1771	11.5	64	4	5	10	13	19	25	50
50-64	481	12.6	94	4	5	10	14	21	30	71
65+	42	12.8	112	2	3	9	16	31	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	5.8	84	1	1	4	6	10	15	46
B. *Operated*	2264	9.4	17	5	6	8	11	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	1961	7.0	48	1	2	5	8	14	18	37
B. *Operated*	3942	11.2	59	4	5	9	13	18	25	48
1. SINGLE DX	2624	8.9	28	3	5	8	10	13	16	30
2. MULTIPLE DX	5903	9.8	59	2	3	8	12	17	22	45
A. NOT OPERATED	2321	6.8	54	1	2	5	8	14	18	38
B. OPERATED	6206	10.6	44	4	6	9	12	16	21	40
TOTAL 0-19 YRS	462	7.9	103	1	2	6	9	14	18	58
20-34	3355	9.3	34	3	4	8	11	14	18	36
35-49	3246	9.9	50	3	4	9	12	16	21	38
50-64	1150	9.9	69	2	3	8	12	18	25	52
65+	314	9.6	67	2	3	7	12	18	28	40
GRAND TOTAL	**8527**	**9.5**	**50**	**2**	**3**	**8**	**11**	**16**	**20**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	517	3.7	16	<1	<1	3	5	8	11	24
20-34	333	4.5	41	<1	<1	3	5		11	33
35-49	291	5.5	36	<1	1	4	7	11	13	29
50-64	257	5.3	33	<1	<1	4	7	11	15	44
65+	161	6.5	31	<1	1	5	8	13	20	28
B. *Operated*										
0-19 YRS	164	5.0	20	1	1	4	7	11	12	22
20-34	311	5.3	20	1	2	4	7	11	15	21
35-49	375	4.5	15	<1	1	3	6	9	13	20
50-64	351	4.9	35	<1	<1	3	6	11	16	27
65+	142	6.7	39	1	2	4	9	17	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	559	5.7	39	<1	1	4	7	12	15	41
20-34	724	6.3	30	1	2	5	8	13	17	31
35-49	1025	7.0	33	2	2	5	9	13	16	31
50-64	1140	7.8	43	2	3	6	10	15	21	34
65+	1146	9.2	57	2	3	7	12	18	23	46
B. *Operated*										
0-19 YRS	163	7.5	56	1	1	5	10	15	20	45
20-34	491	9.8	61	2	3	8	14	17	25	39
35-49	739	9.5	68	2	2	8	13	17	24	46
50-64	710	9.9	96	2	2	7	13	21	30	55
65+	554	13.6	146	2	3	11	18	28	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1559	4.8	30	<1	<1	3	6	10	13	28
B. *Operated*	1343	5.1	25	<1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	4594	7.5	43	2	2	6	9	15	20	36
B. *Operated*	2657	10.4	92	2	2	8	14	21	29	56
1. SINGLE DX	2902	4.9	28	<1	<1	3	6	10	14	27
2. MULTIPLE DX	7251	8.5	63	2	2	6	11	17	23	44
A. NOT OPERATED	6153	6.8	41	1	2	5	9	14	19	34
B. OPERATED	4000	8.6	76	1	2	6	11	18	25	47
TOTAL 0-19 YRS	1403	5.1	32	<1	1	3	6	11	14	29
20-34	1859	6.7	42	1	2	5	8	15	18	33
35-49	2430	7.2	44	1	2	5	9	14	18	34
50-64	2458	7.7	59	1	2	5	10	16	22	44
65+	2003	10.0	84	2	2	7	13	21	28	52
GRAND TOTAL	**10153**	**7.5**	**56**	**1**	**2**	**5**	**9**	**16**	**21**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	74	4.5	8	1	2	4	5	8	11	14
35-49	208	5.1	14	2	2	4	6	9	11	21
50-64	272	5.8	16	1	2	5	7	11	13	23
65+	272	5.6	12	1	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	6	3.7	21	1	1	2	2	12	13	13
20-34	20	7.2	29	2	2	5	11	15	18	21
35-49	42	5.7	70	2	2	4	6	7	20	44
50-64	57	5.7	29	2	2	3	7	12	14	33
65+	59	6.7	45	1	1	4	9	14	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.2	12	1	2	4	7	11	12	12
20-34	98	6.0	16	2	2	5	7	11	15	22
35-49	417	6.6	32	2	2	5	8	11	15	36
50-64	980	7.2	27	2	3	6	9	13	17	29
65+	1605	8.2	33	2	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	20	7.9	21	2	3	7	11	15	16	17
35-49	76	10.8	88	2	3	8	13	22	33	48
50-64	181	11.9	116	2	3	9	14	22	32	55
65+	210	14.3	132	3	4	11	19	31	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	5.4	13	1	2	5	7	10	12	21
B. *Operated*	184	6.1	43	1	2	4	7	12	16	40
2. MULTIPLE DX										
A. *Not Operated*	3113	7.6	31	2	3	6	9	14	18	29
B. *Operated*	493	12.5	117	2	3	9	16	24	36	55
1. SINGLE DX	1013	5.5	19	1	2	5	7	10	13	22
2. MULTIPLE DX	3606	8.3	45	2	3	6	10	15	20	36
A. NOT OPERATED	3942	7.1	28	2	3	6	9	13	17	27
B. OPERATED	677	10.7	105	2	2	8	13	22	33	52
TOTAL 0-19 YRS	28	4.1	11	1	2	3	5	10	12	13
20-34	212	5.7	16	2	2	4	7	11	14	20
35-49	743	6.6	37	2	2	5	8	11	15	38
50-64	1490	7.5	38	2	3	6	9	14	18	33
65+	2146	8.4	45	2	3	7	11	16	21	38
GRAND TOTAL	**4619**	**7.7**	**41**	**2**	**3**	**6**	**9**	**14**	**19**	**34**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	3.5	10	1	1	3	4	7	9	17
20-34	207	4.2	28	<1	1	3	5	8	10	21
35-49	204	5.3	23	1	1	4	7	11	14	28
50-64	280	5.2	20	1	1	4	7	9	14	28
65+	577	6.9	28	2	2	6	8	13	15	27
B. *Operated*										
0-19 YRS	7	5.9	4	3	3	6	6	9	10	10
20-34	4	5.0	9	2	2	5	7	8	8	8
35-49	6	6.8	21	2	2	6	10	14	14	14
50-64	8	9.6	82	1	1	7	12	25	29	29
65+	13	10.6	56	1	1	12	16	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2378	4.5	18	1	1	3	5	8	12	23
20-34	1448	5.1	21	1	2	4	6	10	13	25
35-49	1911	6.2	27	1	2	5	8	12	15	28
50-64	3721	7.6	40	2	2	6	9	15	19	32
65+	14002	10.5	82	2	3	8	13	20	27	53
B. *Operated*										
0-19 YRS	88	11.2	108	2	3	8	14	27	37	50
20-34	144	9.4	79	1	1	7	13	19	25	54
35-49	243	11.9	126	2	3	9	15	25	34	99+
50-64	434	15.2	184	2	3	11	20	33	46	99+
65+	1114	20.1	221	5	7	16	27	40	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1665	5.3	24	1	1	4	7	10	13	25
B. *Operated*	38	8.3	43	1	2	7	12	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	23460	8.8	66	2	2	7	11	17	23	43
B. *Operated*	2023	16.9	201	2	4	13	22	36	51	99+
1. SINGLE DX	1703	5.3	24	1	1	4	7	11	14	25
2. MULTIPLE DX	25483	9.4	81	2	2	7	12	19	26	52
A. NOT OPERATED	25125	8.5	64	2	2	6	11	17	22	42
B. OPERATED	2061	16.7	199	2	4	13	22	35	50	99+
TOTAL 0-19 YRS	2870	4.6	21	1	1	3	5	8	13	26
20-34	1803	5.4	28	1	2	4	7	11	14	27
35-49	2364	6.7	40	1	2	5	8	13	17	33
50-64	4443	8.2	58	2	2	6	10	16	22	42
65+	15706	11.1	96	2	3	8	14	21	29	59
GRAND TOTAL	**27186**	**9.2**	**79**	**2**	**2**	**7**	**11**	**18**	**25**	**51**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	4.3	11	1	1	3	5	8	10	18
20-34	149	4.3	7	1	2	4	6	8	10	14
35-49	235	5.0	9	1	2	4	7	9	10	17
50-64	208	5.6	13	1	2	5	7	11	14	17
65+	539	5.8	24	1	1	5	7	11	14	24
B. *Operated*										
0-19 YRS	67	4.8	8	1	2	4	7	9	10	12
20-34	61	6.0	20	2	2	5	7	11	16	24
35-49	105	7.0	24	2	3	6	8	13	18	27
50-64	92	8.3	23	2	3	8	11	15	18	23
65+	187	9.2	25	3	4	8	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	520	5.1	13	1	2	4	7	10	12	19
20-34	479	5.9	16	1	2	5	8	11	14	20
35-49	939	6.3	17	1	2	5	8	12	14	20
50-64	1492	7.3	32	2	2	6	9	14	17	29
65+	5782	8.4	40	2	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	102	7.5	29	2	3	6	9	12	14	34
20-34	228	8.0	32	2	2	7	10	14	18	29
35-49	629	9.0	35	2	3	8	12	15	19	31
50-64	815	11.4	78	3	4	9	14	22	27	45
65+	2316	12.3	73	4	5	10	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	5.2	16	1	2	4	7	10	12	19
B. *Operated*	512	7.6	24	2	3	7	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	9212	7.7	34	2	2	6	10	14	18	29
B. *Operated*	4090	11.3	67	3	4	9	14	20	26	44
1. SINGLE DX	1937	5.8	19	1	2	5	8	11	14	22
2. MULTIPLE DX	13302	8.8	47	2	3	7	11	16	21	36
A. NOT OPERATED	10637	7.3	33	2	2	6	9	14	17	28
B. OPERATED	4602	10.9	64	3	4	9	13	20	25	43
TOTAL 0-19 YRS	983	5.1	14	1	2	4	7	10	12	19
20-34	917	6.2	20	1	2	5	8	12	14	23
35-49	1908	7.1	24	2	2	6	9	13	16	25
50-64	2607	8.5	48	2	3	7	11	16	21	39
65+	8824	9.3	51	2	3	8	12	17	22	38
GRAND TOTAL	**15239**	**8.4**	**45**	**2**	**3**	**7**	**11**	**16**	**20**	**34**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1131	4.9	11	1	1	4	6	9	11	17
20-34	1630	6.3	23	1	2	5	8	11	15	24
35-49	352	6.0	24	<1	<1	5	8	11	15	27
50-64	35	6.4	21	1	2	6	8	15	17	19
65+	5	6.0	4	4	4	6	7	9	9	9
B. *Operated*										
0-19 YRS	18	7.3	34	1	1	5	14	16	17	18
20-34	32	10.8	72	1	3	9	12	23	30	38
35-49	20	4.5	24	<1	<1	3	5	14	16	17
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1094	6.5	32	1	2	5	8	12	15	27
20-34	1733	8.3	38	2	3	7	10	15	20	32
35-49	426	8.5	39	2	3	7	11	15	21	31
50-64	88	9.6	64	3	3	7	12	20	26	42
65+	26	7.9	28	2	2	8	13	18	31	99+
B. *Operated*										
0-19 YRS	66	13.2	132	1	2	11	16	27	39	56
20-34	187	15.5	179	3	4	11	20	31	40	69
35-49	72	13.3	112	2	4	11	17	25	36	57
50-64	22	14.0	82	4	5	12	18	25	34	41
65+	10	13.6	136	4	4	11	15	32	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3153	5.8	19	1	2	5	7	11	13	21
B. *Operated*	72	8.0	54	<1	<1	6	11	16	23	36
2. MULTIPLE DX										
A. *Not Operated*	3367	7.8	37	2	2	6	10	14	19	31
B. *Operated*	357	14.5	149	2	4	11	19	30	37	59
1. SINGLE DX	3225	5.8	20	1	2	5	7	11	14	22
2. MULTIPLE DX	3724	8.4	52	2	2	7	10	16	21	38
A. NOT OPERATED	6520	6.8	30	1	2	6	9	13	16	27
B. OPERATED	429	13.4	139	2	3	11	16	28	37	57
TOTAL 0-19 YRS	2309	5.9	27	1	2	5	7	11	14	25
20-34	3582	7.8	43	2	2	6	10	14	19	33
35-49	870	7.8	43	<1	1	6	10	15	20	34
50-64	147	9.4	60	2	3	7	12	19	25	41
65+	41	9.0	56	2	2	8	12	18	30	99+
GRAND TOTAL	**6949**	**7.2**	**39**	**1**	**2**	**6**	**9**	**13**	**18**	**31**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	955	2.3	10	<1	<1	1	2	5	8	13
20-34	304	3.6	16	<1	<1	2	5	8	11	21
35-49	325	4.9	18	<1	1	4	6	10	13	22
50-64	521	4.8	22	<1	1	3	7	11	15	23
65+	1907	4.8	28	<1	1	3	6	11	15	26
B. *Operated*										
0-19 YRS	177	6.5	27	1	2	6	7	11	15	27
20-34	138	7.9	29	2	3	7	10	14	19	29
35-49	124	8.0	41	2	2	7	10	13	20	40
50-64	248	9.3	50	2	3	8	11	16	22	36
65+	544	9.3	48	2	3	8	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	747	4.8	27	<1	<1	3	6	10	13	26
20-34	733	5.7	36	<1	1	4	8	12	14	25
35-49	1090	6.4	51	1	1	5	8	13	17	37
50-64	2537	6.7	44	1	1	5	9	14	18	30
65+	9703	8.0	57	1	2	6	10	17	22	39
B. *Operated*										
0-19 YRS	202	8.2	60	2	2	6	10	15	21	49
20-34	358	10.2	90	2	2	8	12	20	26	63
35-49	639	11.7	74	2	3	10	15	22	27	42
50-64	1214	12.2	83	2	3	10	16	23	29	50
65+	3890	14.2	126	3	4	11	18	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4012	4.1	22	<1	<1	2	5	9	13	23
B. *Operated*	1231	8.6	43	2	3	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	14810	7.4	53	1	1	5	10	15	20	36
B. *Operated*	6303	13.1	111	3	4	10	17	25	33	57
1. SINGLE DX	5243	5.2	31	<1	<1	3	7	11	15	27
2. MULTIPLE DX	21113	9.1	77	1	2	7	12	19	25	45
A. NOT OPERATED	18822	6.7	48	<1	1	5	9	14	19	34
B. OPERATED	7534	12.4	103	2	3	10	15	24	31	55
TOTAL 0-19 YRS	2081	4.1	26	<1	<1	2	5	9	12	25
20-34	1533	6.5	49	<1	1	5	9	13	19	32
35-49	2178	7.8	59	1	1	6	10	16	21	37
50-64	4520	8.1	59	1	1	6	11	17	22	38
65+	16044	9.2	79	1	2	7	12	19	25	45
GRAND TOTAL	**26356**	**8.3**	**70**	**1**	**1**	**6**	**11**	**18**	**24**	**42**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.3	5	1	1	3	4	7	8	10
20-34	38	3.6	10	<1	1	3	5	6	7	19
35-49	20	13.8	182	1	2	7	24	37	39	41
50-64	4	14.5	180	4	4	10	23	34	34	34
65+	4	11.5	120	2	2	8	19	27	27	27
B. *Operated*										
0-19 YRS	3	15.7	154	8	8	9	25	30	30	30
20-34	5	13.0	44	3	3	16	17	20	20	20
35-49	2	29.5	313	17	17	29	42	42	42	42
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	4.6	24	1	1	3	5	9	12	23
20-34	169	6.1	23	1	2	5	7	12	17	25
35-49	50	8.5	61	2	2	6	9	23	25	26
50-64	43	7.8	113	1	2	5	8	14	18	70
65+	30	12.2	134	3	3	8	14	37	40	41
B. *Operated*										
0-19 YRS	26	13.0	177	3	3	7	19	31	38	58
20-34	25	12.8	166	2	2	10	18	52	99+	99+
35-49	14	11.9	56	3	3	10	16	22	29	31
50-64	6	14.8	70	4	4	16	23	24	24	24
65+	5	19.4	324	4	4	10	31	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	5.3	50	1	1	3	5	10	22	38
B. *Operated*	12	15.1	131	3	4	13	18	34	41	42
2. MULTIPLE DX										
A. *Not Operated*	516	6.2	44	1	1	4	7	13	17	37
B. *Operated*	76	13.3	147	2	3	10	19	32	51	99+
1. SINGLE DX	162	6.0	62	1	1	3	6	14	27	41
2. MULTIPLE DX	592	7.1	63	1	1	4	8	16	23	48
A. NOT OPERATED	666	6.0	46	1	1	4	7	12	18	38
B. OPERATED	88	13.5	144	3	3	10	19	31	48	99+
TOTAL 0-19 YRS	337	5.0	38	1	1	3	5	10	15	32
20-34	237	6.6	42	1	2	5	8	14	19	58
35-49	86	10.8	102	2	2	7	16	26	32	42
50-64	54	9.1	114	1	2	6	10	17	24	69
65+	40	12.9	150	2	3	9	15	37	40	48
GRAND TOTAL	**754**	**6.9**	**63**	**1**	**1**	**4**	**8**	**16**	**23**	**46**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1014	4.5	14	1	1	3	5	9	12	18
20-34	275	5.1	34	1	1	4	6	11	13	35
35-49	248	3.9	20	1	1	2	5	9	13	19
50-64	254	5.5	32	1	1	4	7	11	15	26
65+	415	5.5	39	1	1	4	7	12	14	27
B. *Operated*										
0-19 YRS	551	6.7	24	1	2	6	8	12	16	26
20-34	358	7.7	18	2	3	7	10	13	17	22
35-49	203	9.0	52	2	3	8	11	16	23	38
50-64	272	10.1	80	2	3	8	12	21	28	47
65+	260	11.2	67	3	3	9	14	21	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	796	5.1	29	1	1	4	6	10	14	26
20-34	580	6.1	25	1	2	5	8	12	15	25
35-49	657	6.5	27	1	2	5	8	12	16	26
50-64	1315	7.4	41	1	2	6	9	15	19	34
65+	2269	8.3	70	1	2	6	10	17	23	47
B. *Operated*										
0-19 YRS	345	9.3	109	2	2	7	10	17	26	60
20-34	479	9.9	63	2	3	8	12	19	26	40
35-49	479	11.9	121	2	4	9	15	23	33	55
50-64	911	13.4	128	3	4	10	17	27	35	59
65+	1430	14.9	157	3	4	11	18	30	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2206	4.8	24	1	1	3	6	10	13	23
B. *Operated*	1644	8.5	45	2	3	7	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	5617	7.2	49	1	2	5	9	14	19	35
B. *Operated*	3644	12.9	132	2	3	10	16	26	35	61
1. SINGLE DX	3850	6.4	36	1	1	5	8	13	17	31
2. MULTIPLE DX	9261	9.5	90	1	2	7	12	20	27	50
A. NOT OPERATED	7823	6.5	43	1	1	5	8	13	18	33
B. OPERATED	5288	11.6	109	2	3	9	14	23	32	57
TOTAL 0-19 YRS	2706	5.7	35	1	2	4	7	11	15	29
20-34	1692	7.4	39	1	2	6	9	14	19	33
35-49	1587	8.1	66	1	2	6	10	16	22	38
50-64	2752	9.5	81	1	2	7	12	20	26	46
65+	4374	10.4	107	1	2	8	13	22	30	58
GRAND TOTAL	**13111**	**8.6**	**76**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4649	2.4	6	1	1	2	3	4	5	8
20-34	836	2.7	13	1	1	2	3	5	6	11
35-49	127	3.1	4	1	1	3	4	6	8	10
50-64	53	3.5	9	1	1	3	4	6	7	21
65+	16	3.7	4	1	2	3	5	6	7	7
B. *Operated*										
0-19 YRS	2078	4.2	9	2	2	4	5	6	7	12
20-34	642	4.8	11	2	3	4	5	7	9	14
35-49	61	5.2	7	2	2	5	6	9	10	15
50-64	17	5.5	9	2	3	5	6	10	12	13
65+	10	10.0	205	2	2	6	9	30	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1959	3.1	10	1	1	2	4	5	7	11
20-34	404	3.3	5	1	1	3	4	6	7	10
35-49	82	5.2	56	1	2	4	5	8	9	52
50-64	39	5.1	8	2	2	5	7	10	11	12
65+	20	4.0	6	1	1	3	5	8	9	10
B. *Operated*										
0-19 YRS	859	5.2	8	2	3	5	6	8	10	16
20-34	286	5.9	13	2	3	5	7	10	12	20
35-49	52	8.3	39	3	3	6	10	16	19	34
50-64	19	8.5	40	2	3	7	10	20	24	25
65+	12	9.9	43	3	4	8	11	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5681	2.5	7	1	1	2	3	4	5	8
B. *Operated*	2808	4.4	10	2	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2504	3.2	11	1	1	3	4	6	7	11
B. *Operated*	1228	5.6	12	2	3	5	6	9	12	20
1. SINGLE DX	8489	3.1	9	1	1	3	4	5	7	11
2. MULTIPLE DX	3732	4.0	12	1	1	3	5	7	9	15
A. NOT OPERATED	8185	2.7	8	1	1	2	3	5	6	10
B. OPERATED	4036	4.8	11	2	3	4	5	7	9	16
TOTAL 0-19 YRS	9545	3.2	8	1	1	3	4	5	7	11
20-34	2168	3.9	12	1	1	3	5	7	8	13
35-49	322	4.9	26	1	2	4	6	9	12	25
50-64	128	5.0	16	1	2	4	6	9	12	23
65+	58	6.2	53	1	2	4	7	10	17	48
GRAND TOTAL	**12221**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	4.3	12	1	2	4	5	7	9	14
20-34	101	3.7	7	1	1	3	4	6	8	16
35-49	48	3.5	5	1	1	3	5	7	9	99+
50-64	29	5.3	29	<1	1	3	6	12	22	22
65+	16	5.2	7	2	2	5	6	9	11	12
B. *Operated*										
0-19 YRS	672	3.3	8	<1	1	2	4	7	9	13
20-34	498	3.4	10	<1	1	2	4	7	10	19
35-49	212	3.4	8	1	1	2	4	8	9	17
50-64	163	4.2	12	1	1	3	5	9	12	16
65+	85	4.1	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	468	5.1	15	1	2	4	7	9	11	19
20-34	149	4.9	8	2	2	4	7	8	11	14
35-49	60	5.7	11	1	2	5	7	10	12	17
50-64	52	6.9	21	2	2	6	8	13	18	22
65+	52	9.3	114	2	3	6	9	17	30	65
B. *Operated*										
0-19 YRS	321	4.8	20	1	1	3	6	10	14	21
20-34	256	5.3	38	1	1	3	6	11	15	29
35-49	154	6.4	29	2	2	4	9	13	18	25
50-64	156	7.5	66	2	2	5	10	14	20	54
65+	121	8.2	72	2	2	6	8	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	4.3	11	1	2	4	5	7	9	15
B. *Operated*	1630	3.5	9	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	781	5.5	21	1	2	5	7	10	12	21
B. *Operated*	1008	6.0	41	1	2	4	7	12	17	28
1. SINGLE DX	2474	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	1789	5.8	32	1	2	4	7	11	15	26
A. NOT OPERATED	1625	4.9	16	1	2	4	6	8	11	18
B. OPERATED	2638	4.4	23	1	1	3	6	9	12	22
TOTAL 0-19 YRS	2111	4.3	13	1	1	3	6	8	10	17
20-34	1004	4.1	18	1	1	3	5	8	11	20
35-49	474	4.7	17	1	1	3	6	10	13	24
50-64	400	5.9	37	1	2	4	7	12	15	22
65+	274	6.9	60	2	2	5	8	13	21	44
GRAND TOTAL	**4263**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	10.1	193	1	1	6	13	22	34	79
20-34	194	10.3	116	1	2	7	14	21	29	55
35-49	41	10.1	179	1	1	4	12	26	34	71
50-64	37	12.1	206	1	2	7	16	38	59	99+
65+	65	11.1	167	2	2	8	13	27	45	97
B. *Operated*										
0-19 YRS										
20-34	1	79.0		79	79	79	79	79	79	79
35-49	6	12.0	71	2	2	13	19	22	22	22
50-64	3	10.0	39	5	5	8	15	17	17	17
65+	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	12.1	173	1	1	7	18	37	44	78
20-34	213	12.1	130	1	2	8	16	31	38	50
35-49	132	12.6	213	1	2	8	16	28	39	75
50-64	165	14.1	151	2	3	11	20	33	40	96
65+	444	12.8	122	3	4	10	16	26	36	68
B. *Operated*										
0-19 YRS	5	21.2	36	15	15	19	27	29	29	29
20-34	11	27.2	277	10	11	20	48	68	95	99+
35-49	7	20.9	976	1	1	9	21	76	89	89
50-64	21	26.8	224	10	12	27	32	55	59	61
65+	49	21.5	262	5	7	15	27	49	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	10.5	151	1	1	7	14	23	33	78
B. *Operated*	12	18.4	416	2	2	15	20	39	73	79
2. MULTIPLE DX										
A. *Not Operated*	1046	12.8	144	1	2	9	17	29	39	73
B. *Operated*	93	23.3	288	4	8	19	31	54	64	99+
1. SINGLE DX	425	10.8	159	1	1	7	14	23	33	79
2. MULTIPLE DX	1139	13.6	164	1	2	10	18	32	42	74
A. NOT OPERATED	1459	12.1	147	1	2	8	16	28	38	73
B. OPERATED	105	22.8	301	4	7	17	29	54	65	99+
TOTAL 0-19 YRS	173	11.5	180	1	1	7	15	31	43	80
20-34	419	11.8	144	1	2	8	15	29	38	61
35-49	186	12.3	227	1	2	7	16	26	37	78
50-64	226	14.9	179	2	2	12	22	34	44	99+
65+	560	13.4	146	2	4	10	17	28	41	73
GRAND TOTAL	**1564**	**12.9**	**164**	**1**	**2**	**9**	**17**	**30**	**41**	**77**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	3.7	51	1	1	2	4	6	9	45
20-34	697	5.1	46	1	1	3	6	10	15	36
35-49	335	7.9	79	1	2	5	9	19	23	43
50-64	611	11.7	169	1	2	8	15	27	42	86
65+	2692	12.3	160	2	2	8	15	27	39	86
B. *Operated*										
0-19 YRS	18	7.4	65	<1	1	3	10	22	25	26
20-34	22	6.6	23	1	2	5	10	16	48	99+
35-49	17	9.8	234	2	2	6	9	12	48	68
50-64	45	8.9	45	2	2	7	12	20	22	28
65+	83	15.9	255	2	3	10	21	40	51	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	765	7.0	117	1	1	4	7	17	30	73
20-34	1424	8.2	85	1	2	5	10	18	25	52
35-49	984	10.1	101	2	2	7	13	22	30	51
50-64	1832	13.3	147	2	3	10	17	29	38	76
65+	12434	13.5	168	3	4	10	17	29	42	99+
B. *Operated*										
0-19 YRS	43	17.6	721	1	1	5	30	94	99+	99+
20-34	96	16.1	296	2	2	11	21	57	99+	99+
35-49	83	15.3	197	2	3	11	19	35	52	91
50-64	231	18.0	231	3	5	14	24	40	53	99+
65+	1086	21.6	294	4	6	17	29	53	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5029	9.8	137	1	1	6	12	22	34	76
B. *Operated*	185	11.7	169	2	2	8	15	25	42	83
2. MULTIPLE DX										
A. *Not Operated*	17439	12.6	157	2	3	9	16	27	39	94
B. *Operated*	1539	20.3	295	3	5	16	27	50	74	99+
1. SINGLE DX	5214	9.8	138	1	1	6	12	23	34	76
2. MULTIPLE DX	18978	13.2	172	2	3	9	17	29	42	99+
A. NOT OPERATED	22468	12.0	154	2	2	8	15	26	38	90
B. OPERATED	1724	19.4	288	3	4	15	26	48	70	99+
TOTAL 0-19 YRS	1520	5.8	109	1	1	3	5	13	26	73
20-34	2239	7.6	87	1	1	5	9	17	25	61
35-49	1419	9.9	105	1	2	7	12	21	30	57
50-64	2719	13.3	160	2	3	9	17	29	39	82
65+	16295	13.9	180	2	3	10	17	30	44	99+
GRAND TOTAL	**24192**	**12.5**	**167**	**2**	**2**	**9**	**16**	**28**	**41**	**97**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	7.7	44	2	2	6	13	15	15	15
50-64	11	8.9	30	3	3	9	11	16	21	22
65+	246	12.0	116	2	2	9	16	25	36	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	7	9.0	23	2	3	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	3	30.3	1460	3	3	14	59	74	74	74
50-64	97	14.1	132	3	3	10	21	29	34	83
65+	1780	13.5	144	3	4	10	17	27	39	82
B. *Operated*										
YRS										
20-34										
35-49	2	66.0	200	56	56	66	76	76	76	76
50-64	10	13.6	46	8	8	10	16	25	28	28
65+	123	22.5	276	6	8	17	27	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	11.8	112	2	2	9	15	24	33	95
B. *Operated*	7	9.0	23	2	3	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1880	13.6	145	3	4	10	17	27	39	82
B. *Operated*	135	22.5	290	6	8	17	27	48	68	99+
1. SINGLE DX	268	11.7	110	2	2	9	15	24	31	93
2. MULTIPLE DX	2015	14.2	160	3	4	10	18	29	41	90
A. NOT OPERATED	2141	13.4	141	2	4	10	17	27	39	84
B. OPERATED	142	21.9	286	6	8	17	27	46	65	99+
TOTAL YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	30.8	1042	2	2	14	65	75	76	76
50-64	118	13.6	117	3	3	10	19	28	33	75
65+	2156	13.9	153	2	4	10	18	28	41	92
GRAND TOTAL	**2283**	**13.9**	**154**	**3**	**4**	**10**	**18**	**28**	**41**	**91**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.7	6	<1	<1	2	4	5	7	12
20-34	542	4.6	20	1	1	4	6	8	11	23
35-49	950	5.3	29	1	2	4	6	9	13	29
50-64	658	6.7	59	1	2	5	7	13	19	41
65+	199	7.4	44	1	2	6	9	16	22	41
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	10.5	25	5	5	9	14	18	19	19
50-64	8	14.4	95	5	6	10	22	30	31	31
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.7	58	<1	1	4	10	17	25	90
20-34	1343	7.1	57	1	2	5	8	14	22	38
35-49	3057	7.7	50	2	2	6	9	16	23	36
50-64	2661	9.0	78	2	2	6	11	20	26	47
65+	981	11.0	93	2	3	8	14	22	28	51
B. *Operated*										
0-19 YRS	3	14.7	126	5	5	12	23	27	27	27
20-34	59	10.6	61	1	2	8	16	24	28	93
35-49	131	12.6	79	3	4	11	17	22	29	51
50-64	163	17.8	198	4	5	14	22	38	42	83
65+	88	24.9	367	6	8	19	32	52	74	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2385	5.7	37	1	1	5	6	11	15	32
B. *Operated*	19	11.0	62	3	4	9	15	24	29	31
2. MULTIPLE DX										
A. *Not Operated*	8109	8.4	67	2	2	6	10	18	25	43
B. *Operated*	444	16.7	200	3	4	13	21	35	43	86
1. SINGLE DX	2404	5.7	37	1	1	5	7	11	15	32
2. MULTIPLE DX	8553	8.8	77	2	2	6	11	19	26	48
A. NOT OPERATED	10494	7.8	62	1	2	5	9	16	23	41
B. OPERATED	463	16.5	195	3	4	12	21	34	42	86
TOTAL 0-19 YRS	106	5.6	47	<1	<1	3	7	14	21	67
20-34	1946	6.5	49	1	1	5	8	13	20	36
35-49	4146	7.3	48	1	2	5	8	15	21	36
50-64	3490	9.0	85	2	2	6	11	20	26	48
65+	1269	11.4	120	2	3	8	15	23	31	66
GRAND TOTAL	**10957**	**8.2**	**70**	**1**	**2**	**6**	**10**	**18**	**24**	**44**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	8.8	114	<1	1	4	12	23	29	51
20-34	276	7.8	93	1	1	5	10	16	26	44
35-49	50	7.8	40	1	2	6	10	15	23	27
50-64	51	7.9	48	1	2	5	12	16	24	31
65+	43	8.4	60	1	1	6	10	19	29	31
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	266	9.7	112	1	1	6	13	24	38	92
20-34	652	8.0	74	1	1	5	10	19	25	46
35-49	186	8.6	71	1	2	6	11	19	25	38
50-64	213	11.1	96	2	3	9	13	22	29	52
65+	269	9.9	69	2	3	8	11	21	26	39
B. *Operated*										
0-19 YRS	7	31.4	818	3	4	25	56	74	76	76
20-34	27	11.5	102	2	2	9	14	21	41	42
35-49	14	15.1	121	4	4	11	27	36	84	99+
50-64	19	16.3	134	3	5	11	21	34	39	43
65+	14	19.2	150	5	6	16	23	38	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573	8.1	87	1	1	5	11	19	27	46
B. *Operated*	3	23.3	342	5	5	23	37	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	1586	9.1	83	1	2	6	11	20	27	48
B. *Operated*	81	16.3	198	3	4	11	22	36	44	92
1. SINGLE DX	576	8.2	89	1	1	5	11	20	27	46
2. MULTIPLE DX	1667	9.5	91	1	2	7	12	21	30	49
A. NOT OPERATED	2159	8.9	84	1	1	6	11	20	27	47
B. OPERATED	84	16.5	201	3	4	11	23	37	43	92
TOTAL 0-19 YRS	427	9.8	133	1	1	6	14	25	38	68
20-34	956	8.1	81	1	1	5	10	19	26	46
35-49	250	8.8	70	1	2	7	12	20	27	39
50-64	284	10.8	92	2	2	8	14	22	31	48
65+	326	10.1	75	2	3	8	12	22	28	40
GRAND TOTAL	**2243**	**9.1**	**91**	**1**	**1**	**6**	**12**	**21**	**29**	**48**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	885	20.3	349	2	3	14	29	51	69	99+
20-34	6592	14.7	178	1	2	11	20	31	42	73
35-49	3040	14.7	161	2	3	12	20	31	42	68
50-64	1265	15.3	165	2	3	12	21	31	39	69
65+	271	19.5	274	2	3	14	27	41	48	89
B. *Operated*										
0-19 YRS	5	40.6	802	10	10	52	74	97	99+	99+
20-34	24	24.3	187	4	9	24	31	48	53	55
35-49	17	19.9	201	2	4	19	26	53	84	99+
50-64	8	35.5	556	5	8	29	62	85	99+	99+
65+	3	17.7	82	11	11	14	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	281	23.2	395	2	4	18	31	58	70	99+
20-34	2101	15.6	188	2	3	12	21	33	43	82
35-49	1230	15.9	174	2	4	12	21	34	42	62
50-64	862	18.1	200	3	4	14	25	37	47	84
65+	277	20.2	254	3	5	17	27	42	60	99+
B. *Operated*										
0-19 YRS	22	36.2	758	7	13	32	75	99+	99+	99+
20-34	112	27.1	376	6	8	23	37	56	87	99+
35-49	85	29.1	302	7	10	27	38	50	56	96
50-64	59	26.7	357	5	8	22	40	77	99+	99+
65+	20	35.0	390	12	13	33	50	70	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12053	15.3	190	2	3	12	20	32	43	77
B. *Operated*	57	25.6	312	3	8	23	32	62	87	99+
2. MULTIPLE DX										
A. *Not Operated*	4751	16.8	207	2	4	13	23	35	47	83
B. *Operated*	298	28.8	383	7	8	26	41	65	90	99+
1. SINGLE DX	12110	15.4	191	2	3	12	21	33	44	78
2. MULTIPLE DX	5049	17.6	225	2	4	13	24	37	50	91
A. NOT OPERATED	16804	15.7	195	2	3	12	21	34	44	78
B. OPERATED	355	28.3	372	7	8	25	41	63	90	99+
TOTAL 0-19 YRS	1193	21.4	375	2	3	15	30	56	72	99+
20-34	8829	15.1	185	2	3	11	20	32	43	78
35-49	4372	15.3	171	2	3	12	20	33	42	68
50-64	2194	16.8	191	2	4	13	22	34	45	83
65+	571	20.3	274	3	4	16	28	43	56	99+
GRAND TOTAL	**17159**	**16.0**	**202**	**2**	**3**	**12**	**21**	**34**	**45**	**82**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	19.8	318	3	3	15	28	50	62	99+
20-34	636	13.6	155	1	2	11	18	28	38	69
35-49	189	12.2	74	2	3	11	16	22	28	41
50-64	63	13.7	66	3	5	12	19	24	32	35
65+	8	10.8	29	2	3	12	16	67	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	42.5	2381	8	8	42	77	77	77	77
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	23.2	420	3	5	17	28	49	74	95
20-34	211	16.1	192	2	4	11	22	36	53	99+
35-49	90	15.4	144	3	5	13	20	29	39	66
50-64	35	15.5	164	2	3	12	20	40	51	99+
65+	14	14.7	125	2	4	12	21	36	36	36
B. *Operated*										
0-19 YRS	4	33.0	407	12	12	46	65	99+	99+	99+
20-34	10	24.2	192	6	9	20	33	46	50	50
35-49	4	14.5	111	7	7	10	21	30	30	30
50-64	2	23.0	50	18	18	23	28	28	28	28
65+	3	42.0	73	34	34	41	48	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1096	14.5	171	2	3	11	19	31	42	80
B. *Operated*	2	42.5	2381	8	8	42	77	77	77	77
2. MULTIPLE DX										
A. *Not Operated*	435	17.3	229	3	4	13	23	36	52	99+
B. *Operated*	23	26.3	228	7	9	23	42	51	68	99+
1. SINGLE DX	1098	14.5	174	2	3	11	19	31	42	80
2. MULTIPLE DX	458	17.7	232	3	4	14	24	37	53	99+
A. NOT OPERATED	1531	15.3	189	2	3	12	20	33	44	92
B. OPERATED	25	27.6	329	7	8	23	43	54	82	99+
TOTAL 0-19 YRS	289	21.0	351	3	4	16	29	51	65	99+
20-34	857	14.4	166	2	3	11	19	31	40	79
35-49	285	13.5	112	2	4	12	17	26	31	55
50-64	100	14.5	100	3	4	12	20	28	36	75
65+	25	16.7	176	2	4	14	24	41	61	99+
GRAND TOTAL	**1556**	**15.5**	**193**	**2**	**3**	**12**	**20**	**33**	**46**	**93**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1865	20.8	358	2	3	15	29	49	71	99+
20-34	10795	15.5	204	1	3	12	21	33	45	81
35-49	5134	14.7	150	2	3	12	20	30	38	63
50-64	2369	16.6	179	2	3	14	22	33	43	70
65+	452	18.8	231	2	3	15	25	41	49	86
B. *Operated*										
0-19 YRS	14	26.1	388	2	4	23	43	70	92	99+
20-34	27	27.7	327	9	12	25	39	95	99+	99+
35-49	19	26.5	188	10	13	23	31	41	57	69
50-64	13	27.1	81	15	17	29	38	99+	99+	99+
65+	4	20.0	293	8	8	13	31	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	778	22.2	397	2	3	17	32	57	80	99+
20-34	4456	16.5	211	2	3	13	22	36	49	84
35-49	2984	16.3	184	2	4	13	22	34	43	75
50-64	1969	17.8	184	3	5	14	24	35	46	73
65+	640	20.2	249	3	5	16	28	43	53	96
B. *Operated*										
0-19 YRS	44	31.3	517	6	9	31	60	99+	99+	99+
20-34	263	25.8	374	4	7	21	37	58	80	99+
35-49	209	24.3	290	5	7	20	33	53	60	97
50-64	148	28.1	329	7	9	25	36	53	64	97
65+	45	25.2	327	3	6	21	32	50	67	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20615	16.0	205	2	3	12	21	34	46	82
B. *Operated*	77	26.6	250	9	11	23	37	69	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	10827	17.3	217	2	3	14	23	37	50	87
B. *Operated*	709	26.1	347	5	7	22	36	56	76	99+
1. SINGLE DX	20692	16.0	205	2	3	12	21	34	46	83
2. MULTIPLE DX	11536	17.8	229	2	4	14	24	39	52	94
A. NOT OPERATED	31442	16.4	209	2	3	13	22	35	47	84
B. OPERATED	786	26.2	337	5	8	22	36	57	77	99+
TOTAL 0-19 YRS	2701	21.4	373	2	3	16	30	52	75	99+
20-34	15541	16.0	211	1	3	12	21	35	47	84
35-49	8346	15.5	168	2	3	12	21	32	41	70
50-64	4499	17.5	190	2	4	14	23	35	45	74
65+	1141	19.8	246	2	4	16	27	42	52	89
GRAND TOTAL	**32228**	**16.7**	**215**	**2**	**3**	**13**	**22**	**36**	**48**	**87**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	15.5	370	1	2	8	38	99+	99+	99+
B. *Operated*										
0-19 YRS	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	27.9	488	2	3	34	55	99+	99+	99+
B. *Operated*										
0-19 YRS	1	97.0		97	97	97	97	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	15.5	370	1	2	8	38	99+	99+	99+
B. *Operated*	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*	35	27.9	488	2	3	34	55	99+	99+	99+
B. *Operated*	1	97.0		97	97	97	97	97	97	97
1. SINGLE DX	96	16.0	391	1	2	8	39	99+	99+	99+
2. MULTIPLE DX	36	29.8	607	2	3	34	52	99+	99+	99+
A. NOT OPERATED	130	18.8	429	1	2	13	42	99+	99+	99+
B. OPERATED	2	80.5	545	64	64	80	97	97	97	97
TOTAL 0-19 YRS	132	19.8	484	1	2	14	42	99+	99+	99+
GRAND TOTAL	**132**	**19.8**	**484**	**1**	**2**	**14**	**42**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	16.7	305	1	2	11	25	44	59	98
20-34	2094	13.1	166	1	2	9	18	30	39	71
35-49	2287	15.0	163	2	3	12	20	32	40	61
50-64	2631	17.9	173	3	4	15	24	35	43	68
65+	1810	20.5	216	3	5	18	28	40	50	72
B. *Operated*										
0-19 YRS										
20-34	13	29.0	665	1	2	24	34	63	92	99
35-49	19	21.7	263	5	6	16	34	41	55	66
50-64	21	23.9	517	5	6	14	34	51	78	97
65+	25	22.7	144	4	8	22	33	39	43	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	15.3	269	1	2	9	22	38	51	98
20-34	1902	12.7	159	1	2	9	17	29	40	67
35-49	2201	14.4	178	2	3	10	19	33	42	68
50-64	2680	17.3	207	3	4	13	24	37	46	72
65+	2832	20.7	276	3	4	16	29	44	57	98
B. *Operated*										
0-19 YRS	16	26.7	324	3	8	21	38	62	87	99+
20-34	115	21.4	207	5	6	18	29	39	58	76
35-49	167	26.2	304	5	8	21	39	51	60	79
50-64	237	25.6	270	6	9	21	33	53	61	99+
65+	261	29.1	358	7	9	26	38	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9092	16.6	188	2	3	13	23	35	44	69
B. *Operated*	78	23.8	351	4	6	18	34	42	59	98
2. MULTIPLE DX										
A. *Not Operated*	9942	16.7	222	2	3	12	23	37	48	78
B. *Operated*	796	26.3	303	6	8	22	36	53	63	99+
1. SINGLE DX	9170	16.6	190	2	3	14	23	35	44	69
2. MULTIPLE DX	10738	17.4	235	2	3	13	24	38	50	82
A. NOT OPERATED	19034	16.6	206	2	3	13	23	36	46	74
B. OPERATED	874	26.1	307	6	8	22	36	52	63	99
TOTAL 0-19 YRS	613	16.2	289	1	2	10	23	41	56	99+
20-34	4124	13.2	168	1	2	9	18	30	40	68
35-49	4674	15.1	180	2	3	11	21	33	43	66
50-64	5569	18.0	198	3	4	15	25	36	46	72
65+	4928	21.1	261	3	5	17	29	43	55	90
GRAND TOTAL	**19908**	**17.0**	**214**	**2**	**3**	**13**	**24**	**37**	**47**	**76**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	19.4	299	2	3	15	26	44	60	95
20-34	3219	15.2	158	2	3	12	21	31	40	64
35-49	2528	15.1	149	2	3	12	21	30	38	60
50-64	1650	16.6	146	2	4	14	22	32	40	64
65+	521	19.8	235	3	4	16	26	41	52	86
B. *Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	7	10.7	95	<1	1	9	24	77	99+	99+
35-49	6	10.8	41	5	5	10	11	22	23	23
50-64	16	24.7	252	4	7	22	34	51	57	59
65+	6	25.8	210	8	9	25	30	48	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	19.9	318	2	3	15	29	45	59	99
20-34	1464	16.5	181	2	3	13	22	35	44	70
35-49	1371	16.5	179	2	4	13	22	35	42	73
50-64	1322	17.3	164	3	4	15	23	35	44	66
65+	787	20.2	256	3	5	16	26	41	54	91
B. *Operated*										
0-19 YRS	11	35.5	467	7	11	32	49	65	83	85
20-34	113	26.1	271	4	7	24	36	51	59	85
35-49	115	21.4	185	4	7	18	28	43	50	78
50-64	111	25.6	240	5	8	23	34	54	59	78
65+	78	36.1	443	10	14	34	49	66	89	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8329	16.0	167	2	3	13	21	32	41	68
B. *Operated*	36	20.3	219	2	5	20	30	48	57	99+
2. MULTIPLE DX										
A. *Not Operated*	5144	17.4	194	2	4	14	23	36	46	76
B. *Operated*	428	26.8	299	5	8	24	36	52	63	97
1. SINGLE DX	8365	16.0	167	2	3	13	22	32	41	68
2. MULTIPLE DX	5572	18.1	209	2	4	15	24	38	48	77
A. NOT OPERATED	13473	16.5	178	2	3	14	22	34	43	71
B. OPERATED	464	26.3	296	5	7	23	35	52	62	99
TOTAL 0-19 YRS	623	19.9	312	2	3	15	27	45	59	97
20-34	4803	15.9	170	2	3	13	21	33	43	67
35-49	4020	15.7	161	2	3	13	21	32	40	66
50-64	3099	17.3	160	2	4	15	23	34	43	65
65+	1392	21.0	271	3	5	17	28	45	55	92
GRAND TOTAL	**13937**	**16.8**	**185**	**2**	**3**	**14**	**23**	**35**	**45**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	14.9	223	1	2	11	20	37	50	99+
20-34	2430	12.7	157	1	2	9	17	29	38	70
35-49.	1566	14.2	171	1	2	10	20	31	40	68
50-64	1315	16.2	177	2	3	13	22	34	42	66
65+	946	16.8	197	2	3	13	24	37	45	69
B. *Operated*										
0-19 YRS	4	19.3	136	4	4	21	28	31	31	31
20-34	7	10.3	51	1	1	9	17	20	20	20
35-49	12	9.9	52	2	3	8	16	20	23	23
50-64	23	17.0	197	2	3	12	26	38	44	52
65+	23	12.1	140	2	3	8	15	31	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	16.1	262	1	2	11	23	40	50	83
20-34	1643	14.4	179	1	2	10	19	32	43	69
35-49	1322	14.9	171	2	3	12	21	31	40	71
50-64	1603	17.0	225	2	3	13	23	36	49	74
65+	2577	14.5	174	2	3	10	19	33	43	69
B. *Operated*										
0-19 YRS	21	27.4	590	<1	2	19	54	68	83	99+
20-34	72	24.0	414	2	4	19	30	58	79	97
35-49	105	25.4	413	4	5	20	35	57	89	99+
50-64	135	20.0	288	4	5	16	26	40	53	95
65+	272	20.8	299	4	6	16	28	48	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6901	14.5	178	1	2	11	20	32	42	70
B. *Operated*	69	13.6	138	2	3	10	18	31	37	51
2. MULTIPLE DX										
A. *Not Operated*	7567	15.2	191	2	3	11	20	34	44	72
B. *Operated*	605	22.0	342	3	5	17	29	53	71	99+
1. SINGLE DX	6970	14.5	178	1	2	11	20	32	42	70
2. MULTIPLE DX	8172	15.7	206	2	3	11	21	35	46	78
A. NOT OPERATED	14468	14.8	185	1	2	11	20	33	43	71
B. OPERATED	674	21.2	328	3	4	16	28	49	69	99+
TOTAL 0-19 YRS	1091	15.6	247	1	2	11	22	39	52	99
20-34	4152	13.5	173	1	2	10	19	31	41	70
35-49	3005	14.9	183	1	2	11	21	32	42	72
50-64	3076	16.8	207	2	3	13	22	36	46	72
65+	3818	15.5	192	2	3	11	21	35	45	74
GRAND TOTAL	**15142**	**15.1**	**193**	**2**	**3**	**11**	**21**	**34**	**44**	**74**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	5.6	77	1	1	3	5	10	22	46
20-34	2246	6.1	48	1	1	4	7	14	19	36
35-49	1722	6.3	54	1	1	4	7	14	20	40
50-64	959	5.9	36	1	1	4	7	13	19	32
65+	414	5.7	38	1	1	4	7	12	17	34
B. *Operated*										
0-19 YRS	9	9.8	215	2	2	4	9	36	45	45
20-34	53	5.0	24	1	1	2	8	11	12	28
35-49	38	5.9	30	1	2	4	7	13	17	28
50-64	22	6.6	38	1	2	5	8	13	20	30
65+	3	5.0	4	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	7.7	156	1	1	4	7	19	40	73
20-34	3517	7.0	57	1	1	4	8	16	22	37
35-49	3605	6.8	51	1	2	5	8	14	20	35
50-64	2980	6.9	49	1	2	5	8	14	21	35
65+	2151	6.8	45	1	2	5	8	13	19	35
B. *Operated*										
0-19 YRS	37	8.9	145	1	1	4	9	36	45	99+
20-34	330	6.6	60	1	1	3	9	16	21	35
35-49	269	9.4	83	1	2	7	12	23	29	40
50-64	200	11.9	90	2	2	9	16	26	31	42
65+	80	11.0	136	3	4	7	11	21	45	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5913	6.0	50	1	1	4	7	13	19	37
B. *Operated*	125	5.9	41	1	2	4	7	12	15	34
2. MULTIPLE DX										
A. *Not Operated*	13083	6.9	58	1	2	5	8	15	21	40
B. *Operated*	916	9.1	87	1	2	6	12	22	29	46
1. SINGLE DX	6038	6.0	50	1	1	4	7	13	19	37
2. MULTIPLE DX	13999	7.1	60	1	2	5	8	15	21	41
A. NOT OPERATED	18996	6.6	56	1	1	4	8	14	21	39
B. OPERATED	1041	8.7	83	1	2	6	11	21	29	45
TOTAL 0-19 YRS	1448	6.9	126	1	1	3	6	15	31	71
20-34	6146	6.6	54	1	1	4	8	15	21	37
35-49	5634	6.8	53	1	1	4	8	15	21	37
50-64	4161	6.9	49	1	2	5	8	15	21	36
65+	2648	6.7	47	1	2	5	8	13	18	37
GRAND TOTAL	**20037**	**6.7**	**57**	**1**	**1**	**4**	**8**	**15**	**21**	**40**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1840	17.0	322	1	2	10	23	44	60	95
20-34	9272	11.0	119	1	2	7	15	24	33	53
35-49	6598	11.8	119	2	2	9	16	26	33	55
50-64	3258	13.3	128	2	3	10	18	28	35	55
65+	1434	13.8	125	2	3	11	19	29	36	57
B. *Operated*										
0-19 YRS	10	25.4	245	6	6	28	41	69	97	99+
20-34	63	22.0	268	3	4	18	35	43	49	71
35-49	49	21.2	336	2	4	16	30	50	62	78
50-64	26	20.1	180	4	5	18	28	43	68	99+
65+	12	21.6	469	5	6	14	27	56	73	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1952	17.9	326	1	2	12	26	46	61	99+
20-34	10472	12.4	133	1	2	9	17	27	35	59
35-49	8534	12.4	123	2	3	9	16	27	35	55
50-64	5776	13.1	125	2	3	10	17	28	35	57
65+	3670	14.0	155	3	4	10	18	30	39	70
B. *Operated*										
0-19 YRS	80	28.8	551	2	4	25	47	94	99+	99+
20-34	702	19.4	234	2	4	16	27	39	51	91
35-49	654	21.9	267	5	6	18	29	43	57	99
50-64	482	22.8	249	6	7	19	30	44	55	87
65+	276	23.1	268	4	6	20	30	43	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22402	12.3	140	1	2	9	16	27	36	60
B. *Operated*	160	21.6	282	3	5	17	33	45	61	97
2. MULTIPLE DX										
A. *Not Operated*	30404	13.1	146	2	3	9	17	28	37	63
B. *Operated*	2194	21.7	266	4	6	18	29	43	56	99
1. SINGLE DX	22562	12.3	142	1	2	9	16	27	36	61
2. MULTIPLE DX	32598	13.6	158	2	3	10	18	30	39	68
A. NOT OPERATED	52806	12.7	144	2	3	9	17	28	37	62
B. OPERATED	2354	21.7	267	4	6	18	29	44	56	99
TOTAL 0-19 YRS	3882	17.7	331	1	2	11	25	46	62	99+
20-34	20509	12.0	133	1	2	8	16	27	35	59
35-49	15835	12.6	132	2	3	9	17	27	35	57
50-64	9542	13.7	137	2	3	10	18	29	36	59
65+	5392	14.4	158	3	4	10	19	30	40	67
GRAND TOTAL	**55160**	**13.1**	**152**	**2**	**3**	**9**	**18**	**29**	**38**	**65**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1476	11.6	293	1	1	5	13	35	60	99+
20-34	3064	8.6	112	1	1	5	10	21	28	58
35-49	1318	8.6	90	1	1	5	11	20	27	50
50-64	603	8.2	91	1	1	5	10	18	29	53
65+	227	8.4	113	1	1	5	11	17	26	60
B. *Operated*										
0-19 YRS	21	9.0	140	<1	1	6	8	29	41	43
20-34	160	8.8	79	1	2	8	9	15	22	51
35-49	98	6.6	21	1	2	6	9	11	15	26
50-64	80	7.7	75	1	2	5	8	14	31	45
65+	33	6.4	57	1	2	4	8	10	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1607	14.2	331	1	1	7	18	41	63	99+
20-34	4763	10.3	133	1	1	6	13	25	34	65
35-49	2466	10.0	118	1	2	7	13	22	30	62
50-64	1441	9.9	104	1	2	6	12	22	30	52
65+	723	10.2	108	2	2	7	13	23	34	61
B. *Operated*										
0-19 YRS	65	17.9	337	2	3	11	30	49	95	99+
20-34	358	14.5	229	1	2	9	19	33	53	88
35-49	237	13.4	216	1	2	9	18	31	43	99+
50-64	193	12.4	149	2	3	9	16	31	43	85
65+	87	12.2	153	3	4	8	15	23	40	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6688	9.2	147	1	1	5	11	22	33	79
B. *Operated*	392	7.8	66	1	2	6	9	14	22	42
2. MULTIPLE DX										
A. *Not Operated*	11000	10.8	155	1	2	7	14	25	36	78
B. *Operated*	940	13.8	211	1	2	9	18	33	50	99+
1. SINGLE DX	7080	9.1	143	1	1	5	11	22	32	77
2. MULTIPLE DX	11940	11.0	160	1	2	7	14	26	37	80
A. NOT OPERATED	17688	10.2	153	1	1	6	13	24	35	78
B. OPERATED	1332	12.0	175	1	2	8	15	29	42	96
TOTAL 0-19 YRS	3169	13.0	314	1	1	6	16	39	61	99+
20-34	8345	9.8	130	1	1	6	12	23	33	64
35-49	4119	9.7	114	1	2	6	12	22	30	62
50-64	2317	9.6	105	1	2	6	12	22	31	55
65+	1070	9.9	112	1	2	6	12	22	32	62
GRAND TOTAL	**19020**	**10.3**	**155**	**1**	**1**	**6**	**13**	**25**	**36**	**79**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	738	7.7	128	<1	<1	2	10	27	30	47
20-34	5979	11.6	112	1	1	7	21	28	30	37
35-49	7843	10.3	93	1	2	6	15	27	29	35
50-64	4781	10.1	93	1	2	6	14	27	29	35
65+	984	9.2	77	1	2	6	12	23	28	36
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	16.3	229	1	2	11	26	33	48	58
35-49	33	11.4	45	3	5	10	15	21	23	32
50-64	20	18.6	300	1	2	12	23	45	61	67
65+	6	16.5	111	9	9	12	18	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1282	15.2	243	<1	1	9	25	34	45	69
20-34	11435	12.0	113	1	2	8	20	28	31	43
35-49	18179	10.9	93	1	2	7	16	26	30	39
50-64	15001	11.1	93	2	2	7	15	26	30	41
65+	4990	11.6	95	2	3	8	17	25	30	43
B. *Operated*										
0-19 YRS	38	17.1	238	<1	1	15	30	35	38	60
20-34	488	16.9	159	1	4	14	23	32	37	56
35-49	926	17.5	163	3	5	14	24	33	41	65
50-64	910	18.2	161	3	5	15	25	33	42	64
65+	370	18.3	146	4	5	16	24	34	42	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20325	10.5	100	1	1	6	16	28	30	36
B. *Operated*	78	14.6	152	2	3	11	21	31	36	64
2. MULTIPLE DX										
A. *Not Operated*	50887	11.4	102	1	2	7	17	27	30	42
B. *Operated*	2732	17.7	160	3	5	15	24	33	41	61
1. SINGLE DX	20403	10.5	100	1	1	6	16	28	30	36
2. MULTIPLE DX	53619	11.7	107	1	2	8	18	28	31	44
A. NOT OPERATED	71212	11.1	102	1	2	7	17	27	30	40
B. OPERATED	2810	17.6	160	2	5	15	24	33	41	62
TOTAL 0-19 YRS	2059	12.5	214	<1	1	5	22	31	39	61
20-34	17920	12.0	115	1	2	7	21	28	31	42
35-49	26981	10.9	97	1	2	7	16	27	30	39
50-64	20712	11.1	99	2	2	7	16	27	30	42
65+	6350	11.6	99	2	2	8	17	25	30	44
GRAND TOTAL	**74022**	**11.4**	**105**	**1**	**2**	**7**	**18**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	13.9	188	3	4	11	17	24	44	66
20-34	333	10.8	57	1	2	10	15	20	25	38
35-49	52	12.1	44	4	5	11	16	21	26	29
50-64	12	13.8	45	3	6	13	17	23	26	27
65+	6	16.2	141	8	8	10	24	36	37	37
B. *Operated*										
0-19 YRS										
20-34	3	8.7	44	<1	<1	12	13	13	13	13
35-49	2	22.0	162	13	13	22	31	31	31	31
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	14.3	289	1	2	6	18	30	50	81
20-34	1540	12.3	35	3	5	12	15	18	21	34
35-49	690	13.4	38	5	7	13	16	19	22	35
50-64	127	14.7	78	3	7	13	17	22	30	56
65+	43	13.0	71	2	4	11	17	27	29	35
B. *Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	152	14.6	46	7	8	14	17	20	23	51
35-49	42	14.9	48	8	9	14	17	20	28	45
50-64	6	24.8	259	11	11	19	40	48	49	49
65+	3	12.7	40	9	9	9	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	11.3	63	2	3	10	15	21	25	38
B. *Operated*	7	12.9	82	<1	2	12	13	27	31	31
2. MULTIPLE DX										
A. *Not Operated*	2430	12.8	42	3	5	13	16	19	22	36
B. *Operated*	205	14.9	54	7	8	14	17	20	23	50
1. SINGLE DX	432	11.3	63	1	3	10	15	21	25	38
2. MULTIPLE DX	2635	12.9	44	3	6	13	16	19	22	38
A. NOT OPERATED	2855	12.5	46	3	5	12	15	20	23	37
B. OPERATED	212	14.9	55	7	8	14	17	20	23	50
TOTAL 0-19 YRS	54	14.1	233	2	3	9	18	28	46	80
20-34	2028	12.2	41	3	4	12	15	19	21	35
35-49	786	13.4	39	5	7	13	16	20	22	36
50-64	147	15.0	84	3	8	13	17	24	31	54
65+	52	13.4	75	3	4	11	18	27	29	37
GRAND TOTAL	**3067**	**12.7**	**47**	**3**	**5**	**13**	**16**	**20**	**23**	**38**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	17.7	285	1	2	12	29	41	48	74
20-34	411	10.6	109	1	1	7	15	28	31	44
35-49	88	11.3	124	1	1	8	15	27	31	57
50-64	44	16.0	251	1	1	12	20	34	52	76
65+	19	10.8	56	1	2	9	15	21	26	31
B. *Operated*										
0-19 YRS										
20-34	3	16.7	129	4	4	20	24	26	26	26
35-49	6	5.7	11	2	2	6	8	10	10	10
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	23.4	280	2	3	23	32	45	53	80
20-34	992	14.7	124	1	2	12	22	30	36	49
35-49	401	14.1	109	2	3	12	20	28	35	46
50-64	179	13.4	121	2	3	10	18	29	34	52
65+	91	15.5	145	3	4	12	22	34	37	54
B. *Operated*										
0-19 YRS	12	27.8	336	6	11	24	48	69	94	99+
20-34	54	17.8	135	3	6	15	25	34	42	53
35-49	22	21.6	221	4	7	20	31	34	47	66
50-64	11	19.2	247	3	3	17	21	47	53	54
65+	10	24.1	368	5	7	24	26	51	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	724	12.6	165	1	1	8	18	30	36	64
B. *Operated*	11	10.6	86	2	2	7	17	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	2099	16.3	167	2	3	13	25	33	40	57
B. *Operated*	109	20.4	208	3	6	17	28	41	54	84
1. SINGLE DX	735	12.6	164	1	1	8	19	30	36	64
2. MULTIPLE DX	2208	16.5	170	2	3	13	25	34	41	59
A. NOT OPERATED	2823	15.4	169	1	2	12	23	33	39	58
B. OPERATED	120	19.5	204	3	5	17	27	38	53	81
TOTAL 0-19 YRS	610	21.9	288	2	3	21	31	44	53	77
20-34	1460	13.6	124	1	2	11	21	29	35	48
35-49	517	13.9	119	1	2	11	20	29	34	51
50-64	235	14.2	151	2	3	11	19	30	37	57
65+	121	15.4	155	3	4	11	21	32	37	62
GRAND TOTAL	**2943**	**15.5**	**171**	**1**	**2**	**12**	**23**	**33**	**40**	**59**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1055	1.6	12	<1	<1	1	1	2	3	10
20-34	584	2.4	19	<1	<1	1	2	5	7	23
35-49	378	4.4	34	<1	<1	2	5	9	17	28
50-64	269	3.7	19	<1	<1	2	4	8	11	26
65+	84	3.3	19	<1	<1	2	4	7	10	27
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	726	3.1	39	<1	<1	1	2	6	11	35
20-34	1024	4.3	37	<1	<1	2	5	10	16	32
35-49	902	5.0	30	<1	1	3	6	11	16	30
50-64	724	5.6	31	1	1	4	7	12	17	27
65+	313	5.8	37	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	34	2.9	14	<1	<1	1	4	5	18	99+
20-34	65	3.8	20	<1	<1	2	5	11	14	19
35-49	33	10.3	130	<1	1	5	17	28	32	46
50-64	39	7.5	37	<1	1	5	12	17	18	22
65+	19	9.7	43	<1	2	9	13	21	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2370	2.6	20	<1	<1	1	2	5	8	25
B. *Operated*	6	3.8	17	<1	<1	3	3	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	3689	4.6	35	<1	1	3	6	10	15	31
B. *Operated*	190	6.1	51	<1	<1	3	9	16	22	40
1. SINGLE DX	2376	2.6	20	<1	<1	1	2	5	8	25
2. MULTIPLE DX	3879	4.7	36	<1	<1	3	6	11	16	31
A. NOT OPERATED	6059	3.8	30	<1	<1	2	4	8	13	28
B. OPERATED	196	6.1	50	<1	<1	3	9	16	22	39
TOTAL 0-19 YRS	1818	2.2	24	<1	<1	1	2	4	6	26
20-34	1674	3.6	31	<1	<1	2	4	8	13	30
35-49	1315	5.0	34	<1	1	3	6	11	17	30
50-64	1032	5.2	29	<1	1	3	6	11	16	27
65+	416	5.5	35	<1	1	4	7	12	16	30
GRAND TOTAL	**6255**	**3.9**	**31**	**<1**	**<1**	**2**	**4**	**9**	**14**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	6.5	100	<1	1	2	8	17	29	52
20-34	268	6.2	63	<1	1	3	7	17	28	36
35-49	53	7.2	68	<1	1	4	9	18	29	36
50-64	20	9.3	76	<1	1	6	10	22	31	35
65+	5	4.4	9	1	1	4	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	4	4.5	11	1	1	4	7	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	10.3	159	1	1	5	15	29	38	53
20-34	716	8.9	94	1	1	5	11	23	30	46
35-49	218	10.2	88	1	1	7	13	24	29	41
50-64	111	10.1	109	1	2	7	11	23	31	51
65+	83	8.7	51	1	2	7	11	16	24	39
B. *Operated*										
0-19 YRS	6	25.3	723	3	3	18	30	71	76	76
20-34	25	16.0	202	2	2	12	21	36	50	53
35-49	16	17.6	307	2	3	13	28	61	88	99+
50-64	5	14.6	169	4	4	9	20	37	37	37
65+	6	8.2	17	5	5	7	9	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	6.5	77	<1	1	3	8	17	28	40
B. *Operated*	6	4.7	10	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1446	9.5	106	1	1	6	12	24	31	48
B. *Operated*	58	16.5	259	2	3	12	25	39	60	98
1. SINGLE DX	551	6.5	76	<1	1	3	8	17	28	40
2. MULTIPLE DX	1504	9.7	114	1	1	6	13	25	31	50
A. NOT OPERATED	1991	8.7	100	1	1	5	11	22	30	46
B. OPERATED	64	15.4	247	2	2	10	24	37	56	96
TOTAL 0-19 YRS	523	9.0	148	1	1	4	11	26	35	57
20-34	1013	8.3	91	1	1	5	10	22	30	45
35-49	288	10.0	100	1	1	6	13	25	30	47
50-64	136	10.1	105	1	2	7	11	23	33	46
65+	95	8.4	47	1	2	7	11	16	23	37
GRAND TOTAL	**2055**	**8.9**	**105**	**1**	**1**	**5**	**11**	**23**	**30**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	634	3.9	10	1	1	3	5	7	10	21
20-34	867	4.4	18	1	1	3	5	8	11	23
35-49	649	4.9	26	1	1	4	6	9	12	27
50-64	366	4.5	16	1	1	4	6	8	11	22
65+	155	5.1	14	1	1	4	6	10	14	20
B. *Operated*										
0-19 YRS	44	5.2	22	1	2	4	6	13	14	24
20-34	64	6.0	22	1	2	4	9	12	16	20
35-49	52	5.8	21	1	2	4	8	11	13	22
50-64	34	5.2	16	1	1	4	8	11	13	15
65+	12	4.6	18	2	2	3	6	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	4.8	34	1	1	4	5	9	12	35
20-34	1354	5.6	28	1	2	4	7	11	15	27
35-49	1368	6.2	37	1	2	5	7	12	16	33
50-64	1206	6.0	27	1	2	5	7	11	15	26
65+	1000	6.9	32	2	2	5	9	13	17	31
B. *Operated*										
0-19 YRS	52	7.8	47	1	2	5	8	21	23	28
20-34	175	8.9	57	2	2	7	11	18	23	34
35-49	152	10.7	86	2	2	9	13	19	30	46
50-64	132	9.9	69	2	3	7	14	20	26	42
65+	103	11.5	87	2	3	8	16	25	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2671	4.5	18	1	1	3	5	8	11	21
B. *Operated*	206	5.6	20	1	2	4	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	5546	6.0	32	1	2	5	7	11	15	29
B. *Operated*	614	9.9	72	2	2	7	13	20	27	44
1. SINGLE DX	2877	4.5	18	1	1	3	5	9	11	21
2. MULTIPLE DX	6160	6.4	37	1	2	5	8	12	17	32
A. NOT OPERATED	8217	5.5	28	1	2	4	7	10	14	27
B. OPERATED	820	8.8	62	2	2	7	11	18	24	41
TOTAL 0-19 YRS	1348	4.5	23	1	1	3	5	8	11	25
20-34	2460	5.4	28	1	2	4	7	10	14	27
35-49	2221	6.1	38	1	2	4	7	12	16	32
50-64	1738	6.0	29	1	2	5	7	11	16	27
65+	1270	7.0	37	2	2	5	9	13	18	32
GRAND TOTAL	**9037**	**5.8**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3093	12.7	212	1	1	7	17	34	46	88
20-34	2480	5.6	43	<1	1	3	7	13	17	31
35-49	1199	6.3	62	1	1	4	7	14	20	38
50-64	432	7.4	80	1	1	5	10	16	22	52
65+	223	7.7	55	1	1	5	11	17	25	36
B. *Operated*										
0-19 YRS	14	13.5	546	1	1	7	18	99	99+	99+
20-34	32	4.4	56	<1	<1	2	3	12	24	35
35-49	17	7.4	130	1	1	2	10	15	36	47
50-64	2	17.0	288	5	5	17	29	29	29	29
65+	3	11.3	108	3	3	8	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2334	12.6	228	1	1	7	17	34	51	99+
20-34	3223	7.0	60	1	1	4	9	16	22	38
35-49	1920	7.2	64	1	1	5	9	16	22	39
50-64	1019	7.8	62	1	2	5	10	17	24	38
65+	757	8.8	66	1	2	6	11	19	25	47
B. *Operated*										
0-19 YRS	95	18.2	349	1	1	12	29	46	64	88
20-34	166	9.9	142	1	1	5	14	27	33	61
35-49	114	10.1	92	1	1	7	14	23	30	44
50-64	49	15.3	183	3	4	11	20	37	44	67
65+	31	16.2	85	6	7	13	20	31	38	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7427	8.8	130	1	1	5	11	21	33	64
B. *Operated*	68	7.7	186	1	1	2	10	24	47	99+
2. MULTIPLE DX										
A. *Not Operated*	9253	8.7	109	1	1	5	11	20	29	65
B. *Operated*	455	12.7	184	1	2	8	18	32	40	69
1. SINGLE DX	7495	8.8	130	1	1	5	11	21	33	65
2. MULTIPLE DX	9708	8.9	114	1	1	5	11	21	30	66
A. NOT OPERATED	16680	8.8	118	1	1	5	11	21	31	65
B. OPERATED	523	12.1	187	1	1	8	16	31	40	74
TOTAL 0-19 YRS	5536	12.7	222	1	1	7	17	35	49	99+
20-34	5901	6.5	56	1	1	4	8	15	21	36
35-49	3250	7.0	65	1	1	4	8	15	22	39
50-64	1502	7.9	73	1	2	5	10	17	24	43
65+	1014	8.8	66	1	2	6	11	19	25	42
GRAND TOTAL	**17203**	**8.9**	**121**	**1**	**1**	**5**	**11**	**21**	**32**	**65**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2534	13.4	357	1	2	5	17	41	66	99+
20-34	3652	8.2	100	1	2	5	10	19	28	56
35-49	2213	8.7	82	1	2	6	11	20	27	46
50-64	1210	10.6	113	1	2	7	14	24	31	58
65+	669	12.1	142	2	2	8	16	27	35	53
B. *Operated*										
0-19 YRS	78	7.3	230	1	1	3	5	12	39	81
20-34	104	6.8	76	1	2	5	8	12	17	55
35-49	82	9.8	99	2	2	7	12	20	32	50
50-64	32	8.2	37	2	2	7	11	16	18	31
65+	15	7.7	41	1	1	7	8	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2527	14.0	342	1	2	6	18	45	68	99+
20-34	5230	8.5	82	1	2	5	10	19	26	50
35-49	4149	8.9	82	2	2	6	11	19	26	48
50-64	3037	9.6	89	2	3	7	12	21	28	49
65+	2485	11.1	107	2	3	8	14	23	33	56
B. *Operated*										
0-19 YRS	146	19.0	543	1	2	8	30	67	86	99+
20-34	402	13.8	179	2	3	9	18	33	44	94
35-49	380	13.9	170	3	4	10	18	28	37	74
50-64	300	15.3	203	3	4	11	19	34	49	83
65+	205	16.9	206	4	5	12	22	35	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10278	10.1	168	1	2	5	12	25	36	85
B. *Operated*	311	7.9	115	1	2	5	9	17	28	62
2. MULTIPLE DX										
A. *Not Operated*	17428	10.0	128	2	2	6	12	22	32	71
B. *Operated*	1433	15.1	225	2	3	10	19	35	50	96
1. SINGLE DX	10589	10.1	167	1	2	5	12	24	36	84
2. MULTIPLE DX	18861	10.3	137	2	2	6	12	23	34	74
A. NOT OPERATED	27706	10.0	143	1	2	6	12	23	34	77
B. OPERATED	1744	13.8	213	2	3	9	17	33	48	90
TOTAL 0-19 YRS	5285	13.8	354	1	2	6	17	44	68	99+
20-34	9388	8.6	95	1	2	5	10	20	28	55
35-49	6824	9.2	89	1	2	6	11	20	27	49
50-64	4579	10.2	104	2	3	7	13	22	30	54
65+	3374	11.7	121	2	3	8	15	25	34	58
GRAND TOTAL	**29450**	**10.2**	**148**	**1**	**2**	**6**	**12**	**23**	**35**	**78**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	8.6	124	<1	1	4	10	24	35	49
20-34	72	8.0	76	1	1	5	10	20	30	38
35-49	31	8.5	134	1	1	5	9	18	22	63
50-64	22	6.8	30	1	2	6	9	11	19	27
65+	8	4.0	29	1	1	2	3	13	17	17
B. *Operated*										
0-19 YRS	12	3.3	5	<1	<1	3	5	6	7	7
20-34	4	4.8	12	2	2	4	7	9	9	9
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	12.2	230	1	2	7	15	28	50	91
20-34	436	12.4	167	2	2	8	17	27	39	75
35-49	166	10.9	121	2	2	7	14	24	28	67
50-64	97	10.3	72	2	3	8	14	21	27	99+
65+	39	9.9	170	1	2	6	11	18	24	82
B. *Operated*										
0-19 YRS	69	8.8	199	1	2	6	8	16	41	99
20-34	36	10.5	239	1	1	6	11	25	32	87
35-49	17	17.0	300	1	2	16	21	37	58	69
50-64	11	17.5	309	2	4	13	17	48	60	61
65+	7	28.7	1044	2	2	12	43	83	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	8.0	95	1	1	4	9	19	30	49
B. *Operated*	22	3.4	5	<1	<1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	1114	11.8	173	1	2	8	15	25	37	86
B. *Operated*	140	11.9	285	1	2	6	13	29	53	94
1. SINGLE DX	230	7.6	88	1	1	4	9	18	30	49
2. MULTIPLE DX	1254	11.8	185	1	2	7	15	25	38	90
A. NOT OPERATED	1322	11.2	163	1	2	7	14	25	36	83
B. OPERATED	162	10.7	255	1	2	6	12	26	43	93
TOTAL 0-19 YRS	532	11.0	209	1	2	6	13	25	43	91
20-34	548	11.6	161	1	2	8	15	26	36	74
35-49	219	10.9	137	1	2	7	14	23	29	69
50-64	130	10.3	89	2	3	8	13	21	28	99+
65+	55	11.3	289	1	2	6	11	24	43	91
GRAND TOTAL	**1484**	**11.2**	**173**	**1**	**2**	**7**	**14**	**25**	**37**	**86**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1913	10.7	31	2	3	11	13	16	19	27
20-34	374	7.7	37	1	2	6	10	15	18	35
35-49	236	8.6	44	1	2	7	12	17	21	33
50-64	164	11.0	130	2	2	8	14	22	32	52
65+	63	13.7	110	2	3	11	17	27	39	48
B. *Operated*										
0-19 YRS	303	14.7	96	3	7	13	16	21	31	59
20-34	161	12.4	160	1	2	8	15	28	38	58
35-49	201	11.4	135	1	2	8	16	25	34	60
50-64	152	14.0	241	1	2	9	18	31	47	90
65+	48	12.5	134	2	2	10	16	24	34	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1409	12.0	38	2	3	12	15	18	22	35
20-34	327	10.9	107	2	2	9	14	20	30	64
35-49	318	11.8	87	2	3	10	15	23	30	49
50-64	294	14.8	137	2	3	12	17	28	41	58
65+	251	18.5	197	3	4	16	25	37	44	85
B. *Operated*										
0-19 YRS	445	18.8	166	4	8	15	22	36	45	76
20-34	191	19.2	240	2	3	16	28	46	54	99+
35-49	286	17.7	262	2	3	13	24	39	56	99+
50-64	279	23.7	358	2	4	21	35	61	81	99+
65+	157	26.6	356	2	5	24	36	58	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2750	10.2	42	2	3	10	13	17	20	33
B. *Operated*	865	13.3	146	2	2	11	16	24	37	68
2. MULTIPLE DX										
A. *Not Operated*	2599	12.8	83	2	3	12	16	22	30	52
B. *Operated*	1358	20.5	267	2	4	16	28	45	62	99+
1. SINGLE DX	3615	10.9	69	2	2	11	14	18	23	48
2. MULTIPLE DX	3957	15.4	160	2	3	12	19	32	43	87
A. NOT OPERATED	5349	11.5	64	2	3	11	14	19	24	44
B. OPERATED	2223	17.7	232	2	3	14	23	39	55	99+
TOTAL 0-19 YRS	4070	12.3	59	2	3	12	15	19	24	47
20-34	1053	11.5	130	2	2	8	14	24	37	62
35-49	1041	12.6	145	2	2	9	16	26	38	73
50-64	889	16.7	246	2	3	12	22	40	57	99+
65+	519	19.8	252	2	4	16	28	42	56	99+
GRAND TOTAL	**7572**	**13.3**	**121**	**2**	**3**	**11**	**16**	**25**	**36**	**70**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	20	2	2	7	10	13	13	13
20-34	17	9 2	53	2	2	7	10	22	25	27
35-49	52	8.6	61	1	2	6	12	18	21	41
50-64	313	9.3	65	3	3	8	11	17	21	43
65+	792	10.4	81	2	3	8	13	20	25	46
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	8.5	31	2	2	9	13	16	17	17
50-64	24	13.4	101	2	3	12	19	25	34	42
65+	30	12.0	76	2	3	9	17	23	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	103	1	1	6	14	24	33	34
20-34	31	7.4	42	1	1	6	10	16	24	27
35-49	101	11.4	148	3	3	8	13	25	34	70
50-64	884	11.8	98	3	3	9	15	23	30	57
65+	4440	12.8	116	3	4	10	16	25	34	70
B. *Operated*										
0-19 YRS	2	44.5	3785	1	1	44	88	88	88	88
20-34	3	23.7	274	8	8	22	36	41	41	41
35-49	13	17.9	278	3	5	11	21	53	53	53
50-64	129	15.4	121	3	4	13	21	34	45	99+
65+	621	20.4	238	4	6	16	26	42	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	10.0	75	2	3	8	12	19	24	42
B. *Operated*	66	11.8	79	2	3	10	16	23	26	42
2. MULTIPLE DX										
A. *Not Operated*	5467	12.5	113	3	4	10	15	24	33	69
B. *Operated*	768	19.6	227	3	5	16	25	41	53	99+
1. SINGLE DX	1244	10.1	75	2	3	8	13	19	24	42
2. MULTIPLE DX	6235	13.4	133	3	4	10	17	27	36	74
A. NOT OPERATED	6645	12.1	108	3	4	9	15	23	32	62
B. OPERATED	834	19.0	220	3	5	15	24	41	53	99+
TOTAL 0-19 YRS	17	12.5	451	1	1	6	14	31	69	88
20-34	52	8.8	68	1	2	7	11	22	26	41
35-49	177	10.9	128	2	3	7	13	21	33	62
50-64	1350	11.6	95	3	3	9	15	23	30	58
65+	5883	13.2	130	3	4	10	16	26	36	73
GRAND TOTAL	**7479**	**12.9**	**125**	**3**	**4**	**10**	**16**	**25**	**35**	**71**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	8.4	69	2	2	5	10	20	27	42
20-34	952	9.2	60	1	2	8	12	17	23	44
35-49	968	10.7	87	2	3	9	14	21	27	52
50-64	352	11.1	95	2	2	10	14	21	27	67
65+	38	9.6	44	1	2	8	15	18	22	25
B. *Operated*										
0-19 YRS	14	9.7	65	1	1	9	14	24	25	25
20-34	203	9.2	102	1	2	6	13	19	27	51
35-49	196	9.0	62	2	2	6	13	19	26	37
50-64	68	9.2	56	2	2	7	14	21	25	33
65+	6	7.8	74	3	3	4	8	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	8.1	47	2	2	5	11	18	23	30
20-34	693	11.5	113	2	3	9	14	24	34	99
35-49	1031	12.3	125	2	3	10	15	24	32	76
50-64	812	13.0	123	3	3	10	16	26	35	87
65+	218	10.9	69	2	3	9	13	21	28	47
B. *Operated*										
0-19 YRS	6	13.7	155	5	5	13	69	99+	99+	99+
20-34	191	17.3	349	2	3	13	21	47	86	99+
35-49	367	17.7	239	2	3	14	24	42	65	99+
50-64	305	18.3	289	2	3	14	24	42	63	99+
65+	71	18.9	237	4	6	14	25	40	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2370	10.1	77	2	2	9	13	19	25	47
B. *Operated*	487	9.1	77	1	2	6	13	20	26	40
2. MULTIPLE DX										
A. *Not Operated*	2793	12.2	116	2	3	9	15	24	33	79
B. *Operated*	940	17.9	276	2	3	14	24	42	68	99+
1. SINGLE DX	2857	9.9	77	2	2	8	13	19	25	46
2. MULTIPLE DX	3733	13.6	163	2	3	10	17	28	42	99+
A. NOT OPERATED	5163	11.2	99	2	3	9	14	22	30	66
B. OPERATED	1427	14.9	225	2	3	11	20	35	55	99+
TOTAL 0-19 YRS	119	8.7	65	2	2	6	12	22	30	99+
20-34	2039	10.8	115	2	2	8	14	22	30	84
35-49	2562	12.2	128	2	3	9	15	24	35	75
50-64	1537	13.5	153	2	3	10	17	27	38	89
65+	333	12.4	113	2	3	10	16	25	35	73
GRAND TOTAL	**6590**	**12.0**	**129**	**2**	**3**	**9**	**15**	**24**	**35**	**83**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2562	3.6	11	1	1	3	4	7	9	17
20-34	1845	4.1	22	1	1	3	5	8	11	22
35-49	980	4.3	15	1	1	3	5	8	11	20
50-64	639	4.8	31	1	1	3	6	9	12	29
65+	378	5.1	16	1	1	4	7	9	13	19
B. *Operated*										
0-19 YRS	42	6.7	92	1	2	4	8	13	24	57
20-34	80	6.3	34	2	2	4	8	12	18	33
35-49	73	6.9	33	1	2	5	10	15	19	25
50-64	49	5.4	20	1	2	4	7	12	16	19
65+	17	5.2	17	1	1	5	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2255	4.9	34	1	1	3	6	9	13	31
20-34	2466	6.0	33	1	1	4	8	12	16	30
35-49	1963	6.4	41	1	2	5	8	13	17	32
50-64	2223	7.3	49	1	2	5	9	14	19	38
65+	2297	8.4	64	2	2	6	10	17	22	46
B. *Operated*										
0-19 YRS	120	11.7	272	2	2	5	12	27	55	80
20-34	212	10.1	134	1	2	7	12	25	40	94
35-49	240	10.3	65	2	3	9	13	19	27	49
50-64	256	13.8	182	2	3	10	16	31	43	87
65+	228	14.8	142	3	4	13	19	33	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6404	4.1	17	1	1	3	5	8	10	20
B. *Operated*	261	6.3	39	1	2	4	8	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	11204	6.6	46	1	2	5	8	13	18	35
B. *Operated*	1056	12.2	151	2	3	8	15	28	40	77
1. SINGLE DX	6665	4.1	18	1	1	3	5	8	11	21
2. MULTIPLE DX	12260	7.1	57	1	2	5	9	14	20	41
A. NOT OPERATED	17608	5.7	37	1	1	4	7	11	16	30
B. OPERATED	1317	11.0	134	2	2	7	14	25	36	66
TOTAL 0-19 YRS	4979	4.4	30	1	1	3	5	8	11	25
20-34	4603	5.4	35	1	1	4	7	11	15	33
35-49	3256	6.1	37	1	1	4	7	12	17	29
50-64	3167	7.3	60	1	2	5	9	14	20	43
65+	2920	8.5	68	2	2	6	10	17	23	46
GRAND TOTAL	**18925**	**6.0**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1204	4.7	30	1	1	3	6	9	13	27
20-34	1590	5.9	36	1	1	4	7	12	16	30
35-49	1155	6.5	41	1	2	5	8	13	18	32
50-64	1142	7.7	61	1	2	5	9	16	23	41
65+	1302	8.9	78	2	2	6	11	18	26	53
B. *Operated*										
0-19 YRS	1030	6.5	44	1	2	4	8	14	20	33
20-34	1079	7.7	63	1	2	5	10	16	22	42
35-49	1002	7.7	56	1	2	5	10	16	22	39
50-64	1057	8.5	81	2	2	6	11	18	24	49
65+	875	10.9	127	2	2	7	14	24	33	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1793	6.6	68	1	1	4	8	14	22	69
20-34	2106	8.7	104	1	2	6	10	18	29	98
35-49	1959	9.3	98	2	2	6	11	19	28	72
50-64	3342	11.5	123	2	3	8	14	25	36	83
65+	7470	12.6	121	3	3	10	16	26	35	67
B. *Operated*										
0-19 YRS	1480	9.1	124	1	2	5	11	22	34	99+
20-34	1531	13.8	268	2	2	9	18	42	81	99+
35-49	1612	12.8	181	2	2	9	17	31	48	99+
50-64	2403	14.6	209	2	3	10	19	33	49	99+
65+	3103	17.7	242	2	4	13	24	39	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6393	6.7	51	1	2	5	8	14	19	39
B. *Operated*	5043	8.2	75	1	2	5	10	17	24	45
2. MULTIPLE DX										
A. *Not Operated*	16670	10.8	115	2	2	8	14	23	33	73
B. *Operated*	10129	14.4	219	2	2	10	19	35	52	99+
1. SINGLE DX	11436	7.4	62	1	2	5	9	16	22	43
2. MULTIPLE DX	26799	12.2	157	2	2	8	15	28	40	99+
A. NOT OPERATED	23063	9.7	101	1	2	7	12	21	30	64
B. OPERATED	15172	12.3	179	2	2	8	16	30	43	99+
TOTAL 0-19 YRS	5507	6.9	73	1	1	4	8	15	23	67
20-34	6306	9.1	128	1	2	6	11	20	33	99+
35-49	5728	9.4	108	1	2	6	12	21	30	78
50-64	7944	11.5	140	2	2	8	14	26	37	87
65+	12750	13.3	154	2	3	10	17	29	39	76
GRAND TOTAL	**38235**	**10.7**	**133**	**2**	**2**	**7**	**13**	**24**	**35**	**83**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1216	3.2	6	1	1	3	4	5	7	12
20-34	2652	3.9	9	1	1	3	5	7	9	14
35-49	1681	4.3	11	1	1	4	5	8	10	17
50-64	619	4.4	10	1	1	3	6	8	11	18
65+	124	5.0	37	1	1	4	6	9	11	27
B. *Operated*										
0-19 YRS	53	3.9	6	1	2	3	5	7	9	14
20-34	260	5.1	13	2	2	4	6	9	12	19
35-49	224	5.4	20	1	2	4	7	11	15	26
50-64	91	5.6	16	2	2	5	7	11	15	22
65+	11	9.3	153	2	2	5	7	30	42	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	660	3.9	8	1	1	3	5	7	9	16
20-34	2505	5.2	17	1	2	4	7	10	13	20
35-49	2219	5.8	18	2	2	5	7	10	13	23
50-64	1293	6.0	17	2	2	5	8	11	13	21
65+	414	6.2	28	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	37	6.1	16	2	2	6	8	9	13	22
20-34	279	8.1	37	2	2	6	10	16	19	30
35-49	290	8.7	57	2	3	7	10	17	23	33
50-64	186	7.9	28	2	3	6	11	15	19	28
65+	45	7.8	26	2	3	7	9	14	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6292	4.0	10	1	1	3	5	7	9	15
B. *Operated*	639	5.2	18	2	2	4	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	7091	5.5	18	1	2	4	7	10	13	22
B. *Operated*	837	8.1	40	2	3	7	10	16	20	31
1. SINGLE DX	6931	4.1	11	1	1	3	5	8	10	16
2. MULTIPLE DX	7928	5.8	21	1	2	5	7	11	14	23
A. NOT OPERATED	13383	4.8	15	1	2	4	6	9	11	19
B. OPERATED	1476	6.9	33	2	2	5	9	14	17	30
TOTAL 0-19 YRS	1966	3.5	7	1	1	3	4	6	8	14
20-34	5696	4.8	15	1	2	4	6	9	12	19
35-49	4414	5.4	19	1	2	4	7	10	13	24
50-64	2189	5.7	17	1	2	5	7	11	14	21
65+	594	6.2	33	2	2	5	7	11	14	27
GRAND TOTAL	**14859**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	14	<1	1	3	4	8	14	15
20-34	123	2.9	9	<1	1	2	3	6	8	16
35-49	159	3.2	8	<1	1	2	4	6	10	16
50-64	151	3.2	5	1	1	3	4	6	8	11
65+	50	3.8	11	1	1	3	5	8	9	20
B. *Operated*										
0-19 YRS	200	2.7	9	1	1	2	3	4	5	22
20-34	3982	2.4	3	<1	1	2	3	4	5	9
35-49	6049	2.6	4	1	1	2	3	4	5	12
50-64	6589	2.7	4	1	1	2	3	4	5	10
65+	2901	2.9	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.1	6	<1	1	4	6	8	8	8
20-34	99	4.6	11	<1	1	4	6	9	12	15
35-49	205	5.4	14	1	2	4	7	10	13	16
50-64	263	5.3	18	1	1	4	7	11	15	18
65+	140	7.3	33	1	2	6	9	15	19	29
B. *Operated*										
0-19 YRS	95	3.2	11	1	1	2	3	5	7	22
20-34	1014	3.6	11	1	1	3	4	7	10	18
35-49	2205	4.3	21	1	2	3	4	9	12	25
50-64	3173	4.2	15	1	2	3	5	8	12	21
65+	1976	4.6	22	1	2	3	5	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.2	8	1	1	2	4	6	9	14
B. *Operated*	19721	2.6	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	719	5.6	19	1	1	4	7	11	14	22
B. *Operated*	8463	4.2	18	1	2	3	5	8	12	22
1. SINGLE DX	20216	2.6	5	1	1	2	3	4	5	11
2. MULTIPLE DX	9182	4.3	18	1	2	3	5	9	12	22
A. NOT OPERATED	1214	4.6	16	1	1	3	6	9	13	19
B. OPERATED	28184	3.1	9	1	1	2	3	5	8	16
TOTAL 0-19 YRS	319	2.9	10	1	1	2	3	4	6	22
20-34	5218	2.7	5	<1	1	2	3	4	6	12
35-49	8618	3.1	10	1	1	2	3	5	8	16
50-64	10176	3.2	8	1	1	2	3	6	8	16
65+	5067	3.7	15	1	1	3	4	7	10	20
GRAND TOTAL	**29398**	**3.2**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	431	7.0	61	1	2	4	9	15	22	46
20-34	1255	6.4	50	1	2	4	8	13	18	37
35-49	1494	6.1	34	1	2	5	7	12	15	30
50-64	1415	6.7	45	1	2	5	8	14	19	42
65+	906	7.3	40	2	2	5	9	15	20	37
B. *Operated*										
0-19 YRS	654	4.2	24	1	2	3	5	8	11	28
20-34	3775	4.4	17	1	2	3	5	8	11	22
35-49	4573	4.7	21	1	2	3	5	9	13	22
50-64	4374	4.6	30	1	2	3	5	9	13	28
65+	1759	5.4	37	1	2	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	6.9	54	1	2	5	8	16	25	41
20-34	1215	7.8	89	1	2	5	9	15	23	73
35-49	2082	7.5	46	2	2	6	9	14	19	36
50-64	3063	8.3	53	2	3	6	10	16	21	39
65+	3391	9.9	79	2	3	8	12	20	26	49
B. *Operated*										
0-19 YRS	334	7.6	172	1	2	4	6	16	40	91
20-34	1721	6.9	76	1	2	4	8	14	20	57
35-49	2474	7.6	70	2	2	5	9	16	23	51
50-64	3237	8.1	89	2	2	5	10	18	25	59
65+	1870	11.4	144	2	2	8	15	26	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5501	6.6	44	1	2	5	8	13	18	36
B. *Operated*	15135	4.7	25	1	2	3	5	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	10023	8.6	66	2	2	6	11	17	23	46
B. *Operated*	9636	8.4	98	2	2	5	10	18	26	65
1. SINGLE DX	20636	5.2	30	1	2	3	6	10	14	29
2. MULTIPLE DX	19659	8.5	81	2	2	6	10	17	24	57
A. NOT OPERATED	15524	7.9	59	2	2	6	10	16	21	43
B. OPERATED	24771	6.1	56	1	2	4	7	13	19	44
TOTAL 0-19 YRS	1691	6.0	69	1	2	4	6	12	20	56
20-34	7966	5.8	48	1	2	4	6	11	16	38
35-49	10623	6.1	41	1	2	4	7	12	17	33
50-64	12089	6.7	56	1	2	4	8	14	20	44
65+	7926	9.0	85	2	2	6	11	19	26	55
GRAND TOTAL	**40295**	**6.8**	**58**	**1**	**2**	**4**	**8**	**14**	**20**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	3	<1	<1	1	2	3	7	8
20-34	17	2.8	6	<1	<1	2	4	6	8	9
35-49	8	3.8	3	<1	1	4	5	6	6	6
50-64	25	2.9	4	<1	<1	2	4	7	7	8
65+	31	3.7	8	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	369	5.4	11	2	2	5	6	9	11	16
20-34	598	5.4	10	2	2	5	7	9	11	16
35-49	620	5.2	8	2	2	5	6	9	10	15
50-64	2350	5.2	10	1	2	5	7	9	11	16
65+	2059	5.6	10	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	12	<1	<1	1	2	5	12	14
20-34	11	2.5	3	<1	<1	2	4	5	5	5
35-49	12	4.8	30	1	1	3	5	11	20	21
50-64	35	3.9	14	<1	1	3	5	6	12	19
65+	58	4.3	10	1	1	3	7	9	10	13
B. *Operated*										
0-19 YRS	188	5.8	14	2	2	5	7	10	14	20
20-34	396	5.9	10	2	2	5	7	10	12	19
35-49	445	6.6	17	2	3	6	8	11	14	21
50-64	1920	6.1	13	2	3	5	7	10	13	19
65+	2292	6.7	19	2	3	6	8	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.1	6	<1	1	2	5	7	8	11
B. *Operated*	5996	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	129	3.9	12	1	1	3	5	7	11	19
B. *Operated*	5241	[illegible].3	16	2	3	5	8	11	14	21
1. SINGLE DX	6092	5.3	10	1	2	5	7	9	11	16
2. MULTIPLE DX	5370	6.3	16	2	3	5	8	11	14	21
A. NOT OPERATED	225	3.5	10	<1	1	3	5	7	9	15
B. OPERATED	11237	5.8	13	2	2	5	7	10	12	20
TOTAL 0-19 YRS	585	5.4	12	1	2	5	6	9	12	18
20-34	1022	5.5	10	2	2	5	7	9	11	17
35-49	1085	5.7	13	2	2	5	7	10	12	21
50-64	4330	5.6	11	2	2	5	7	10	11	18
65+	4440	6.1	15	2	3	5	7	10	13	21
GRAND TOTAL	**11462**	**5.8**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**19**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.6	2	<1	<1	1	1	4	5	5
20-34	13	3.4	6	1	1	3	4	7	9	9
35-49	26	3.6	6	1	1	3	4	8	10	10
50-64	70	3.1	10	1	1	2	3	5	7	22
65+	146	3.4	8	1	1	2	4	7	8	14
B. *Operated*										
0-19 YRS	39	3.6	5	1	2	3	4	6	9	11
20-34	95	3.8	6	1	2	3	5	6	10	13
35-49	313	3.6	5	1	2	3	4	7	9	12
50-64	1236	3.6	10	1	2	3	4	7	8	13
65+	1955	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34	13	3.3	2	<1	1	3	4	6	6	6
35-49	18	3.1	4	<1	1	2	4	7	8	8
50-64	96	4.7	15	1	1	3	6	11	14	16
65+	220	5.2	27	1	1	3	6	11	16	27
B. *Operated*										
0-19 YRS	19	4.5	10	2	2	4	6	8	12	15
20-34	38	7.2	56	2	2	5	8	16	24	38
35-49	136	4.9	25	2	2	3	6	9	12	31
50-64	725	5.2	18	2	2	4	6	10	13	22
65+	1820	5.5	25	2	2	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.2	8	1	1	2	4	6	8	14
B. *Operated*	3638	3.7	9	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	352	4.8	22	1	1	3	6	11	14	20
B. *Operated*	2738	5.4	23	2	2	4	7	11	14	24
1. SINGLE DX	3911	3.7	9	1	2	3	4	7	9	14
2. MULTIPLE DX	3090	5.3	23	2	2	4	6	11	14	24
A. NOT OPERATED	625	4.1	16	1	1	3	5	8	12	19
B. OPERATED	6376	4.4	16	1	2	3	5	8	11	19
TOTAL 0-19 YRS	81	3.2	6	<1	1	2	4	6	8	14
20-34	159	4.6	20	1	2	3	5	9	11	28
35-49	493	4.0	11	1	2	3	5	7	9	16
50-64	2127	4.2	14	1	2	3	5	8	11	18
65+	4141	4.6	17	1	2	3	5	9	12	21
GRAND TOTAL	**7001**	**4.4**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	3	<1	<1	1	3	4	6	8
20-34	14	4.2	17	<1	1	3	4	10	15	16
35-49	13	2.2	4	1	1	1	3	4	7	8
50-64	36	3.0	4	<1	1	3	4	6	8	8
65+	73	3.7	5	1	2	3	5	6	8	11
B. *Operated*										
0-19 YRS	62	3.1	6	1	2	3	3	5	7	17
20-34	103	4.3	42	1	1	3	5	7	11	39
35-49	135	3.7	6	1	2	3	4	7	8	14
50-64	368	4.0	13	1	2	3	5	7	10	23
65+	662	3.9	10	1	2	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	8	<1	<1	2	3	7	8	13
20-34	16	3.9	3	<1	1	4	5	7	7	7
35-49	20	5.0	17	1	1	4	5	11	15	18
50-64	71	5.7	26	1	1	4	7	13	15	27
65+	169	7.5	80	2	2	5	8	17	21	42
B. *Operated*										
0-19 YRS	49	4.1	12	1	1	3	5	8	10	21
20-34	100	5.6	24	1	2	4	7	12	15	27
35-49	142	5.5	32	1	2	4	6	11	15	33
50-64	427	4.7	13	1	2	4	5	9	13	20
65+	954	5.7	39	2	2	4	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	1330	3.9	13	1	2	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	302	6.3	55	1	1	4	7	13	19	35
B. *Operated*	1672	5.4	30	2	2	4	6	10	14	24
1. SINGLE DX	1486	3.8	12	1	2	3	4	7	9	17
2. MULTIPLE DX	1974	5.5	34	1	2	4	6	11	15	26
A. NOT OPERATED	458	5.3	40	1	1	3	6	10	16	29
B. OPERATED	3002	4.7	23	1	2	3	5	9	13	23
TOTAL 0-19 YRS	157	3.2	8	<1	1	2	4	6	8	18
20-34	233	4.8	30	1	2	3	5	9	14	24
35-49	310	4.5	19	1	2	3	5	9	12	22
50-64	902	4.5	14	1	2	3	5	8	12	21
65+	1858	5.1	32	1	2	4	6	10	14	25
GRAND TOTAL	**3460**	**4.8**	**25**	**1**	**2**	**3**	**5**	**9**	**13**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	35	3.1	5	<1	<1	3	4	6	8	11
50-64	181	2.7	3	<1	<1	3	4	4	6	9
65+	551	2.9	5	<1	1	3	4	4	6	12
B. *Operated*										
YRS										
35-49	2778	3.1	5	1	2	3	4	5	6	11
50-64	16933	3.2	5	2	2	3	4	5	6	11
65+	52159	3.4	6	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	72	2.9	13	<1	<1	1	3	8	10	82
50-64	440	3.2	12	<1	1	2	4	7	10	19
65+	1531	3.5	17	<1	1	2	4	8	11	21
B. *Operated*										
YRS										
35-49	1416	3.9	9	2	2	3	4	7	9	16
50-64	11770	4.0	11	2	2	3	4	7	10	16
65+	45648	4.4	14	2	2	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	2.9	4	<1	1	3	4	4	6	11
B. *Operated*	71870	3.4	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2043	3.4	16	<1	1	2	4	7	10	21
B. *Operated*	58834	4.3	13	2	2	3	5	7	10	18
1. SINGLE DX	72637	3.4	5	2	2	3	4	5	6	11
2. MULTIPLE DX	60877	4.3	14	2	2	3	5	7	10	18
A. NOT OPERATED	2810	3.3	13	<1	1	2	4	7	9	19
B. OPERATED	130704	3.8	9	2	2	3	4	6	8	15
TOTAL YRS										
35-49	4301	3.4	7	1	2	3	4	5	7	13
50-64	29324	3.5	8	2	2	3	4	5	7	13
65+	99889	3.9	10	2	2	3	4	6	9	15
GRAND TOTAL	**133514**	**3.8**	**9**	**2**	**2**	**3**	**4**	**6**	**8**	**15**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	6	<1	<1	3	5	7	9	9
20-34	6	2.5	4	1	1	2	4	6	6	6
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	9	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	511	2.7	4	1	1	2	3	4	5	12
20-34	356	2.7	2	1	2	2	3	5	5	8
35-49	411	2.9	2	1	2	3	3	4	5	10
50-64	625	3.0	4	1	2	3	3	5	5	12
65+	683	2.9	3	1	1	3	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	5	<1	<1	2	3	5	8	9
20-34	6	3.2	9	1	1	2	6	8	8	8
35-49	7	3.6	13	<1	<1	2	4	10	11	11
50-64	29	4.3	52	1	1	3	4	6	13	40
65+	35	2.8	6	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	260	3.5	8	1	2	3	4	6	8	14
20-34	248	3.8	12	1	2	3	4	7	8	22
35-49	294	3.8	6	1	2	3	4	7	9	12
50-64	726	4.3	13	2	2	3	5	8	11	19
65+	928	4.4	18	1	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.9	4	<1	1	2	4	6	8	9
B. *Operated*	2586	2.9	3	1	1	2	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	93	3.3	21	<1	1	2	4	6	9	28
B. *Operated*	2456	4.1	14	1	2	3	5	7	10	19
1. SINGLE DX	2621	2.9	3	1	1	2	3	5	5	10
2. MULTIPLE DX	2549	4.1	14	1	2	3	4	7	10	19
A. NOT OPERATED	128	3.2	16	<1	1	2	4	6	8	18
B. OPERATED	5042	3.5	9	1	2	3	4	6	8	15
TOTAL 0-19 YRS	800	3.0	5	1	1	2	3	5	7	13
20-34	616	3.1	6	1	2	3	4	5	7	12
35-49	716	3.3	4	1	2	3	4	5	7	11
50-64	1383	3.7	10	1	2	3	4	6	9	17
65+	1655	3.7	12	1	1	3	4	7	9	16
GRAND TOTAL	**5170**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	1.7	2	<1	<1	1	2	3	4	7
20-34	77	3.5	10	<1	1	3	4	6	9	17
35-49	65	4.0	8	<1	1	3	6	8	9	12
50-64	51	4.2	7	1	2	4	5	7	8	15
65+	54	4.4	9	1	2	3	5	9	11	14
B. *Operated*										
0-19 YRS	11150	1.8	4	<1	1	2	2	2	2	4
20-34	1853	2.1	2	1	1	2	2	3	3	6
35-49	807	2.3	2	1	1	2	2	3	4	9
50-64	450	2.4	2	1	1	2	3	3	4	8
65+	221	2.5	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	1.8	5	<1	<1	1	1	3	6	15
20-34	87	3.9	15	1	1	3	5	7	12	20
35-49	76	7.1	66	1	1	5	8	14	21	49
50-64	157	6.1	16	2	2	5	8	12	14	18
65+	219	7.3	43	2	2	6	9	13	18	36
B. *Operated*										
0-19 YRS	2221	2.0	3	1	1	2	2	2	3	8
20-34	592	2.4	4	1	1	2	2	3	5	11
35-49	363	2.9	6	1	2	2	3	5	7	13
50-64	357	4.1	39	1	2	2	4	9	13	23
65+	261	4.9	40	1	2	3	5	11	15	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	2.8	7	<1	<1	2	3	6	8	13
B. *Operated*	14481	1.9	4	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	908	4.5	28	<1	<1	3	6	10	14	24
B. *Operated*	3794	2.6	10	1	1	2	2	3	6	16
1. SINGLE DX	14976	2.0	4	1	1	2	2	2	3	7
2. MULTIPLE DX	4702	2.9	14	1	1	2	3	6	9	19
A. NOT OPERATED	1403	3.9	21	<1	<1	2	5	9	12	21
B. OPERATED	18275	2.1	5	1	1	2	2	2	3	10
TOTAL 0-19 YRS	13988	1.9	4	<1	1	2	2	2	3	6
20-34	2609	2.3	3	1	1	2	2	3	4	11
35-49	1311	2.8	8	1	1	2	3	5	7	14
50-64	1015	3.7	19	1	2	2	4	7	10	18
65+	755	4.9	31	1	2	3	6	10	14	26
GRAND TOTAL	**19678**	**2.2**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1084	2.2	5	<1	<1	1	3	5	7	12
20-34	259	3.9	11	1	1	3	5	8	10	17
35-49	196	5.0	64	<1	1	3	5	10	15	28
50-64	225	4.3	23	<1	1	3	5	9	14	26
65+	274	4.5	17	<1	1	3	6	10	13	28
B. *Operated*										
0-19 YRS	1515	2.0	8	<1	<1	2	2	3	5	10
20-34	1544	2.7	5	<1	1	2	3	5	6	11
35-49	2227	2.4	5	<1	1	2	3	4	5	10
50-64	2849	2.4	4	<1	1	2	3	4	5	11
65+	3626	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	719	3.6	11	<1	1	3	5	7	9	16
20-34	215	5.4	47	1	1	4	6	10	16	48
35-49	196	4.9	18	1	1	4	6	11	14	25
50-64	331	6.0	29	1	1	4	8	13	16	28
65+	608	6.3	32	1	1	5	9	13	17	24
B. *Operated*										
0-19 YRS	488	3.3	16	1	1	2	3	7	9	19
20-34	626	3.7	17	1	1	3	4	6	9	22
35-49	1462	3.2	11	1	1	2	4	5	7	18
50-64	2915	3.4	14	1	1	3	4	6	8	16
65+	4136	4.0	19	1	2	3	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	3.2	16	<1	<1	2	4	7	10	19
B. *Operated*	11761	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	2069	5.1	26	1	1	4	7	11	14	27
B. *Operated*	9627	3.7	16	1	1	3	4	7	9	20
1. SINGLE DX	13799	2.6	7	<1	1	2	3	5	6	12
2. MULTIPLE DX	11696	3.9	18	1	1	3	4	7	10	22
A. NOT OPERATED	4107	4.2	22	<1	1	3	5	9	12	22
B. OPERATED	21388	3.0	10	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	3806	2.5	9	<1	<1	2	3	5	7	14
20-34	2644	3.3	12	<1	1	2	4	6	8	16
35-49	4081	2.9	11	<1	1	2	3	5	7	15
50-64	6320	3.1	11	1	1	2	3	6	8	16
65+	8644	3.6	15	1	1	2	4	7	10	20
GRAND TOTAL	**25495**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1215	4.0	7	1	1	3	5	7	9	14
20-34	535	4.3	12	1	1	3	5	8	10	18
35-49	306	4.7	10	1	1	4	6	9	11	16
50-64	327	5.2	20	1	1	4	6	10	13	28
65+	367	5.0	11	1	2	5	7	10	11	15
B. *Operated*										
0-19 YRS	369	3.5	9	1	1	2	4	7	10	15
20-34	411	3.9	17	1	2	3	5	7	9	16
35-49	378	3.9	12	1	2	3	4	7	10	22
50-64	873	3.6	8	1	1	3	4	7	9	14
65+	1842	3.6	14	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	974	4.9	15	1	2	4	6	8	11	19
20-34	520	5.8	20	1	2	5	7	11	15	22
35-49	389	5.9	20	1	2	5	7	11	13	25
50-64	663	6.1	15	2	2	5	8	11	14	21
65+	988	6.8	29	1	2	5	9	13	18	26
B. *Operated*										
0-19 YRS	378	5.2	30	1	2	4	6	11	15	34
20-34	592	5.5	28	1	2	4	7	10	14	30
35-49	623	5.5	24	1	2	4	7	11	14	24
50-64	1579	5.5	29	1	2	4	7	11	14	26
65+	2795	5.3	29	2	2	4	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2750	4.4	11	1	1	4	5	8	10	16
B. *Operated*	3873	3.6	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	3534	5.9	21	1	2	5	7	11	14	22
B. *Operated*	5967	5.4	28	1	2	4	6	11	14	27
1. SINGLE DX	6623	4.0	12	1	1	3	5	7	10	16
2. MULTIPLE DX	9501	5.6	26	1	2	4	7	11	14	25
A. NOT OPERATED	6284	5.2	17	1	2	4	7	10	13	21
B. OPERATED	9840	4.7	23	1	2	3	5	9	13	23
TOTAL 0-19 YRS	2936	4.4	13	1	1	4	5	8	10	18
20-34	2058	4.9	20	1	2	4	6	9	12	22
35-49	1696	5.1	18	1	2	4	6	10	12	21
50-64	3442	5.1	21	1	2	4	6	10	13	22
65+	5992	5.0	24	1	2	3	6	10	14	23
GRAND TOTAL	**16124**	**4.9**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.5	5	<1	1	2	3	5	6	14
20-34	90	3.9	8	1	1	3	5	8	10	14
35-49	87	3.5	7	1	1	3	4	6	9	15
50-64	84	3.7	5	1	1	3	5	6	7	12
65+	59	3.8	7	1	1	3	5	6	7	17
B. *Operated*										
0-19 YRS	95	2.1	1	<1	1	2	2	3	4	8
20-34	118	2.9	3	1	2	2	3	5	7	10
35-49	104	3.2	5	1	1	2	4	5	8	13
50-64	113	3.2	6	1	1	3	4	6	7	15
65+	88	3.8	16	1	1	3	4	7	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	3.8	20	<1	1	3	4	7	11	25
20-34	176	4.3	13	1	1	3	5	8	11	21
35-49	171	4.9	13	1	2	4	6	10	12	15
50-64	303	5.9	22	1	2	5	7	11	12	35
65+	316	6.8	31	2	2	6	9	12	16	31
B. *Operated*										
0-19 YRS	102	3.1	8	1	1	2	3	5	8	18
20-34	130	4.9	23	2	2	4	6	9	12	49
35-49	121	5.0	16	1	2	4	6	10	16	21
50-64	205	5.8	24	2	2	4	7	11	15	24
65+	261	5.6	25	2	2	4	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	422	3.4	7	1	1	3	4	6	8	14
B. *Operated*	518	3.0	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1091	5.5	23	1	2	4	7	11	13	25
B. *Operated*	819	5.2	22	2	2	4	6	10	14	24
1. SINGLE DX	940	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX	1910	5.4	22	1	2	4	7	11	13	24
A. NOT OPERATED	1513	4.9	19	1	1	4	6	10	12	23
B. OPERATED	1337	4.3	17	1	2	3	5	9	12	23
TOTAL 0-19 YRS	424	2.9	10	<1	1	2	3	5	8	20
20-34	514	4.1	13	1	2	3	5	8	10	23
35-49	483	4.3	12	1	2	3	5	9	12	16
50-64	705	5.2	19	1	2	4	7	10	12	23
65+	724	5.8	26	1	2	4	7	11	14	28
GRAND TOTAL	**2850**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3464	2.9	5	<1	1	2	4	5	6	11
20-34	137	4.0	10	1	1	3	5	8	10	15
35-49	76	3.6	4	<1	1	3	5	6	8	10
50-64	62	3.9	7	<1	1	3	5	8	10	11
65+	35	4.6	38	1	1	3	6	9	11	36
B. *Operated*										
0-19 YRS	21871	1.3	2	<1	<1	1	1	2	2	5
20-34	1684	2.4	3	<1	1	2	3	3	4	10
35-49	1519	2.5	5	1	1	2	3	3	4	10
50-64	1550	2.3	1	1	1	2	3	3	4	7
65+	517	2.4	5	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9983	3.7	9	1	1	3	5	7	8	13
20-34	346	4.7	15	1	1	4	6	9	12	22
35-49	226	6.1	34	1	2	5	7	11	13	28
50-64	280	5.9	34	1	1	5	7	11	14	36
65+	268	7.3	29	2	3	6	9	14	17	40
B. *Operated*										
0-19 YRS	17097	1.8	4	<1	<1	2	2	2	3	8
20-34	1961	2.8	5	1	1	2	3	4	6	12
35-49	1629	3.1	8	1	2	2	3	5	6	15
50-64	1590	3.3	13	1	2	3	3	5	8	15
65+	656	3.7	17	1	1	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3774	3.0	5	<1	1	2	4	5	7	11
B. *Operated*	27141	1.5	3	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	11103	3.9	12	1	1	3	5	7	9	15
B. *Operated*	22933	2.1	5	<1	<1	2	2	3	4	11
1. SINGLE DX	30915	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	34036	2.7	8	<1	1	2	3	5	7	13
A. NOT OPERATED	14877	3.7	10	1	1	3	5	7	8	14
B. OPERATED	50074	1.8	4	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	52415	2.0	5	<1	<1	1	2	4	5	10
20-34	4128	2.8	5	1	1	2	3	4	6	13
35-49	3450	3.0	9	1	1	2	3	5	7	14
50-64	3482	3.1	10	1	1	2	3	5	7	14
65+	1476	3.9	18	1	1	3	4	8	11	23
GRAND TOTAL	**64951**	**2.2**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	3.7	10	<1	1	3	4	7	9	18
20-34	242	3.8	6	1	2	3	5	7	8	12
35-49	155	5.6	89	2	2	4	5	9	12	67
50-64	82	5.2	10	1	2	4	7	10	12	15
65+	44	7.7	53	2	2	6	9	14	20	44
B. *Operated*										
0-19 YRS	3341	1.5	7	<1	<1	1	1	2	3	8
20-34	366	2.8	7	<1	1	2	3	5	6	17
35-49	278	2.8	3	1	1	2	3	5	6	11
50-64	268	2.7	3	<1	1	2	3	5	6	11
65+	138	3.6	12	<1	1	3	4	8	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1123	4.1	13	<1	1	3	5	7	10	17
20-34	316	4.7	9	1	2	4	6	8	10	15
35-49	216	6.0	14	2	2	5	7	9	12	19
50-64	208	7.2	73	2	3	5	8	12	17	43
65+	224	8.3	58	2	3	7	10	16	21	40
B. *Operated*										
0-19 YRS	2895	2.3	10	<1	1	2	2	4	6	12
20-34	474	4.0	30	1	2	3	4	7	9	23
35-49	418	4.3	23	1	2	3	5	8	11	27
50-64	439	4.7	29	1	2	3	5	9	14	38
65+	283	8.4	109	1	2	4	10	24	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1095	4.3	23	1	1	3	5	8	10	20
B. *Operated*	4391	1.9	7	<1	<1	1	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	2087	5.1	25	1	1	4	6	9	12	26
B. *Operated*	4509	3.3	24	<1	1	2	3	6	9	26
1. SINGLE DX	5486	2.3	11	<1	<1	1	3	5	6	13
2. MULTIPLE DX	6596	3.9	25	1	1	2	4	8	10	26
A. NOT OPERATED	3182	4.8	25	1	1	4	6	9	11	24
B. OPERATED	8900	2.6	16	<1	<1	2	3	5	7	19
TOTAL 0-19 YRS	7931	2.3	10	<1	<1	1	2	5	7	12
20-34	1398	3.8	15	1	1	3	4	7	9	17
35-49	1067	4.4	27	1	2	3	5	8	11	22
50-64	997	4.7	32	1	2	3	5	9	12	30
65+	689	7.4	73	1	2	5	9	16	26	48
GRAND TOTAL	**12082**	**3.2**	**19**	**<1**	**<1**	**2**	**4**	**6**	**9**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	4.0	6	1	2	3	5	7	8	14
20-34	909	4.0	9	1	1	3	5	7	9	16
35-49	1228	4.0	7	1	1	3	5	7	9	14
50-64	1804	4.0	7	1	1	3	5	7	9	14
65+	1412	4.3	10	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	40	3.7	4	1	2	3	4	7	8	11
20-34	220	3.9	4	1	2	3	5	6	8	12
35-49	332	4.2	7	2	2	4	5	7	10	14
50-64	478	4.8	12	2	2	4	6	9	11	17
65+	150	5.5	20	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.9	11	1	2	4	6	9	11	15
20-34	904	5.2	15	2	2	4	6	9	12	18
35-49	1656	5.4	16	2	2	4	7	10	13	20
50-64	3400	5.6	18	2	2	5	7	10	13	20
65+	5286	6.2	22	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	18	3.8	7	1	1	3	6	8	9	9
20-34	103	6.8	22	1	2	6	9	14	17	21
35-49	209	8.1	38	2	2	6	11	15	20	31
50-64	354	8.2	35	2	3	7	10	15	20	30
65+	326	10.0	53	2	3	9	12	17	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5561	4.1	8	1	1	3	5	7	9	15
B. *Operated*	1220	4.5	10	2	2	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	11408	5.8	20	2	2	5	7	11	13	21
B. *Operated*	1010	8.5	41	2	3	7	11	16	20	33
1. SINGLE DX	6781	4.2	9	1	2	3	5	8	10	15
2. MULTIPLE DX	12418	6.0	22	2	2	5	7	11	14	23
A. NOT OPERATED	16969	5.2	16	1	2	4	7	10	12	19
B. OPERATED	2230	6.4	28	2	2	5	8	12	16	29
TOTAL 0-19 YRS	428	4.3	8	1	2	4	5	8	10	14
20-34	2136	4.6	12	1	2	4	6	8	11	17
35-49	3425	4.9	14	1	2	4	6	9	12	19
50-64	6036	5.2	16	1	2	4	7	10	12	20
65+	7174	6.0	23	2	2	5	7	11	14	24
GRAND TOTAL	**19199**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	2.2	1	<1	<1	2	3	4	4	4
35-49	18	2.2	1	<1	<1	2	3	4	4	4
50-64	16	2.0	1	1	1	2	3	3	3	3
65+	5	3.4	5	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	145	2.9	26	1	1	2	3	3	4	11
20-34	1138	2.6	1	1	2	3	3	4	4	6
35-49	1789	2.7	2	1	2	3	3	4	4	7
50-64	2015	2.8	8	1	2	3	3	4	4	7
65+	820	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	89	<1	<1	2	8	23	25	25
20-34	9	2.2	2	<1	<1	2	3	4	5	5
35-49	20	3.4	11	<1	<1	2	4	10	11	11
50-64	19	4.1	13	<1	<1	3	5	10	13	14
65+	25	4.4	17	<1	1	3	6	10	12	17
B. *Operated*										
0-19 YRS	39	2.8	2	1	2	3	3	4	5	8
20-34	224	2.9	2	1	2	3	3	4	5	12
35-49	395	2.9	2	1	2	3	3	4	6	9
50-64	512	3.2	5	2	2	3	3	5	6	17
65+	239	3.3	5	2	2	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.2	1	<1	1	2	3	4	4	7
B. *Operated*	5907	2.7	5	1	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	79	4.0	18	<1	<1	3	5	10	12	23
B. *Operated*	1409	3.1	4	2	2	3	3	4	6	12
1. SINGLE DX	5959	2.7	4	1	2	3	3	4	4	7
2. MULTIPLE DX	1488	3.1	5	1	2	3	3	5	7	12
A. NOT OPERATED	131	3.3	12	<1	<1	2	4	7	11	19
B. OPERATED	7316	2.8	4	1	2	3	3	4	5	8
TOTAL 0-19 YRS	191	3.0	23	1	1	2	3	4	5	18
20-34	1383	2.6	1	1	2	3	3	4	4	7
35-49	2222	2.7	2	1	2	3	3	4	5	8
50-64	2562	2.9	7	1	2	3	3	4	5	9
65+	1089	3.0	3	1	2	3	3	4	5	10
GRAND TOTAL	**7447**	**2.8**	**5**	**1**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.2	3	<1	<1	1	3	5	6	10
20-34	187	3.6	6	1	1	3	5	6	8	14
35-49	214	3.7	6	1	1	3	5	6	8	12
50-64	268	3.9	6	1	2	3	5	7	8	14
65+	148	3.9	6	1	2	3	5	7	8	13
B. *Operated*										
0-19 YRS	3393	2.1	2	<1	1	2	2	3	3	6
20-34	2298	2.4	2	1	1	2	3	3	4	9
35-49	1842	2.4	3	1	1	2	3	4	4	7
50-64	1514	2.7	12	1	1	2	3	4	5	10
65+	540	2.8	7	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	4.0	31	<1	<1	2	4	8	13	34
20-34	173	4.9	69	<1	1	3	5	9	14	31
35-49	226	4.5	23	1	1	3	5	9	12	21
50-64	292	5.0	15	1	1	4	6	10	13	18
65+	305	6.1	24	1	2	5	8	12	15	21
B. *Operated*										
0-19 YRS	2573	2.3	5	1	1	2	2	3	4	9
20-34	1687	2.7	4	1	1	2	3	4	5	11
35-49	1483	2.9	5	1	2	2	3	4	6	13
50-64	1437	3.1	8	1	2	2	3	5	7	17
65+	589	3.8	22	1	2	3	4	7	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	3.5	6	<1	1	3	4	6	8	13
B. *Operated*	9587	2.3	4	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	1183	5.0	30	1	1	4	6	10	14	24
B. *Operated*	7769	2.8	7	1	1	2	3	4	6	14
1. SINGLE DX	10569	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	8952	3.1	10	1	1	2	3	5	8	17
A. NOT OPERATED	2165	4.3	19	<1	1	3	5	8	11	19
B. OPERATED	17356	2.5	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	6318	2.2	4	<1	1	2	2	3	4	9
20-34	4345	2.7	6	1	1	2	3	4	5	12
35-49	3765	2.8	5	1	1	2	3	4	6	12
50-64	3511	3.1	10	1	1	2	3	5	7	15
65+	1582	3.9	17	1	2	3	4	7	11	20
GRAND TOTAL	**19521**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	496	8.3	50	2	3	7	10	15	20	32
20-34	160	8.2	26	2	3	7	10	16	19	24
35-49	45	7.2	21	2	2	6	10	14	16	20
50-64	33	9.1	45	2	3	7	12	19	24	28
65+	22	6.7	25	<1	1	5	8	17	18	18
B. *Operated*										
0-19 YRS	6	8.3	77	1	1	5	16	21	22	22
20-34	14	12.0	114	1	2	9	17	31	35	36
35-49	17	7.4	50	2	2	4	12	18	24	27
50-64	17	8.9	38	2	2	9	14	17	20	21
65+	10	16.5	259	2	2	11	29	40	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	8.9	57	2	3	7	11	18	24	36
20-34	187	7.5	29	2	3	6	9	15	16	31
35-49	155	8.3	47	2	2	6	11	15	18	35
50-64	282	9.1	61	2	2	7	11	17	22	33
65+	293	10.4	86	3	3	8	13	21	27	57
B. *Operated*										
0-19 YRS	17	10.5	138	1	1	8	13	28	40	45
20-34	32	11.0	75	2	2	9	16	23	31	36
35-49	81	11.1	117	2	2	7	14	25	37	46
50-64	123	13.2	215	2	2	9	17	31	46	99
65+	83	17.2	227	2	3	14	23	39	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	756	8.2	43	2	3	7	10	16	20	31
B. *Operated*	64	10.3	99	1	2	7	15	23	32	46
2. MULTIPLE DX										
A. *Not Operated*	1189	9.0	60	2	3	7	11	17	23	38
B. *Operated*	336	13.3	181	2	2	9	17	32	42	83
1. SINGLE DX	820	8.4	47	2	3	7	10	16	21	32
2. MULTIPLE DX	1525	10.0	90	2	2	7	13	20	28	48
A. NOT OPERATED	1945	8.7	53	2	3	7	11	16	22	35
B. OPERATED	400	12.9	169	2	2	9	17	31	40	74
TOTAL 0-19 YRS	791	8.5	54	2	3	7	10	16	22	35
20-34	393	8.2	35	2	3	7	10	16	20	33
35-49	298	8.9	64	2	2	6	12	17	27	41
50-64	455	10.2	104	2	2	7	13	21	28	55
65+	408	11.7	123	2	3	8	15	24	36	73
GRAND TOTAL	**2345**	**9.4**	**75**	**2**	**2**	**7**	**12**	**19**	**26**	**46**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.1	17	1	1	4	6	11	14	17
20-34	115	3.8	4	1	2	3	5	7	8	10
35-49	151	5.2	15	1	2	4	7	10	12	20
50-64	148	5.6	24	1	2	4	7	10	16	29
65+	100	8.1	40	1	2	7	10	18	20	31
B. *Operated*										
0-19 YRS	39	5.5	37	<1	1	2	10	14	16	26
20-34	233	7.5	43	1	2	4	11	16	21	29
35-49	527	7.7	46	2	2	4	12	16	20	31
50-64	659	8.9	76	2	2	5	14	20	25	37
65+	193	9.9	95	2	2	6	15	22	31	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	7.2	92	1	2	5	8	12	16	61
20-34	438	5.7	29	1	2	4	7	11	14	31
35-49	1075	6.9	39	1	2	6	8	13	16	30
50-64	2016	8.1	53	2	2	6	10	15	20	40
65+	2359	10.4	71	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	75	7.4	40	2	2	4	12	16	21	81
20-34	381	9.0	92	2	2	6	13	19	25	51
35-49	1084	10.1	97	2	2	8	14	22	28	47
50-64	2056	12.0	142	2	2	9	17	25	36	62
65+	1137	15.2	199	2	2	12	20	33	46	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.5	22	1	2	4	7	10	15	23
B. *Operated*	1651	8.3	64	2	2	5	13	18	24	34
2. MULTIPLE DX										
A. *Not Operated*	5968	8.6	59	2	2	7	11	16	22	40
B. *Operated*	4733	12.0	144	2	2	9	16	26	35	67
1. SINGLE DX	2194	7.7	55	2	2	4	11	17	22	33
2. MULTIPLE DX	10701	10.1	99	2	2	7	13	21	28	52
A. NOT OPERATED	6511	8.3	56	2	2	6	10	16	21	39
B. OPERATED	6384	11.1	126	2	2	9	15	24	32	61
TOTAL 0-19 YRS	223	6.7	55	1	2	4	10	14	17	48
20-34	1167	7.0	53	1	2	4	9	15	20	34
35-49	2837	8.2	64	2	2	6	11	17	23	36
50-64	4879	9.8	97	2	2	7	13	21	27	51
65+	3789	11.7	115	2	3	9	15	24	33	59
GRAND TOTAL	**12895**	**9.7**	**93**	**2**	**2**	**7**	**13**	**20**	**27**	**51**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	4.0	8	1	1	3	5	7	9	12
20-34	1321	4.4	7	1	2	4	5	8	9	14
35-49	2513	4.9	12	1	2	4	6	9	11	18
50-64	2621	5.2	17	1	2	4	6	9	12	19
65+	1449	5.6	20	2	2	4	7	11	14	22
B. *Operated*										
0-19 YRS	74	4.5	11	1	2	3	6	10	11	15
20-34	263	4.3	14	1	2	3	5	8	11	23
35-49	271	4.7	19	1	2	3	6	10	13	28
50-64	255	5.4	21	1	2	4	7	12	16	22
65+	97	7.2	41	2	2	5	10	15	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	399	5.6	34	2	2	4	7	11	14	21
20-34	3161	5.6	18	2	2	5	7	10	13	22
35-49	9422	6.3	20	2	2	5	8	11	14	22
50-64	15083	6.9	28	2	3	6	8	12	16	27
65+	14903	8.0	45	2	3	6	10	15	19	34
B. *Operated*										
0-19 YRS	77	8.0	39	2	2	7	10	16	20	32
20-34	660	7.4	50	1	2	5	10	15	19	33
35-49	1589	9.2	57	2	2	7	12	18	22	35
50-64	2526	10.1	75	2	2	8	13	20	26	45
65+	1871	13.2	115	2	3	10	17	26	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8227	5.0	14	1	2	4	6	9	11	19
B. *Operated*	960	5.0	20	1	2	3	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	42968	7.0	32	2	2	6	9	13	16	28
B. *Operated*	6723	10.5	83	2	2	8	13	21	27	46
1. SINGLE DX	9187	5.0	15	1	2	4	6	9	12	19
2. MULTIPLE DX	49691	7.5	40	2	2	6	9	14	18	33
A. NOT OPERATED	51195	6.7	30	2	2	5	8	12	16	27
B. OPERATED	7683	9.8	78	2	2	8	13	20	26	45
TOTAL 0-19 YRS	873	5.1	24	1	2	4	6	10	13	21
20-34	5405	5.5	20	1	2	4	7	10	13	22
35-49	13795	6.3	24	2	2	5	8	12	15	24
50-64	20485	7.0	34	2	2	6	9	13	17	31
65+	18320	8.3	53	2	3	6	10	16	21	38
GRAND TOTAL	**58878**	**7.1**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**32**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	9	2	2	4	7	10	10	10
20-34	61	5.2	10	1	2	5	7	10	11	15
35-49	374	6.6	26	2	2	6	8	12	15	22
50-64	759	6.4	17	2	2	6	8	12	14	19
65+	1018	7.4	29	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	10	4.3	6	2	2	3	6	8	8	8
35-49	63	5.6	28	1	2	3	8	14	18	23
50-64	102	6.2	29	2	2	4	9	15	17	24
65+	58	8.2	59	2	2	5	11	21	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	8.5	38	1	2	8	11	14	21	32
20-34	274	7.1	29	2	3	6	8	12	15	33
35-49	2159	7.8	28	2	3	7	10	14	18	27
50-64	7105	8.6	39	2	3	7	11	16	20	32
65+	15710	10.1	64	3	3	8	13	19	24	42
B. *Operated*										
0-19 YRS	9	10.3	119	1	1	4	19	27	31	31
20-34	61	8.3	62	1	2	5	13	22	25	92
35-49	434	10.3	71	2	2	8	15	21	27	49
50-64	1221	11.8	112	2	2	9	15	25	30	54
65+	1882	16.0	143	2	4	13	21	31	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	6.8	24	2	2	6	8	12	15	24
B. *Operated*	236	6.4	36	2	2	4	9	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	25290	9.5	54	3	3	8	12	18	23	38
B. *Operated*	3607	13.8	129	2	2	11	18	28	36	60
1. SINGLE DX	2459	6.8	25	2	2	6	8	12	16	25
2. MULTIPLE DX	28897	10.0	66	2	3	8	12	19	25	43
A. NOT OPERATED	27513	9.3	52	2	3	7	11	17	22	38
B. OPERATED	3843	13.3	126	2	2	11	18	27	35	59
TOTAL 0-19 YRS	65	7.9	44	1	2	7	10	14	22	32
20-34	406	7.0	32	2	2	5	8	13	18	33
35-49	3030	8.0	35	2	3	7	10	15	19	31
50-64	9187	8.8	49	2	3	7	11	17	21	35
65+	18668	10.6	74	3	3	8	13	20	26	47
GRAND TOTAL	**31356**	**9.7**	**63**	**2**	**3**	**8**	**12**	**19**	**24**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.5	11	1	1	3	7	10	11	11
20-34	67	5.6	21	1	1	4	7	13	15	21
35-49	112	6.5	23	1	2	5	9	14	16	21
50-64	171	6.8	41	1	2	5	9	13	16	34
65+	129	7.8	35	2	2	6	10	14	19	31
B. *Operated*										
0-19 YRS	25	6.8	52	1	1	4	10	17	22	29
20-34	100	7.3	51	1	2	4	10	17	22	33
35-49	160	8.8	90	1	2	6	10	20	23	51
50-64	154	8.6	77	1	2	6	11	23	29	39
65+	87	10.0	129	1	1	8	13	22	27	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.3	31	1	2	5	9	13	16	32
20-34	197	6.7	48	1	2	5	8	14	19	34
35-49	409	7.8	47	1	2	6	10	15	21	39
50-64	970	8.3	59	1	1	7	11	17	22	37
65+	1762	10.7	79	1	2	9	14	22	28	50
B. *Operated*										
0-19 YRS	71	8.9	92	1	2	6	12	22	43	99+
20-34	275	10.5	79	2	2	9	13	23	32	88
35-49	451	11.4	110	2	2	9	15	23	33	65
50-64	855	13.1	146	2	2	10	17	27	37	60
65+	696	15.9	158	3	4	12	21	32	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	6.7	32	1	2	5	9	13	17	27
B. *Operated*	526	8.5	84	1	2	6	11	20	26	40
2. MULTIPLE DX										
A. *Not Operated*	3399	9.3	69	1	2	7	12	19	25	43
B. *Operated*	2348	13.1	137	2	3	10	17	28	37	65
1. SINGLE DX	1024	7.7	59	1	2	5	10	16	22	34
2. MULTIPLE DX	5747	10.9	100	1	2	8	14	23	30	56
A. NOT OPERATED	3897	9.0	65	1	2	7	12	19	24	40
B. OPERATED	2874	12.3	131	2	2	9	16	27	34	62
TOTAL 0-19 YRS	176	7.2	58	1	1	5	9	16	22	88
20-34	639	8.3	63	1	2	6	11	18	25	45
35-49	1132	9.2	79	1	2	7	11	19	26	45
50-64	2150	10.1	99	1	2	8	13	21	29	53
65+	2674	11.9	105	2	3	9	15	24	32	56
GRAND TOTAL	**6771**	**10.4**	**95**	**1**	**2**	**8**	**13**	**22**	**29**	**54**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	11.0	35	2	4	10	14	19	22	30
20-34	395	11.7	44	2	5	11	14	18	20	26
35-49	4546	12.4	24	5	7	12	15	18	21	27
50-64	10163	13.1	26	6	7	13	16	19	21	28
65+	7882	13.7	34	6	8	13	16	20	23	32
B. *Operated*										
0-19 YRS	5	6.8	28	2	2	5	10	15	15	15
20-34	46	10.9	47	2	2	12	16	19	21	25
35-49	345	11.8	52	2	2	12	15	21	24	34
50-64	665	13.3	55	2	2	13	17	21	25	38
65+	338	16.8	65	3	7	16	21	27	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	13.1	39	2	5	13	17	20	22	31
20-34	710	12.6	40	3	5	12	16	19	22	31
35-49	9320	13.2	33	5	7	13	16	20	23	32
50-64	30963	14.2	40	6	8	14	17	21	25	36
65+	42970	15.6	59	6	8	14	19	24	29	44
B. *Operated*										
0-19 YRS	14	18.4	85	2	3	17	25	30	31	31
20-34	151	12.3	75	2	2	12	16	25	32	40
35-49	1480	14.2	101	2	2	13	19	26	31	48
50-64	4563	17.1	120	2	4	15	21	30	37	59
65+	4599	22.0	149	8	11	19	27	37	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23028	13.2	29	5	7	13	16	19	22	30
B. *Operated*	1399	13.7	60	2	2	13	18	22	27	39
2. MULTIPLE DX										
A. *Not Operated*	84061	14.8	50	6	8	14	18	23	27	40
B. *Operated*	10807	18.7	138	2	6	17	23	33	40	64
1. SINGLE DX	24427	13.2	31	5	7	13	16	20	22	30
2. MULTIPLE DX	94868	15.3	61	5	8	14	18	24	29	44
A. NOT OPERATED	107089	14.5	46	6	8	14	17	22	26	38
B. OPERATED	12206	18.1	131	2	5	16	23	32	39	62
TOTAL 0-19 YRS	159	12.8	46	2	4	12	17	21	27	31
20-34	1302	12.2	46	2	4	12	15	19	22	33
35-49	15691	13.1	37	4	6	13	16	20	23	33
50-64	46354	14.3	46	5	7	13	17	21	25	38
65+	55789	15.9	67	6	8	14	19	25	31	47
GRAND TOTAL	**119295**	**14.8**	**56**	**5**	**7**	**14**	**18**	**23**	**28**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	7	1	2	3	5	9	10	10
20-34	206	4.2	6	1	2	4	5	8	9	12
35-49	1594	4.4	10	1	2	4	6	8	10	15
50-64	3085	4.7	16	1	2	4	6	9	11	16
65+	2311	5.1	19	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	33	4.6	11	1	2	3	6	11	12	13
35-49	436	4.5	18	1	2	2	6	11	13	19
50-64	799	4.9	25	2	2	3	6	12	15	24
65+	197	5.5	30	2	2	3	7	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	5.8	17	1	2	5	8	11	14	20
20-34	630	5.2	12	1	2	4	7	9	12	20
35-49	6591	5.5	15	1	2	5	7	10	12	19
50-64	19340	6.0	19	2	2	5	8	11	14	22
65+	25146	6.9	26	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	13	5.5	12	2	2	5	7	10	14	15
20-34	177	6.3	32	2	2	4	9	14	17	31
35-49	3284	7.4	46	2	2	5	11	15	19	30
50-64	9222	8.1	54	2	2	6	12	17	21	34
65+	3982	10.9	87	2	2	9	15	22	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7210	4.7	15	1	2	4	6	9	11	17
B. *Operated*	1469	4.9	23	1	2	3	6	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	51784	6.4	22	2	2	5	8	12	15	24
B. *Operated*	16678	8.6	62	2	2	7	12	18	23	37
1. SINGLE DX	8679	4.8	16	1	2	4	6	9	12	19
2. MULTIPLE DX	68462	6.9	32	2	2	5	9	13	17	29
A. NOT OPERATED	58994	6.2	21	2	2	5	8	11	14	23
B. OPERATED	18147	8.3	59	2	2	6	12	18	22	36
TOTAL 0-19 YRS	108	5.6	15	1	2	5	7	10	14	20
20-34	1046	5.2	15	1	2	4	7	10	12	20
35-49	11905	5.8	24	1	2	4	8	12	15	23
50-64	32446	6.5	30	2	2	5	8	13	16	26
65+	31636	7.3	35	2	2	6	9	14	18	30
GRAND TOTAL	**77141**	**6.7**	**31**	**2**	**2**	**5**	**9**	**13**	**17**	**28**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	10	2	2	7	9	11	11	11
20-34	90	5.8	14	1	2	5	7	12	13	16
35-49	1072	5.5	13	1	2	5	7	10	12	18
50-64	2393	5.9	15	2	2	5	8	11	13	20
65+	2056	6.6	23	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	17	7.0	26	2	2	7	10	14	17	18
35-49	189	8.7	38	2	2	8	12	15	18	32
50-64	483	8.9	41	2	2	9	11	17	21	28
65+	148	10.9	44	2	2	11	15	19	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.4	24	2	3	6	9	16	19	22
20-34	258	6.9	20	2	3	6	9	13	16	22
35-49	3900	7.0	29	2	3	6	9	12	15	24
50-64	13662	7.5	25	2	3	6	10	13	16	24
65+	18922	8.8	38	3	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	4	9.5	83	3	3	6	15	23	23	23
20-34	57	9.0	42	1	2	9	12	17	21	30
35-49	1027	10.4	61	2	2	10	14	19	23	36
50-64	3223	11.7	70	2	2	11	16	21	26	40
65+	2035	15.1	120	2	4	13	19	28	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5622	6.1	18	2	2	5	8	11	14	21
B. *Operated*	839	9.1	41	2	2	9	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	36784	8.1	32	2	3	7	10	14	18	28
B. *Operated*	6346	12.6	87	2	3	11	16	23	29	46
1. SINGLE DX	6461	6.5	22	2	2	5	8	12	15	23
2. MULTIPLE DX	43130	8.8	43	2	3	7	11	16	20	33
A. NOT OPERATED	42406	7.8	31	2	3	7	10	14	17	28
B. OPERATED	7185	12.2	83	2	2	11	16	23	28	44
TOTAL 0-19 YRS	59	7.5	24	2	3	6	9	15	19	23
20-34	422	7.0	23	2	2	6	9	13	16	23
35-49	6188	7.4	34	2	2	6	10	14	17	28
50-64	19761	8.1	34	2	3	7	10	15	19	29
65+	23161	9.2	48	2	3	7	11	17	21	35
GRAND TOTAL	**49591**	**8.5**	**41**	**2**	**3**	**7**	**11**	**16**	**20**	**32**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	6	1	2	4	6	7	9	10
20-34	103	5.5	34	1	2	4	7	11	13	35
35-49	951	5.1	16	1	2	4	7	10	12	19
50-64	2309	5.5	18	1	2	4	7	11	13	22
65+	2477	6.9	27	2	2	5	9	13	16	25
B. *Operated*										
0-19 YRS	75	3.1	11	1	1	2	2	11	13	78
20-34	250	5.6	35	1	2	3	9	13	15	25
35-49	4559	6.5	34	2	2	3	11	14	17	24
50-64	10491	7.5	46	2	2	4	12	16	19	28
65+	2849	9.1	69	2	2	8	14	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	8.3	27	2	3	7	11	15	18	26
20-34	402	6.4	25	2	2	5	8	12	16	27
35-49	6262	6.7	28	2	2	5	9	13	16	24
50-64	23913	7.5	32	2	2	6	10	14	18	28
65+	51935	9.4	56	2	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	59	9.2	94	1	1	6	14	25	30	38
20-34	464	6.7	68	1	2	3	10	14	18	37
35-49	8061	7.1	49	2	2	4	11	15	20	32
50-64	22533	8.8	69	2	2	7	13	18	24	40
65+	12091	13.1	124	2	2	11	17	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5854	6.0	22	1	2	5	8	12	15	24
B. *Operated*	18224	7.5	47	2	2	4	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	82643	8.7	48	2	3	7	11	16	21	36
B. *Operated*	43208	9.6	86	2	2	8	13	20	27	45
1. SINGLE DX	24078	7.1	41	2	2	4	11	15	19	28
2. MULTIPLE DX	125851	9.0	61	2	2	7	12	18	23	40
A. NOT OPERATED	88497	8.5	47	2	3	7	11	16	21	35
B. OPERATED	61432	9.0	75	2	2	7	13	19	24	41
TOTAL 0-19 YRS	279	6.9	42	1	1	5	10	15	20	34
20-34	1219	6.3	45	2	2	4	9	13	17	32
35-49	19833	6.7	38	2	2	5	10	14	17	28
50-64	59246	7.9	49	2	2	6	11	16	20	33
65+	69352	9.9	69	2	3	8	13	19	25	44
GRAND TOTAL	**149929**	**8.7**	**58**	**2**	**2**	**7**	**12**	**17**	**22**	**38**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	9.2	20	2	4	9	12	14	18	20
20-34	796	9.5	21	2	4	9	12	15	17	24
35-49	1013	10.4	22	3	5	10	13	16	19	25
50-64	1098	11.0	26	4	5	11	13	17	19	29
65+	917	11.9	27	5	6	11	15	18	21	29
B. *Operated*										
0-19 YRS	12	12.0	14	7	8	11	14	18	19	19
20-34	123	11.7	26	6	7	11	14	17	19	34
35-49	156	12.6	42	4	6	11	15	20	24	34
50-64	175	13.6	62	3	6	12	17	22	29	38
65+	122	14.8	65	3	7	13	18	24	32	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	11.3	86	4	4	9	13	19	22	61
20-34	936	10.9	37	3	5	10	13	17	22	32
35-49	1859	11.9	37	4	6	11	15	19	23	34
50-64	3516	12.9	44	5	6	12	16	20	25	38
65+	5402	14.9	71	5	7	13	18	25	30	48
B. *Operated*										
0-19 YRS	23	16.9	52	8	9	16	21	26	33	35
20-34	264	16.2	96	6	7	14	20	28	34	62
35-49	479	16.9	128	5	7	14	20	29	38	78
50-64	852	18.1	138	6	8	15	22	30	41	65
65+	987	20.3	150	8	9	17	24	37	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3879	10.7	25	4	5	10	13	17	19	26
B. *Operated*	588	13.2	50	4	7	12	16	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	11803	13.5	57	5	6	12	16	22	27	42
B. *Operated*	2605	18.5	138	7	8	15	22	33	42	67
1. SINGLE DX	4467	11.1	29	4	5	10	13	17	20	29
2. MULTIPLE DX	14408	14.4	75	5	7	13	17	24	30	48
A. NOT OPERATED	15682	12.8	50	4	6	11	15	21	25	39
B. OPERATED	3193	17.5	126	6	8	15	21	31	40	62
TOTAL 0-19 YRS	180	11.4	61	3	4	10	14	19	22	36
20-34	2119	11.1	42	3	5	10	13	18	22	35
35-49	3507	12.2	49	4	6	11	15	20	24	38
50-64	5641	13.3	60	5	6	12	16	22	27	43
65+	7428	15.2	81	5	7	13	18	25	32	50
GRAND TOTAL	**18875**	**13.6**	**66**	**5**	**6**	**12**	**16**	**22**	**28**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	18.7	179	1	2	21	29	38	40	41
20-34	40	21.7	138	4	5	21	29	38	42	45
35-49	11	21.5	214	4	4	21	32	41	48	49
50-64	39	22.3	195	3	4	23	32	41	44	50
65+	34	27.3	256	3	6	28	36	43	62	68
B. *Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	6	33.3	564	1	2	37	48	63	65	65
35-49	7	21.4	291	6	6	13	37	47	48	48
50-64	4	19.8	591	1	1	12	37	54	54	54
65+	7	32.0	160	11	13	37	42	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	25.8	247	3	6	26	34	44	47	85
20-34	195	26.3	232	4	6	27	35	47	52	70
35-49	148	26.7	191	5	7	28	35	43	48	64
50-64	234	29.1	198	4	10	30	36	45	53	63
65+	338	30.5	205	6	10	31	39	48	56	71
B. *Operated*										
0-19 YRS	11	37.7	270	8	14	39	48	58	67	68
20-34	76	37.7	331	7	12	36	47	64	77	97
35-49	76	36.9	250	10	17	37	46	58	67	71
50-64	128	38.7	326	11	16	36	51	65	72	99+
65+	129	40.6	297	17	22	38	50	61	78	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	22.7	195	3	4	23	32	41	44	65
B. *Operated*	26	26.0	344	1	4	23	41	48	56	65
2. MULTIPLE DX										
A. *Not Operated*	961	28.5	211	5	8	29	37	46	53	67
B. *Operated*	420	38.8	302	11	18	37	49	63	71	95
1. SINGLE DX	172	23.2	217	3	4	23	32	41	47	65
2. MULTIPLE DX	1381	31.6	261	5	10	31	42	52	62	85
A. NOT OPERATED	1107	27.7	212	4	7	29	36	45	52	66
B. OPERATED	446	38.0	313	10	16	37	48	62	70	95
TOTAL 0-19 YRS	81	25.1	258	2	4	25	35	44	50	80
20-34	317	28.6	276	4	7	28	40	50	60	86
35-49	242	29.5	237	5	8	29	40	48	57	70
50-64	405	31.4	269	4	10	31	41	53	63	90
65+	508	32.8	251	7	12	32	43	52	61	82
GRAND TOTAL	**1553**	**30.7**	**263**	**5**	**8**	**30**	**41**	**51**	**61**	**83**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.5	4	<1	1	2	3	5	6	11
20-34	371	2.8	7	1	1	2	4	5	7	11
35-49	714	2.6	4	<1	1	2	3	5	7	9
50-64	924	3.2	11	1	1	2	4	6	8	16
65+	570	3.8	18	1	1	3	5	7	10	21
B. *Operated*										
0-19 YRS	5	3.6	4	2	2	3	5	7	7	7
20-34	5	2.8	1	2	2	3	3	4	4	4
35-49	16	4.4	15	2	2	3	5	9	14	16
50-64	29	5.3	44	1	1	3	6	8	21	34
65+	18	7.3	28	2	2	6	10	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.2	24	1	1	3	5	7	11	25
20-34	421	3.7	7	1	1	3	5	7	9	14
35-49	1001	4.7	18	1	1	4	6	9	12	21
50-64	2260	5.1	22	1	1	4	7	10	12	21
65+	2779	6.6	33	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	10	5.2	11	2	2	4	7	10	12	12
20-34	22	8.0	33	2	2	7	9	16	20	25
35-49	81	9.1	57	2	2	7	12	19	22	40
50-64	173	9.3	58	2	2	7	12	19	28	35
65+	172	14.1	76	2	4	13	19	25	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2749	3.1	10	<1	1	2	4	6	8	13
B. *Operated*	73	5.3	29	2	2	3	6	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	6598	5.5	26	1	1	4	7	11	14	24
B. *Operated*	458	10.9	69	2	2	9	15	21	28	40
1. SINGLE DX	2822	3.1	10	1	1	2	4	6	8	14
2. MULTIPLE DX	7056	5.9	30	1	1	4	7	12	16	28
A. NOT OPERATED	9347	4.8	22	1	1	4	6	10	13	23
B. OPERATED	531	10.1	67	2	2	8	14	21	27	39
TOTAL 0-19 YRS	322	3.3	13	<1	1	2	4	6	9	15
20-34	819	3.4	8	1	1	3	4	7	8	15
35-49	1812	4.0	16	1	1	3	5	8	11	19
50-64	3386	4.8	23	1	1	4	6	10	12	24
65+	3539	6.5	36	1	2	5	8	13	18	30
GRAND TOTAL	**9878**	**5.1**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.4	8	<1	1	3	4	8	9	13
20-34	451	2.5	4	<1	1	2	3	5	6	10
35-49	779	3.1	6	<1	1	2	4	6	7	13
50-64	1705	3.5	9	1	1	3	5	7	9	15
65+	1725	4.5	15	1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS										
20-34	11	4.9	11	<1	1	5	7	10	11	11
35-49	39	6.5	246	1	2	2	4	10	25	96
50-64	69	6.1	55	2	2	4	7	13	20	39
65+	66	9.5	88	2	2	8	11	17	23	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.0	15	1	1	4	7	10	13	19
20-34	442	4.0	13	1	1	3	5	8	10	16
35-49	1478	4.9	17	1	1	4	6	10	12	19
50-64	6889	6.1	28	1	2	5	8	12	15	27
65+	17108	8.0	48	2	2	6	10	15	20	36
B. *Operated*										
0-19 YRS	5	8.4	47	2	2	7	11	20	20	20
20-34	27	8.6	51	1	2	7	12	18	24	32
35-49	144	8.8	41	2	2	7	11	17	21	29
50-64	674	10.6	96	2	2	8	14	21	30	48
65+	1797	15.5	136	3	5	13	20	30	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4709	3.7	10	1	1	3	5	7	10	17
B. *Operated*	185	7.4	106	1	2	4	9	14	20	58
2. MULTIPLE DX										
A. *Not Operated*	26000	7.2	42	1	2	6	9	14	18	32
B. *Operated*	2647	13.8	125	2	3	11	18	28	35	64
1. SINGLE DX	4894	3.8	14	1	1	3	5	8	10	18
2. MULTIPLE DX	28647	7.8	53	1	2	6	10	15	20	37
A. NOT OPERATED	30709	6.7	39	1	2	5	8	13	17	30
B. OPERATED	2832	13.4	127	2	3	11	17	27	35	64
TOTAL 0-19 YRS	137	4.6	14	1	1	3	6	9	12	20
20-34	931	3.4	11	<1	1	2	4	7	9	16
35-49	2440	4.6	20	1	1	3	6	9	12	20
50-64	9337	5.9	33	1	1	4	8	12	15	29
65+	20696	8.4	59	2	2	6	10	16	22	40
GRAND TOTAL	**33541**	**7.3**	**49**	**1**	**2**	**5**	**9**	**15**	**19**	**36**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	3.6	10	1	1	3	4	6	8	18
20-34	795	3.7	18	1	1	3	5	7	8	15
35-49	1323	4.2	13	1	1	3	5	8	10	21
50-64	1787	4.5	16	1	1	4	6	8	11	19
65+	1897	5.3	20	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	46	4.3	15	1	1	3	6	8	9	23
20-34	82	5.6	19	2	2	4	7	11	15	22
35-49	268	5.9	24	2	2	4	8	13	16	22
50-64	695	6.9	36	2	2	6	9	13	17	26
65+	2076	8.3	34	2	3	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	461	4.9	25	1	1	4	6	9	13	26
20-34	1710	4.7	14	1	1	4	6	9	11	17
35-49	3942	5.7	25	1	2	5	7	11	14	23
50-64	10050	6.8	30	1	2	5	8	13	17	27
65+	18740	8.2	45	2	3	7	10	16	20	34
B. *Operated*										
0-19 YRS	88	7.9	76	1	2	6	9	17	23	51
20-34	246	10.0	121	2	2	7	11	21	29	72
35-49	814	9.1	79	2	2	7	12	19	26	49
50-64	3187	10.8	81	2	2	9	14	21	27	49
65+	11373	12.8	87	3	4	11	16	24	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6048	4.6	17	1	1	4	6	8	11	20
B. *Operated*	3167	7.7	34	2	2	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	34903	7.3	38	2	2	6	9	14	18	31
B. *Operated*	15708	12.2	87	2	3	10	15	23	30	50
1. SINGLE DX	9215	5.6	25	1	1	4	7	11	14	24
2. MULTIPLE DX	50611	8.8	58	2	2	7	11	17	23	39
A. NOT OPERATED	40951	6.9	36	1	2	5	9	13	17	30
B. OPERATED	18875	11.4	81	2	3	9	14	22	28	49
TOTAL 0-19 YRS	841	4.8	27	1	1	3	6	9	13	28
20-34	2833	4.9	27	1	1	4	6	9	12	24
35-49	6347	5.8	31	1	2	4	7	11	15	27
50-64	15719	7.3	42	1	2	6	9	15	19	33
65+	34086	9.6	63	2	3	8	12	19	24	41
GRAND TOTAL	**59826**	**8.3**	**55**	**2**	**2**	**6**	**11**	**17**	**22**	**37**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.8	104	1	2	4	8	18	37	46
20-34	44	7.5	64	1	2	6	10	13	15	52
35-49	262	6.8	22	2	2	6	8	14	16	22
50-64	1401	7.3	31	2	2	6	9	14	17	27
65+	5895	8.2	41	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	4	5.3	16	2	2	5	8	10	10	10
20-34	7	4.4	8	2	2	3	6	9	10	10
35-49	18	7.3	42	2	2	5	9	14	22	28
50-64	68	10.3	95	2	2	9	14	19	23	56
65+	139	13.7	102	3	4	12	17	25	32	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	8.7	59	2	2	7	11	18	22	45
20-34	494	8.9	59	2	3	7	11	16	23	38
35-49	3268	9.0	47	2	3	7	11	17	22	35
50-64	20583	9.6	50	3	3	8	12	18	22	37
65+	89672	10.9	69	3	4	9	14	20	26	44
B. *Operated*										
0-19 YRS	64	9.0	52	1	2	8	11	15	26	39
20-34	143	10.2	131	1	2	7	13	23	27	60
35-49	470	13.5	138	2	2	11	18	28	40	63
50-64	2366	15.9	165	2	4	13	21	31	41	74
65+	7867	19.3	174	5	7	16	25	36	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7647	8.0	39	2	3	6	10	15	19	32
B. *Operated*	236	11.8	97	2	2	10	15	22	29	55
2. MULTIPLE DX										
A. *Not Operated*	114489	10.6	66	3	4	9	13	20	26	43
B. *Operated*	10910	18.1	173	4	5	15	23	35	44	76
1. SINGLE DX	7883	8.1	41	2	3	7	10	15	19	33
2. MULTIPLE DX	125399	11.3	79	3	4	9	14	21	28	48
A. NOT OPERATED	122136	10.5	64	3	4	8	13	20	25	42
B. OPERATED	11146	18.0	172	3	5	15	23	35	44	76
TOTAL 0-19 YRS	585	8.6	61	2	2	7	11	18	23	45
20-34	688	9.0	74	2	2	7	11	18	24	49
35-49	4018	9.4	59	2	3	7	12	18	23	41
50-64	24418	10.1	64	2	3	8	13	19	25	43
65+	103573	11.4	81	3	4	9	14	22	28	48
GRAND TOTAL	**133282**	**11.1**	**78**	**3**	**4**	**9**	**14**	**21**	**28**	**47**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	5.1	17	1	1	4	7	10	13	20
20-34	1188	5.1	16	1	2	4	6	9	11	20
35-49	1203	5.4	19	1	2	4	7	10	13	22
50-64	1210	6.1	22	1	2	5	8	12	14	22
65+	786	7.9	46	2	2	6	10	15	20	39
B. *Operated*										
0-19 YRS	291	4.2	24	1	1	2	3	11	14	24
20-34	427	5.7	52	1	2	3	7	13	16	31
35-49	961	5.8	33	1	2	3	9	14	16	27
50-64	1571	6.5	44	2	2	3	10	15	19	30
65+	738	8.4	65	2	2	5	13	19	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	451	7.0	47	1	2	5	8	15	21	39
20-34	1636	6.8	39	1	2	5	8	13	17	34
35-49	3259	7.5	39	2	2	6	9	14	18	32
50-64	7076	8.7	49	2	3	7	11	17	21	36
65+	10541	9.9	60	2	3	8	12	19	24	40
B. *Operated*										
0-19 YRS	243	6.9	87	1	2	2	9	16	23	46
20-34	692	9.3	90	2	2	7	13	19	28	47
35-49	1859	9.4	90	2	2	7	13	20	28	48
50-64	4527	10.5	104	2	2	8	15	23	30	52
65+	3892	14.0	148	2	2	12	19	28	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4704	5.9	24	1	2	5	7	11	15	25
B. *Operated*	3988	6.4	45	2	2	3	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	22963	8.9	53	2	3	7	11	17	22	37
B. *Operated*	11213	11.4	120	2	2	9	16	24	32	55
1. SINGLE DX	8692	6.1	34	1	2	4	8	13	17	29
2. MULTIPLE DX	34176	9.7	76	2	2	7	13	20	26	45
A. NOT OPERATED	27667	8.4	49	2	2	7	11	16	21	36
B. OPERATED	15201	10.1	105	2	2	7	14	22	29	52
TOTAL 0-19 YRS	1302	5.9	43	1	2	3	7	13	17	36
20-34	3943	6.6	45	1	2	5	8	13	17	36
35-49	7282	7.4	50	2	2	5	10	15	20	36
50-64	14384	8.8	66	2	2	7	12	18	24	41
65+	15957	10.8	85	2	3	8	14	21	28	49
GRAND TOTAL	**42868**	**9.0**	**70**	**2**	**2**	**7**	**12**	**18**	**24**	**43**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	5	2	2	7	7	7	7	7
35-49	27	4.6	16	1	1	3	6	11	14	16
50-64	102	7.8	54	1	2	5	10	16	25	37
65+	334	7.6	33	1	2	6	10	15	20	29
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	53	6.0	35	2	2	3	9	14	20	26
50-64	120	6.6	40	2	2	3	11	15	19	28
65+	69	9.0	115	2	2	5	12	17	34	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.7	59	2	2	7	9	20	29	31
20-34	46	5.7	13	2	3	5	7	9	12	21
35-49	622	7.2	36	2	2	6	10	14	17	30
50-64	2912	8.0	46	2	2	6	10	15	19	34
65+	10289	10.2	74	2	3	8	13	20	26	51
B. *Operated*										
0-19 YRS	6	11.3	66	3	3	9	14	25	26	26
20-34	17	5.8	17	2	2	5	8	10	15	18
35-49	290	7.5	44	2	2	5	11	14	19	31
50-64	1001	10.4	112	2	2	8	14	21	28	55
65+	1687	15.4	154	2	3	13	20	31	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	7.4	37	1	2	6	10	15	20	33
B. *Operated*	245	7.2	60	2	2	4	10	15	21	43
2. MULTIPLE DX										
A. *Not Operated*	13883	9.6	67	2	3	7	12	19	25	46
B. *Operated*	3001	12.9	137	2	2	10	17	27	36	72
1. SINGLE DX	713	7.3	45	2	2	5	10	15	20	35
2. MULTIPLE DX	16884	10.2	81	2	3	8	13	20	27	52
A. NOT OPERATED	14351	9.5	67	2	3	7	12	18	24	46
B. OPERATED	3246	12.4	133	2	2	10	16	26	35	70
TOTAL 0-19 YRS	21	9.1	60	1	2	7	10	22	28	31
20-34	70	5.8	13	2	2	5	7	9	11	20
35-49	992	7.2	38	2	2	5	10	14	17	30
50-64	4135	8.6	63	2	2	7	11	17	22	39
65+	12379	10.9	87	2	3	8	14	22	29	57
GRAND TOTAL	**17597**	**10.1**	**80**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.2	13	1	2	4	8	11	12	12
20-34	35	5.5	47	1	1	2	7	14	22	30
35-49	44	5.8	44	<1	<1	3	8	16	22	28
50-64	72	6.2	61	<1	1	3	7	13	24	40
65+	30	18.5	205	<1	1	19	27	39	42	49
B. *Operated*										
0-19 YRS	18	20.3	172	4	8	19	25	37	48	55
20-34	135	20.0	194	3	5	18	27	34	47	81
35-49	212	19.8	191	2	4	18	25	36	47	95
50-64	204	20.3	190	2	5	18	29	37	41	70
65+	56	24.6	267	3	7	22	31	44	64	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.8	21	<1	1	5	8	14	14	14
20-34	26	8.5	69	1	2	5	11	19	27	37
35-49	42	8.9	91	1	1	7	12	28	63	99+
50-64	83	12.8	150	<1	1	10	18	30	39	88
65+	187	20.8	199	3	5	19	29	43	52	90
B. *Operated*										
0-19 YRS	25	19.9	320	1	4	15	24	35	59	87
20-34	108	25.3	330	5	6	22	36	49	71	99+
35-49	253	30.2	373	5	9	27	42	66	87	99+
50-64	357	29.9	392	6	10	27	43	78	99+	99+
65+	174	32.2	359	9	14	29	46	71	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.8	93	<1	1	4	10	24	29	43
B. *Operated*	625	20.5	198	3	5	18	27	38	47	80
2. MULTIPLE DX										
A. *Not Operated*	350	16.0	187	1	2	13	24	37	47	99+
B. *Operated*	917	29.6	376	5	9	26	41	68	99	99+
1. SINGLE DX	818	17.5	202	1	2	16	25	35	43	73
2. MULTIPLE DX	1267	25.9	360	3	5	23	37	60	87	99+
A. NOT OPERATED	543	13.1	169	1	1	9	20	32	42	75
B. OPERATED	1542	25.9	324	4	7	22	35	56	80	99+
TOTAL 0-19 YRS	67	14.8	216	1	2	12	19	32	40	82
20-34	304	19.3	258	2	2	17	27	39	49	97
35-49	551	22.6	321	2	3	20	32	52	74	99+
50-64	716	22.8	339	2	3	20	33	55	86	99+
65+	447	25.6	299	4	7	23	35	53	70	99+
GRAND TOTAL	**2085**	**22.6**	**315**	**2**	**3**	**20**	**32**	**50**	**70**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	20.0	450	5	5	20	35	35	35	35
35-49	2	5.0	32	1	1	9	77	99+	99+	99+
50-64	13	17.8	484	1	1	11	28	83	96	99+
65+	20	29.7	206	7	11	30	40	49	54	57
B. *Operated*										
0-19 YRS	2	30.0	882	9	9	30	51	51	51	51
20-34	9	53.8	548	16	26	54	84	99+	99+	99+
35-49	25	34.3	430	3	9	38	61	99+	99+	99+
50-64	35	46.9	496	15	24	46	75	99+	99+	99+
65+	20	36.1	415	14	17	35	52	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	38	23.6	327	1	2	22	36	54	90	99+
B. *Operated*	91	41.4	498	9	16	45	75	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	129	36.1	511	5	9	37	60	99+	99+	99+
A. NOT OPERATED	38	23.6	327	1	2	22	36	54	90	99+
B. OPERATED	91	41.4	498	9	16	45	75	99+	99+	99+
TOTAL 0-19 YRS	3	27.7	457	9	9	23	44	51	51	51
20-34	11	47.6	670	6	13	50	81	99+	99+	99+
35-49	27	32.1	460	2	5	36	62	99+	99+	99+
50-64	48	39.0	653	2	8	40	72	99+	99+	99+
65+	40	32.9	313	10	16	31	47	82	99+	99+
GRAND TOTAL	**129**	**36.1**	**511**	**5**	**9**	**37**	**60**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.0	89	<1	<1	4	11	16	28	42
20-34	26	9.0	185	<1	1	4	8	30	47	53
35-49	26	10.8	154	<1	1	8	12	25	45	52
50-64	75	11.4	166	<1	1	8	15	32	52	99+
65+	212	12.5	98	<1	1	10	18	26	32	51
B. *Operated*										
0-19 YRS	41	14.2	179	2	3	10	20	30	57	99+
20-34	68	13.1	93	3	4	10	18	23	28	55
35-49	89	13.7	102	2	4	11	18	25	36	54
50-64	182	16.0	131	6	7	12	21	31	40	97
65+	351	16.3	139	4	6	13	21	30	39	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	9.7	240	2	2	4	10	18	27	85
20-34	33	9.0	73	<1	1	7	13	17	31	36
35-49	84	14.6	141	<1	1	12	21	34	36	51
50-64	330	15.9	189	2	3	12	22	35	47	89
65+	885	17.8	191	3	5	14	23	37	48	89
B. *Operated*										
0-19 YRS	46	21.9	310	4	6	18	36	66	99+	99+
20-34	81	22.9	369	3	7	17	34	66	80	99+
35-49	162	23.0	301	6	7	18	32	60	93	99+
50-64	386	24.5	344	6	7	19	34	61	78	99+
65+	676	25.0	247	7	9	21	34	46	60	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	11.6	123	<1	1	9	16	27	35	66
B. *Operated*	731	15.5	131	4	6	12	20	29	37	66
2. MULTIPLE DX										
A. *Not Operated*	1362	16.8	189	2	4	13	22	35	47	85
B. *Operated*	1351	24.4	290	6	8	20	34	53	70	99+
1. SINGLE DX	1091	14.2	132	1	3	11	19	29	36	66
2. MULTIPLE DX	2713	20.6	254	3	6	16	28	44	60	99+
A. NOT OPERATED	1722	15.7	179	1	3	12	21	34	44	84
B. OPERATED	2082	21.3	252	5	7	17	28	45	62	99+
TOTAL 0-19 YRS	138	14.7	250	1	2	10	20	42	71	99+
20-34	208	15.8	241	1	2	11	21	37	58	99+
35-49	361	17.9	225	2	4	14	24	42	58	99+
50-64	973	19.0	258	2	5	14	26	44	61	99+
65+	2124	19.3	208	3	6	16	26	40	49	86
GRAND TOTAL	**3804**	**18.7**	**227**	**2**	**5**	**15**	**25**	**41**	**55**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	20.5	255	4	4	18	31	42	42	42
35-49	30	22.5	365	<1	3	19	31	58	70	99+
50-64	113	27.6	425	4	7	24	38	54	75	99
65+	341	25.9	326	6	7	23	34	54	75	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	49.8	850	18	20	46	81	90	94	94
35-49	41	39.0	566	9	13	36	71	99+	99+	99+
50-64	59	38.5	647	10	12	37	65	99	99+	99+
65+	119	31.8	353	7	10	28	45	62	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	489	26.0	351	5	7	23	35	54	75	99+
B. *Operated*	229	35.4	499	9	11	31	52	84	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	718	29.0	416	6	8	25	41	66	91	99+
A. NOT OPERATED	489	26.0	351	5	7	23	35	54	75	99+
B. OPERATED	229	35.4	499	9	11	31	52	84	99+	99+
TOTAL 0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	13	40.8	828	6	13	31	56	86	92	94
35-49	71	32.0	542	4	7	29	54	90	99+	99+
50-64	172	31.3	525	5	9	25	47	77	97	99+
65+	460	27.4	339	6	8	24	38	56	76	99+
GRAND TOTAL	**718**	**29.0**	**416**	**6**	**8**	**25**	**41**	**66**	**91**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	10.1	205	2	2	7	8	35	42	42
35-49	27	8.4	155	1	2	4	9	17	26	65
50-64	113	6.0	40	1	1	4	8	12	16	33
65+	184	8.3	124	1	2	4	10	20	26	66
B. *Operated*										
0-19 YRS	12	7.1	35	1	2	5	11	17	18	18
20-34	19	7.9	138	1	2	5	9	13	36	54
35-49	252	7.2	40	2	2	6	9	13	17	31
50-64	2102	7.7	37	2	2	6	10	14	19	32
65+	2796	8.1	36	2	2	7	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	22	4	4	11	14	15	15	15
20-34	7	8.9	7	3	4	10	10	11	11	11
35-49	66	9.2	115	1	2	6	9	21	32	65
50-64	402	8.0	56	1	2	6	10	17	23	38
65+	1041	9.9	83	2	3	7	12	20	27	52
B. *Operated*										
0-19 YRS	13	8.2	48	2	2	6	10	20	22	22
20-34	35	13.6	152	2	2	12	19	28	28	67
35-49	456	10.4	83	2	3	8	13	20	27	47
50-64	3952	10.5	79	2	3	8	13	20	26	45
65+	5641	11.5	97	2	3	9	15	22	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	7.5	[illegible]	1	2	4	9	16	26	65
B. *Operated*	5181	7.9	37	2	2	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	1521	9.3	77	2	2	7	12	20	26	46
B. *Operated*	10097	11.0	90	2	3	9	14	21	28	51
1. SINGLE DX	5512	7.9	41	2	2	6	10	15	19	31
2. MULTIPLE DX	11618	10.8	88	2	3	8	14	21	28	50
A. NOT OPERATED	1852	9.0	81	1	2	7	11	19	26	48
B. OPERATED	15278	10.0	74	2	2	8	13	19	25	46
TOTAL 0-19 YRS	30	8.1	37	2	2	6	13	18	20	22
20-34	68	11.2	140	2	2	8	13	23	30	65
35-49	801	9.2	76	2	2	7	11	18	24	46
50-64	6569	9.4	65	2	2	7	12	18	24	42
65+	9662	10.3	81	2	2	8	13	20	27	48
GRAND TOTAL	**17130**	**9.9**	**75**	**2**	**2**	**8**	**12**	**19**	**25**	**46**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	29.0	18	26	26	29	32	32	32	32
35-49	10	13.3	252	4	4	7	15	74	98	99+
50-64	74	16.5	234	3	5	11	25	32	51	97
65+	146	18.3	161	3	5	16	25	38	48	99+
B. *Operated*										
0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	7	28.0	849	4	5	16	42	78	85	85
35-49	38	16.9	295	2	2	9	29	42	58	63
50-64	216	18.0	221	3	4	14	25	40	52	78
65+	335	19.3	241	3	5	15	25	42	52	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	232	17.6	187	3	5	15	25	38	51	99+
B. *Operated*	598	18.8	243	3	4	15	25	41	52	87
1. SINGLE DX										
2. MULTIPLE DX	830	18.4	228	3	5	15	25	40	52	92
A. NOT OPERATED	232	17.6	187	3	5	15	25	38	51	99+
B. OPERATED	598	18.8	243	3	4	15	25	41	52	87
TOTAL 0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	9	28.2	639	4	6	17	36	71	85	85
35-49	48	16.1	283	2	3	8	25	48	62	99+
50-64	290	17.6	224	3	4	13	25	38	52	86
65+	481	18.9	217	3	5	15	25	40	50	93
GRAND TOTAL	**830**	**18.4**	**228**	**3**	**5**	**15**	**25**	**40**	**52**	**92**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.1	48	<1	1	7	7	20	22	22
20-34	25	13.0	345	2	3	7	12	29	62	85
35-49	91	10.6	85	1	2	8	14	25	32	42
50-64	458	10.2	93	2	3	7	13	21	30	53
65+	1229	12.1	105	2	3	9	15	25	32	51
B. *Operated*										
0-19 YRS	6	11.7	7	9	9	11	13	16	16	16
20-34	39	11.1	195	1	1	8	13	20	49	67
35-49	83	9.4	149	2	2	6	10	21	30	73
50-64	258	9.6	121	2	2	7	11	19	28	80
65+	236	10.2	77	2	3	8	13	19	26	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	9.6	100	1	2	7	11	19	24	59
20-34	75	9.9	105	2	2	7	12	17	25	66
35-49	436	11.6	118	2	3	9	14	23	34	65
50-64	2443	13.5	139	3	4	10	17	28	37	72
65+	9560	15.3	150	3	5	12	19	30	40	74
B. *Operated*										
0-19 YRS	7	12.0	15	5	6	14	15	15	15	15
20-34	59	14.3	148	3	4	11	18	30	38	62
35-49	231	14.3	152	3	3	11	18	30	43	70
50-64	878	15.6	214	2	3	11	20	37	50	99+
65+	1358	20.3	266	4	5	16	27	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1813	11.5	105	2	3	8	15	24	31	52
B. *Operated*	622	9.9	111	2	2	7	12	19	28	63
2. MULTIPLE DX										
A. *Not Operated*	12557	14.7	147	3	4	11	18	30	39	74
B. *Operated*	2533	17.9	240	3	4	13	24	42	56	99+
1. SINGLE DX	2435	11.1	107	2	3	8	14	22	31	53
2. MULTIPLE DX	15090	15.3	164	3	4	12	19	31	43	80
A. NOT OPERATED	14370	14.3	143	3	4	11	18	29	38	71
B. OPERATED	3155	16.4	225	2	3	12	21	38	51	99
TOTAL 0-19 YRS	63	9.8	73	1	2	9	13	18	22	55
20-34	201	11.8	165	2	2	8	14	23	37	71
35-49	841	12.1	129	2	3	9	15	25	36	65
50-64	4037	13.4	152	2	3	10	17	29	40	87
65+	12383	15.4	161	3	4	12	19	31	42	77
GRAND TOTAL	**17525**	**14.7**	**158**	**3**	**4**	**11**	**18**	**30**	**41**	**77**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	16.6	177	<1	1	14	32	34	36	36
20-34	21	14.0	91	3	5	11	19	28	34	38
35-49	133	16.5	199	3	4	12	23	34	43	97
50-64	1015	19.2	254	4	5	14	25	41	58	97
65+	4495	20.1	221	5	6	16	26	41	52	86
B. *Operated*										
0-19 YRS	4	32.3	485	6	6	37	69	99+	99+	99+
20-34	15	17.7	131	3	5	16	21	37	42	44
35-49	63	17.2	165	4	6	13	23	37	51	99+
50-64	223	23.5	352	5	7	19	33	53	88	99+
65+	492	27.3	317	7	9	23	39	60	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5674	19.9	226	4	6	16	26	40	53	88
B. *Operated*	797	25.3	321	6	8	21	35	58	76	99+
1. SINGLE DX										
2. MULTIPLE DX	6471	20.5	241	4	6	16	27	42	56	97
A. NOT OPERATED	5674	19.9	226	4	6	16	26	40	53	88
B. OPERATED	797	25.3	321	6	8	21	35	58	76	99+
TOTAL 0-19 YRS	14	21.1	289	<1	2	22	35	59	90	99+
20-34	36	15.5	108	3	5	13	21	30	38	44
35-49	196	16.7	187	3	5	13	23	35	44	99+
50-64	1238	20.0	274	4	5	15	26	43	61	99+
65+	4987	20.8	235	5	7	17	27	43	55	92
GRAND TOTAL	**6471**	**20.5**	**241**	**4**	**6**	**16**	**27**	**42**	**56**	**97**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	4	1	2	3	3	5	8	10
20-34	106	3.7	9	1	1	3	5	7	8	17
35-49	410	4.5	9	1	1	4	6	8	10	16
50-64	1499	4.7	11	1	2	4	6	9	11	17
65+	4063	5.3	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	4	4.0	22	<1	<1	2	7	11	11	11
20-34	45	4.1	8	1	1	3	6	9	10	11
35-49	303	5.8	22	2	2	4	7	11	14	22
50-64	1027	6.0	23	1	2	5	8	12	14	25
65+	893	6.1	28	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	6.4	88	1	2	4	7	12	13	65
20-34	178	5.3	21	1	2	4	6	10	13	23
35-49	998	6.0	16	2	2	5	8	11	13	19
50-64	6058	6.5	25	2	2	5	8	12	15	23
65+	27430	7.9	45	2	3	6	10	15	19	37
B. *Operated*										
0-19 YRS	7	8.6	48	1	1	7	12	19	21	21
20-34	40	8.5	49	2	2	6	11	20	23	29
35-49	499	8.1	42	2	2	7	10	15	21	42
50-64	2662	9.1	57	2	3	7	12	17	22	37
65+	4393	11.7	103	2	3	9	15	24	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6096	5.1	18	1	2	4	6	9	12	21
B. *Operated*	2272	6.0	24	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	34736	7.6	41	2	2	6	9	14	18	34
B. *Operated*	7601	10.5	84	2	3	8	13	21	28	51
1. SINGLE DX	8368	5.3	20	1	2	4	7	10	13	22
2. MULTIPLE DX	42337	8.1	50	2	3	6	10	15	20	38
A. NOT OPERATED	40832	7.2	39	2	2	6	9	13	18	33
B. OPERATED	9873	9.5	74	2	2	7	12	19	25	47
TOTAL 0-19 YRS	101	5.9	69	1	2	3	6	11	13	54
20-34	369	5.1	21	1	1	4	6	9	13	24
35-49	2210	6.2	23	2	2	5	8	11	14	24
50-64	11246	6.8	32	2	2	5	9	13	16	29
65+	36779	8.0	52	2	2	6	10	15	21	39
GRAND TOTAL	**50705**	**7.7**	**46**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	5.1	44	1	2	3	5	7	25	31
20-34	61	7.4	66	1	2	4	9	19	31	35
35-49	197	9.5	107	1	2	7	10	21	29	53
50-64	1088	10.4	98	2	3	7	13	22	30	58
65+	4512	12.6	119	2	3	10	16	25	34	58
B. *Operated*										
0-19 YRS	10	7.4	82	1	1	3	9	23	28	28
20-34	34	8.2	32	1	2	8	13	17	21	99+
35-49	112	9.3	60	2	2	8	12	19	24	42
50-64	283	11.0	138	2	2	8	12	23	36	65
65+	356	14.6	218	2	2	10	19	35	47	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	11.3	81	2	3	8	15	23	34	39
20-34	119	9.8	126	1	2	7	12	23	29	58
35-49	699	11.5	118	2	3	8	13	24	33	67
50-64	4953	13.6	148	3	4	10	17	28	38	75
65+	23877	15.3	153	3	4	12	19	31	41	76
B. *Operated*										
0-19 YRS	15	10.5	138	<1	1	6	16	31	36	38
20-34	53	13.9	140	2	2	10	20	33	45	98
35-49	254	15.3	190	2	4	11	19	34	52	99+
50-64	1182	18.7	303	3	4	13	23	44	63	99+
65+	2635	23.4	308	5	7	19	33	52	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5894	12.0	115	2	3	9	15	25	33	58
B. *Operated*	795	12.2	163	2	2	8	14	29	39	71
2. MULTIPLE DX										
A. *Not Operated*	29711	14.9	152	3	4	11	19	30	40	75
B. *Operated*	4139	21.4	305	4	5	16	29	50	67	99+
1. SINGLE DX	6689	12.0	121	2	3	9	15	25	34	60
2. MULTIPLE DX	33850	15.7	175	3	4	12	20	33	44	87
A. NOT OPERATED	35605	14.4	147	3	4	11	18	29	39	73
B. OPERATED	4934	19.9	293	3	4	15	27	47	64	99+
TOTAL 0-19 YRS	124	9.1	83	1	2	6	12	22	31	38
20-34	267	9.9	107	1	2	7	13	24	33	80
35-49	1262	11.7	129	2	3	8	14	25	36	72
50-64	7506	13.8	171	2	3	10	17	29	42	80
65+	31380	15.6	169	3	4	12	20	32	43	83
GRAND TOTAL	**40539**	**15.1**	**168**	**3**	**4**	**11**	**19**	**31**	**43**	**82**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	14.5	163	2	4	11	18	33	40	60
20-34	31	15.9	229	3	3	12	21	35	46	71
35-49	290	17.1	245	3	4	12	21	46	58	99+
50-64	2053	18.4	227	4	5	14	24	40	52	99+
65+	9295	19.5	205	4	6	16	25	39	50	89
B. *Operated*										
0-19 YRS	9	18.1	162	5	7	14	24	39	47	47
20-34	13	23.3	552	2	3	17	42	99+	99+	99+
35-49	92	24.4	512	2	5	16	38	66	82	99+
50-64	.10	26.0	426	4	6	21	38	69	88	99+
65+	1040	27.6	327	6	9	24	39	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11696	19.2	210	4	6	15	25	39	51	90
B. *Operated*	1564	26.9	365	6	7	23	39	60	84	99+
1. SINGLE DX										
2. MULTIPLE DX	13260	20.1	234	4	6	16	27	42	55	99+
A. NOT OPERATED	11696	19.2	210	4	6	15	25	39	51	90
B. OPERATED	1564	26.9	365	6	7	23	39	60	84	99+
TOTAL 0-19 YRS	36	15.4	161	3	4	11	20	33	44	60
20-34	44	18.1	326	3	3	13	28	46	91	99+
35-49	382	18.8	318	3	4	13	24	50	66	99+
50-64	2463	19.7	268	4	5	15	26	44	61	99+
65+	10335	20.3	223	4	6	16	27	42	53	99+
GRAND TOTAL	**13260**	**20.1**	**234**	**4**	**6**	**16**	**27**	**42**	**55**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.0	11	<1	<1	3	5	10	11	12
20-34	84	4.5	14	1	1	3	6	9	11	19
35-49	279	5.2	13	1	2	4	7	9	11	19
50-64	618	5.9	31	1	2	5	7	11	14	27
65+	1866	7.3	46	2	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	17	5.8	34	1	1	3	8	16	20	21
20-34	95	13.6	177	2	2	11	20	26	41	97
35-49	237	9.4	75	2	2	6	13	22	28	36
50-64	637	8.4	75	2	2	6	10	19	26	54
65+	614	7.9	63	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	10.4	200	1	2	6	12	23	35	83
20-34	218	7.4	66	1	2	5	8	15	25	48
35-49	923	8.2	66	2	2	6	10	16	23	58
50-64	3825	9.7	94	2	3	7	11	19	29	61
65+	20831	10.8	98	2	3	8	13	21	30	66
B. *Operated*										
0-19 YRS	36	11.3	195	2	2	7	12	23	49	65
20-34	107	13.7	163	2	2	11	17	32	44	80
35-49	362	14.7	241	2	3	10	19	38	56	99+
50-64	1497	13.3	186	2	3	10	17	30	46	99+
65+	3137	15.1	174	2	3	12	20	32	44	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2867	6.7	39	1	2	5	8	13	17	34
B. *Operated*	1600	8.6	77	2	2	6	11	20	25	41
2. MULTIPLE DX										
A. *Not Operated*	25874	10.5	97	2	3	8	13	21	30	65
B. *Operated*	5139	14.5	182	2	3	11	19	32	46	99+
1. SINGLE DX	4467	7.4	54	2	2	5	9	15	21	38
2. MULTIPLE DX	31013	11.2	113	2	3	8	14	23	33	72
A. NOT OPERATED	28741	10.1	93	2	3	7	12	20	29	63
B. OPERATED	6739	13.1	164	2	2	9	17	29	41	94
TOTAL 0-19 YRS	150	9.2	160	1	1	5	11	19	29	71
20-34	504	9.4	111	1	2	6	12	23	33	64
35-49	1801	9.2	103	2	2	6	11	20	30	69
50-64	6577	10.1	111	2	2	7	12	21	31	72
65+	26448	11.0	106	2	3	8	14	22	32	67
GRAND TOTAL	**35480**	**10.7**	**108**	**2**	**3**	**8**	**13**	**22**	**31**	**68**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	35	4.0	18	1	1	2	4	10	12	21
50-64	99	4.1	13	1	1	3	6	9	12	17
65+	315	6.4	33	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	6	4.2	13	2	2	3	5	10	11	11
20-34	13	7.0	21	2	2	6	10	14	16	16
35-49	220	8.5	59	1	2	8	12	16	19	30
50-64	942	8.5	59	1	2	8	12	17	21	35
65+	921	9.6	82	1	2	8	13	20	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	15.5	114	3	4	15	23	32	37	37
20-34	12	5.1	15	1	1	4	7	10	13	14
35-49	141	6.3	18	2	2	5	8	12	15	21
50-64	953	8.2	65	2	2	6	10	16	22	48
65+	6063	10.0	76	2	3	8	12	20	26	51
B. *Operated*										
0-19 YRS	17	14.5	290	2	3	7	19	33	58	70
20-34	58	10.9	186	2	2	9	12	20	28	92
35-49	653	12.3	135	2	2	10	15	23	32	61
50-64	3690	13.9	169	2	2	11	17	29	40	74
65+	6202	18.4	241	2	3	15	24	40	52	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.7	29	1	1	4	7	11	15	27
B. *Operated*	2102	9.0	69	1	2	8	13	18	24	38
2. MULTIPLE DX										
A. *Not Operated*	7188	9.7	74	2	3	7	12	19	26	50
B. *Operated*	10620	16.4	215	2	2	13	21	35	48	85
1. SINGLE DX	2554	8.4	64	1	2	7	12	17	22	36
2. MULTIPLE DX	17808	13.7	169	2	3	10	17	30	41	77
A. NOT OPERATED	7640	9.4	72	2	3	7	12	19	25	48
B. OPERATED	12722	15.2	199	2	2	12	20	33	45	81
TOTAL 0-19 YRS	43	13.2	179	2	2	9	19	29	36	70
20-34	85	9.3	138	2	2	7	11	18	26	74
35-49	1049	10.4	106	2	2	9	13	20	26	57
50-64	5684	11.9	139	2	2	9	15	25	34	68
65+	13501	13.7	170	2	3	10	18	30	41	77
GRAND TOTAL	**20362**	**13.0**	**159**	**2**	**2**	**10**	**16**	**28**	**39**	**73**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	3.8	9	<1	1	2	5	9	10	10
35-49	9	3.3	4	1	1	4	5	6	6	6
50-64	66	4.2	17	<1	1	3	5	11	13	19
65+	220	5.0	31	<1	1	3	6	12	17	33
B. *Operated*										
0-19 YRS	4	9.0	76	2	2	7	16	20	20	20
20-34	17	6.2	28	<1	1	3	10	14	17	18
35-49	53	12.2	129	2	3	11	15	18	24	69
50-64	737	11.7	39	2	3	11	14	18	21	35
65+	1404	13.0	52	2	3	12	16	21	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	7	2	2	3	6	8	8	8
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	18	9.0	117	1	2	6	11	14	35	49
50-64	254	7.0	37	1	2	5	9	14	19	33
65+	1404	8.2	61	2	2	6	10	17	22	38
B. *Operated*										
0-19 YRS	8	26.6	226	10	11	23	36	50	53	53
20-34	24	20.0	403	2	2	15	24	44	77	78
35-49	111	14.5	120	2	3	12	19	29	34	55
50-64	1839	15.4	113	2	5	13	18	26	35	64
65+	4355	18.0	151	3	6	15	22	33	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.7	26	<1	1	3	6	11	16	29
B. *Operated*	2215	12.5	50	2	3	12	15	20	24	38
2. MULTIPLE DX										
A. *Not Operated*	1685	8.0	58	1	2	6	10	16	22	37
B. *Operated*	6337	17.2	142	3	6	14	21	32	41	72
1. SINGLE DX	2520	11.5	54	2	2	11	15	19	24	37
2. MULTIPLE DX	8022	15.3	138	2	3	13	19	29	38	68
A. NOT OPERATED	1990	7.5	55	1	2	5	9	15	21	36
B. OPERATED	8552	16.0	122	2	5	14	19	29	37	67
TOTAL 0-19 YRS	17	15.6	233	1	2	12	22	41	50	53
20-34	55	11.6	239	1	2	7	15	25	38	78
35-49	191	12.8	123	2	2	11	17	25	34	55
50-64	2896	13.5	94	2	3	12	16	23	30	54
65+	7383	14.8	129	2	3	13	19	28	36	65
GRAND TOTAL	**10542**	**14.4**	**121**	**2**	**3**	**12**	**18**	**27**	**35**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.3	11	2	2	5	8	9	9	9
35-49	12	6.8	78	1	1	3	8	19	30	32
50-64	23	5.3	22	<1	1	4	7	12	17	20
65+	21	5.9	32	<1	1	5	7	12	21	24
B. *Operated*										
0-19 YRS	39	7.5	55	1	2	5	9	20	23	31
20-34	90	8.0	85	1	1	5	9	19	25	45
35-49	132	11.4	85	2	2	10	17	22	27	42
50-64	337	11.3	108	2	2	9	14	21	30	79
65+	317	10.7	56	2	2	10	14	20	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	12	8.8	71	<1	1	6	12	20	29	31
50-64	33	6.9	54	1	2	4	9	14	20	38
65+	100	9.4	101	1	2	6	13	19	26	58
B. *Operated*										
0-19 YRS	16	11.9	186	1	2	7	16	25	46	55
20-34	68	17.2	372	2	2	9	23	43	62	86
35-49	163	16.7	260	2	3	12	22	39	59	99+
50-64	516	15.0	175	2	3	12	19	31	45	99+
65+	709	17.0	196	2	4	13	21	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.8	34	1	1	4	7	12	19	31
B. *Operated*	915	10.6	83	1	2	9	14	21	27	50
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	91	1	2	6	12	19	27	48
B. *Operated*	1472	16.2	204	2	3	13	21	35	48	98
1. SINGLE DX	976	10.3	81	1	2	9	14	21	26	49
2. MULTIPLE DX	1620	15.5	198	2	3	12	20	33	47	96
A. NOT OPERATED	209	8.0	76	1	2	5	10	17	24	42
B. OPERATED	2387	14.1	165	2	2	11	18	29	41	67
TOTAL 0-19 YRS	57	9.1	102	1	2	6	12	22	29	53
20-34	164	11.8	221	1	2	6	15	27	44	78
35-49	319	13.8	182	2	2	10	19	32	41	98
50-64	909	13.1	148	2	3	10	16	27	39	94
65+	1147	14.4	157	2	2	11	19	29	41	68
GRAND TOTAL	**2596**	**13.6**	**161**	**2**	**2**	**10**	**18**	**28**	**40**	**84**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22468	3.0	5	1	1	3	4	5	6	10
20-34	2559	3.5	7	1	1	3	4	6	7	11
35-49	926	4.0	6	1	2	3	5	7	9	13
50-64	640	4.1	6	1	2	4	5	7	8	11
65+	546	4.9	12	1	2	4	6	8	12	17
B. *Operated*										
0-19 YRS	4371	2.2	4	1	1	2	2	3	4	11
20-34	1813	2.5	5	1	1	2	3	4	5	11
35-49	300	3.2	8	1	1	2	3	6	9	14
50-64	178	3.7	10	1	1	3	5	8	9	17
65+	87	3.9	18	1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29010	3.8	8	1	[illegible]	3	5	7	8	13
20-34	5298	4.4	9	1	[illegible]	4	5	7	9	15
35-49	2927	5.4	15	2	2	4	7	10	12	20
50-64	3326	6.3	21	2	2	5	8	11	14	23
65+	4628	7.4	29	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	2743	3.1	12	1	1	2	3	6	9	18
20-34	835	4.5	16	1	2	3	5	10	13	19
35-49	419	6.7	37	1	2	4	9	14	17	31
50-64	495	7.8	42	1	2	6	11	16	20	34
65+	356	10.9	88	2	2	9	14	23	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27139	3.1	6	1	1	3	4	5	7	11
B. *Operated*	6749	2.4	5	1	1	2	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	45189	4.5	13	1	2	4	5	8	10	18
B. *Operated*	4848	4.7	29	1	1	2	6	11	15	28
1. SINGLE DX	33888	3.0	5	1	1	2	4	5	6	11
2. MULTIPLE DX	50037	4.5	15	1	2	4	5	8	11	19
A. NOT OPERATED	72328	4.0	11	1	1	3	5	7	9	16
B. OPERATED	11597	3.4	16	1	1	2	3	7	11	22
TOTAL 0-19 YRS	58592	3.3	7	1	1	3	4	6	7	12
20-34	10505	3.9	9	1	2	3	5	7	9	15
35-49	4572	5.1	16	1	2	4	6	9	12	20
50-64	4639	6.0	22	2	2	5	8	11	14	23
65+	5617	7.3	33	2	3	6	9	14	17	30
GRAND TOTAL	**83925**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20596	4.0	7	1	2	4	5	7	8	12
20-34	1688	4.5	12	2	2	4	5	7	9	15
35-49	1327	5.1	18	2	2	4	6	8	11	19
50-64	1428	5.5	11	2	2	5	7	9	11	17
65+	1420	6.1	16	2	3	5	8	10	13	21
B. *Operated*										
0-19 YRS	75	7.0	25	2	2	6	9	12	16	31
20-34	69	5.2	12	1	2	4	7	10	13	16
35-49	82	6.5	26	1	2	5	9	13	16	24
50-64	108	5.9	16	1	2	5	7	12	15	18
65+	66	6.6	17	2	2	6	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16937	4.9	10	2	2	4	6	8	10	16
20-34	3196	5.4	12	2	2	5	7	9	11	18
35-49	4304	6.5	18	2	3	5	8	11	14	23
50-64	9372	7.4	27	2	3	6	9	13	17	26
65+	15799	8.5	34	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	228	8.5	44	2	3	7	11	15	18	40
20-34	316	8.8	34	2	3	7	12	17	21	32
35-49	502	9.2	43	2	3	8	12	18	21	31
50-64	915	11.1	64	2	3	9	14	22	26	42
65+	1002	13.7	108	3	4	11	17	26	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26459	4.3	9	1	2	4	5	7	9	14
B. *Operated*	400	6.2	20	1	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	49608	6.7	24	2	3	5	8	12	15	25
B. *Operated*	2963	11.2	75	2	3	9	14	22	27	47
1. SINGLE DX	26859	4.3	9	1	2	4	5	7	9	14
2. MULTIPLE DX	52571	6.9	28	2	3	6	8	13	16	27
A. NOT OPERATED	76067	5.9	20	2	2	5	7	11	14	23
B. OPERATED	3363	10.6	71	2	3	9	14	21	26	44
TOTAL 0-19 YRS	37836	4.4	9	1	2	4	5	8	9	14
20-34	5269	5.3	14	2	2	4	6	9	12	19
35-49	6215	6.4	21	2	3	5	8	11	15	24
50-64	11823	7.5	29	2	3	6	9	13	17	27
65+	18287	8.6	38	3	3	7	10	15	19	32
GRAND TOTAL	**79430**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.0	23	1	2	7	11	15	17	17
20-34	51	7.8	20	2	3	7	10	15	16	19
35-49	66	6.1	17	1	2	5	9	12	14	18
50-64	159	5.8	27	1	1	4	9	12	14	24
65+	170	7.8	64	1	1	6	11	15	17	49
B. *Operated*										
0-19 YRS	24	8.9	104	<1	1	7	11	19	31	47
20-34	129	7.1	36	1	2	6	10	15	19	28
35-49	619	9.0	39	1	2	9	12	17	21	27
50-64	2163	9.9	54	1	2	10	13	17	20	34
65+	1779	10.7	65	2	2	10	14	19	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	50	1	1	5	13	18	18	18
20-34	45	9.4	26	1	2	9	12	17	18	24
35-49	110	10.2	64	1	2	9	13	20	25	41
50-64	412	8.6	72	1	2	7	11	16	21	42
65+	764	10.3	72	2	3	8	13	21	27	44
B. *Operated*										
0-19 YRS	27	13.2	146	2	3	9	14	29	43	57
20-34	140	11.8	127	2	2	9	15	22	35	61
35-49	1057	12.7	99	2	3	11	16	24	32	69
50-64	4534	14.0	123	2	3	12	17	27	36	73
65+	5977	16.7	185	2	4	13	21	33	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	6.9	39	1	1	5	10	13	16	29
B. *Operated*	4714	10.0	56	2	2	9	13	18	22	37
2. MULTIPLE DX										
A. *Not Operated*	1336	9.7	70	1	2	8	12	19	25	41
B. *Operated*	11735	15.2	155	2	3	12	19	30	40	79
1. SINGLE DX	5171	9.7	56	2	2	9	13	18	22	37
2. MULTIPLE DX	13071	14.7	149	2	3	12	18	29	39	77
A. NOT OPERATED	1793	9.0	64	1	2	7	12	17	23	39
B. OPERATED	16449	13.7	132	2	2	11	17	26	36	70
TOTAL 0-19 YRS	67	10.4	106	1	2	9	13	19	33	55
20-34	365	9.3	71	1	2	8	12	19	22	44
35-49	1852	11.1	78	2	2	10	14	22	27	53
50-64	7268	12.3	103	2	2	11	15	23	31	61
65+	8690	14.7	156	2	3	12	18	29	39	75
GRAND TOTAL	**18242**	**13.3**	**127**	**2**	**2**	**11**	**17**	**26**	**35**	**69**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	6.4	25	1	2	5	8	14	16	22
20-34	143	5.0	22	1	1	4	6	10	13	27
35-49	215	5.8	27	1	1	5	7	12	15	28
50-64	324	5.2	30	1	1	4	7	11	14	31
65+	396	6.2	37	1	1	5	8	14	17	27
B. *Operated*										
0-19 YRS	105	5.8	26	<1	1	4	8	12	17	23
20-34	256	7.9	85	1	1	5	9	19	24	45
35-49	587	7.2	38	1	2	5	10	15	19	28
50-64	1519	8.6	64	1	2	7	12	18	23	40
65+	1413	10.1	87	1	2	8	14	21	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	6.7	50	2	2	5	8	13	16	39
20-34	255	7.2	84	1	2	5	8	14	19	42
35-49	498	7.5	61	1	2	5	9	15	19	36
50-64	1198	8.0	56	1	2	6	10	16	22	37
65+	2684	10.3	96	2	3	8	13	20	28	56
B. *Operated*										
0-19 YRS	87	12.3	193	1	2	8	16	29	41	68
20-34	347	11.8	155	2	2	8	15	27	43	63
35-49	980	12.0	145	2	2	9	15	24	36	71
50-64	3502	13.8	172	2	2	11	18	30	42	81
65+	5256	17.1	225	2	3	13	23	37	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1324	5.8	30	1	1	4	7	12	16	27
B. *Operated*	3880	8.8	70	1	2	7	12	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	4779	9.2	82	2	2	7	11	18	24	50
B. *Operated*	10172	15.3	200	2	2	11	20	33	45	86
1. SINGLE DX	5204	8.1	62	1	2	6	11	17	22	38
2. MULTIPLE DX	14951	13.3	171	2	2	10	17	29	41	78
A. NOT OPERATED	6103	8.4	73	1	2	6	11	17	23	46
B. OPERATED	14052	13.5	173	2	2	10	18	29	41	77
TOTAL 0-19 YRS	582	7.2	60	1	2	5	9	15	20	39
20-34	1001	8.7	106	1	2	5	10	19	27	54
35-49	2280	9.2	94	2	2	6	12	19	26	51
50-64	6543	11.1	128	2	2	8	14	23	33	65
65+	9749	13.8	175	2	2	10	18	30	41	78
GRAND TOTAL	**20155**	**12.0**	**148**	**2**	**2**	**9**	**15**	**26**	**36**	**70**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	7.2	13	2	3	7	9	12	14	19
20-34	2838	8.0	20	2	3	7	10	13	16	24
35-49	3305	8.7	24	3	4	8	11	14	18	24
50-64	3520	9.0	24	3	4	8	11	15	18	25
65+	2728	9.4	25	3	4	9	12	15	18	27
B. *Operated*										
0-19 YRS	132	8.8	27	2	3	8	11	15	20	26
20-34	989	8.3	28	2	3	8	11	15	18	26
35-49	1060	9.1	37	2	3	8	12	16	19	32
50-64	1032	9.7	35	2	3	9	13	17	20	33
65+	640	10.7	37	3	4	10	14	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	9.0	36	3	4	7	11	17	21	36
20-34	2520	9.5	35	3	4	8	12	16	19	32
35-49	4317	10.2	37	3	4	9	13	17	21	32
50-64	7362	10.7	39	4	5	9	13	18	21	33
65+	9293	11.6	46	4	5	10	14	19	24	36
B. *Operated*										
0-19 YRS	83	12.4	91	2	3	10	16	25	31	47
20-34	1053	11.7	72	2	4	10	14	21	26	46
35-49	1666	12.3	75	3	4	10	15	23	30	43
50-64	2549	13.2	87	3	5	11	16	23	30	51
65+	2760	14.8	102	4	6	12	18	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12774	8.7	23	3	4	8	11	14	17	25
B. *Operated*	3853	9.3	34	2	3	8	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	23750	10.8	41	4	5	10	13	18	22	35
B. *Operated*	8111	13.4	89	3	5	11	16	24	31	50
1. SINGLE DX	16627	8.9	26	3	4	8	11	15	18	26
2. MULTIPLE DX	31861	11.5	55	4	5	10	14	20	25	41
A. NOT OPERATED	36524	10.1	36	3	4	9	12	17	21	32
B. OPERATED	11964	12.1	75	3	4	10	15	22	28	47
TOTAL 0-19 YRS	856	8.5	32	2	3	7	10	15	19	35
20-34	7400	9.1	35	2	3	8	11	16	19	30
35-49	10348	9.9	40	3	4	9	12	17	21	34
50-64	14463	10.6	45	3	4	9	13	18	22	36
65+	15421	11.7	55	4	5	10	14	20	25	41
GRAND TOTAL	**48488**	**10.6**	**46**	**3**	**4**	**9**	**13**	**18**	**22**	**36**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	6	1	1	3	5	7	8	8
20-34	99	6.8	74	<1	1	4	7	14	27	47
35-49	183	7.2	28	<1	1	6	10	14	18	25
50-64	308	10.5	87	1	3	8	13	22	28	51
65+	483	12.9	106	2	3	10	16	25	34	58
B. *Operated*										
0-19 YRS	194	3.9	5	2	2	4	5	6	8	12
20-34	3580	4.5	11	2	2	4	5	7	8	16
35-49	5246	5.1	13	2	3	4	6	8	10	21
50-64	4337	6.2	32	2	3	5	7	10	16	34
65+	1354	11.4	134	3	3	6	14	29	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.4	52	1	1	7	11	20	25	27
20-34	142	6.8	58	<1	<1	4	9	17	23	38
35-49	378	8.8	69	1	1	7	11	17	25	43
50-64	872	11.6	104	2	3	9	14	22	30	62
65+	2356	14.6	120	3	4	12	19	28	36	59
B. *Operated*										
0-19 YRS	30	5.8	20	2	2	4	7	12	13	22
20-34	959	5.9	21	2	2	5	7	10	15	26
35-49	2051	7.6	56	2	3	5	8	14	20	37
50-64	2709	9.7	88	3	3	6	11	20	28	51
65+	1938	19.0	261	3	4	14	26	40	54	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1080	10.6	90	1	2	8	14	22	29	48
B. *Operated*	14711	5.8	33	2	3	4	6	9	15	34
2. MULTIPLE DX										
A. *Not Operated*	3763	13.0	114	2	3	10	16	26	34	57
B. *Operated*	7687	11.0	138	3	3	6	13	25	35	62
1. SINGLE DX	15791	6.2	38	2	3	4	6	11	17	35
2. MULTIPLE DX	11450	11.7	131	2	3	8	14	26	35	61
A. NOT OPERATED	4843	12.5	109	2	3	10	16	25	32	56
B. OPERATED	22398	7.6	75	2	3	5	8	15	24	47
TOTAL 0-19 YRS	246	4.4	10	2	2	4	5	7	10	20
20-34	4780	4.9	17	2	2	4	5	8	10	21
35-49	7858	6.0	29	2	3	5	6	10	15	28
50-64	8226	8.1	64	2	3	5	9	16	24	44
65+	6131	15.2	175	3	4	11	20	32	42	68
GRAND TOTAL	**27241**	**8.5**	**84**	**2**	**3**	**5**	**9**	**18**	**27**	**49**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.8	2	1	1	2	4	5	5	7
20-34	490	3.2	5	1	1	3	4	6	7	12
35-49	603	3.3	7	1	1	3	4	6	8	12
50-64	414	3.3	5	1	1	3	4	6	8	11
65+	279	4.3	9	1	1	3	6	8	10	15
B. *Operated*										
0-19 YRS	166	4.6	5	1	2	5	6	7	8	11
20-34	2741	5.2	9	2	3	5	6	8	9	13
35-49	3340	5.5	9	3	3	5	6	8	10	15
50-64	2224	5.6	10	3	3	5	7	9	10	15
65+	723	5.9	10	2	3	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.8	6	1	1	3	5	7	8	12
20-34	793	4.3	9	1	1	4	5	8	9	15
35-49	1336	4.6	11	1	2	4	6	8	10	17
50-64	1558	5.0	20	1	2	4	6	9	12	18
65+	1615	5.9	23	1	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	415	5.1	6	2	3	5	6	8	9	15
20-34	9501	5.7	9	3	3	5	7	8	10	15
35-49	13589	6.1	10	3	3	5	7	9	11	17
50-64	10561	6.7	15	3	3	6	8	11	14	21
65+	4383	8.1	31	3	4	7	10	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1863	3.4	6	1	1	3	4	6	8	12
B. *Operated*	9194	5.5	9	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	5388	5.0	17	1	2	4	6	9	12	20
B. *Operated*	38449	6.4	14	3	3	6	7	10	13	20
1. SINGLE DX	11057	5.1	9	2	2	5	6	8	10	14
2. MULTIPLE DX	43837	6.2	15	2	3	5	7	10	13	20
A. NOT OPERATED	7251	4.6	15	1	1	4	6	9	11	19
B. OPERATED	47643	6.2	13	3	3	5	7	10	12	20
TOTAL 0-19 YRS	744	4.6	6	1	2	4	6	7	8	13
20-34	13525	5.4	9	2	3	5	6	8	10	15
35-49	18868	5.8	10	2	3	5	7	9	11	17
50-64	14757	6.3	15	2	3	5	7	10	13	20
65+	7000	7.2	28	2	3	6	9	13	17	27
GRAND TOTAL	**54894**	**6.0**	**14**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	4.6	10	1	1	4	6	9	11	15
20-34	456	6.4	19	1	2	5	8	12	15	21
35-49	510	7.2	30	1	2	6	10	14	16	26
50-64	647	7.1	46	1	2	6	9	13	17	34
65+	767	7.4	27	1	2	6	10	14	17	26
B. *Operated*										
0-19 YRS	550	3.5	8	1	2	3	4	5	8	16
20-34	2014	3.7	17	1	1	3	4	7	11	20
35-49	832	6.0	52	1	2	3	8	13	18	35
50-64	624	8.2	51	1	2	7	11	16	20	34
65+	512	10.2	68	1	2	8	14	21	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	4.5	11	1	1	4	5	9	12	16
20-34	854	7.1	42	1	2	6	9	14	17	27
35-49	1446	8.0	46	2	2	6	10	15	20	32
50-64	3025	8.4	48	2	2	7	11	16	21	33
65+	5682	9.3	57	2	3	7	12	18	23	40
B. *Operated*										
0-19 YRS	269	6.5	73	1	2	4	7	14	20	44
20-34	1966	4.9	40	1	1	3	5	10	16	40
35-49	1345	9.3	102	1	1	6	12	21	28	57
50-64	1867	13.4	150	2	2	10	17	29	39	69
65+	2322	15.8	175	2	4	12	20	32	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2574	6.9	30	1	2	6	9	13	16	27
B. *Operated*	4532	5.5	38	1	2	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	11280	8.6	52	2	2	7	11	16	21	36
B. *Operated*	7769	11.0	137	1	2	8	15	24	35	65
1. SINGLE DX	7106	6.0	36	1	2	4	8	13	16	28
2. MULTIPLE DX	19049	9.6	88	1	2	7	12	20	26	51
A. NOT OPERATED	13854	8.3	48	2	2	7	11	16	20	35
B. OPERATED	12301	9.0	108	1	2	5	12	20	29	57
TOTAL 0-19 YRS	1286	4.5	24	1	2	3	5	9	12	21
20-34	5290	4.9	31	1	1	3	6	11	14	26
35-49	4133	7.9	65	1	2	6	10	16	22	40
50-64	6163	9.8	85	2	2	7	12	19	26	50
65+	9283	10.8	93	2	3	8	14	21	28	55
GRAND TOTAL	**26155**	**8.6**	**77**	**1**	**2**	**6**	**11**	**18**	**24**	**47**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.2	3	<1	<1	2	3	4	4	12
20-34	76	2.2	1	<1	<1	2	3	4	4	6
35-49	48	2.3	3	<1	<1	2	3	4	4	11
50-64	22	2.1	1	<1	1	2	3	3	4	4
65+	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	3657	2.7	6	1	1	2	3	4	5	6
20-34	7714	2.6	5	1	1	2	3	4	4	6
35-49	3293	2.6	3	1	1	2	3	4	5	6
50-64	1712	2.7	3	1	1	2	3	4	5	8
65+	359	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	1.7	2	<1	<1	1	2	4	4	6
20-34	202	2.3	2	<1	1	2	3	4	5	9
35-49	129	3.2	67	<1	<1	2	3	4	7	30
50-64	77	3.1	6	<1	1	3	4	6	8	13
65+	30	4.4	11	<1	<1	4	6	8	12	15
B. *Operated*										
0-19 YRS	4243	2.9	5	1	2	3	3	4	5	8
20-34	10398	2.9	3	1	2	3	3	4	5	9
35-49	5558	3.1	7	1	2	3	4	4	5	10
50-64	3263	3.3	10	1	2	3	4	5	6	12
65+	746	3.4	6	1	2	3	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.2	2	<1	<1	2	3	4	4	8
B. *Operated*	16735	2.6	5	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	514	2.7	20	<1	<1	2	3	5	7	12
B. *Operated*	24208	3.0	5	1	2	3	3	4	5	10
1. SINGLE DX	16943	2.6	5	1	1	2	3	4	5	6
2. MULTIPLE DX	24722	3.0	6	1	2	3	3	4	5	10
A. NOT OPERATED	722	2.6	15	<1	<1	2	3	4	6	12
B. OPERATED	40943	2.8	5	1	1	3	3	4	5	9
TOTAL 0-19 YRS	8034	2.8	5	1	1	3	3	4	5	7
20-34	18390	2.8	4	1	1	3	3	4	5	8
35-49	9028	2.9	6	1	1	3	3	4	5	9
50-64	5074	3.1	8	1	2	3	3	5	6	11
65+	1139	3.2	5	1	2	3	4	5	7	14
GRAND TOTAL	**41665**	**2.8**	**5**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	9	2	2	4	6	9	10	10
20-34	8	3.1	3	1	1	3	4	5	6	6
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	14	2.5	2	1	1	2	3	4	6	6
65+	9	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	201	2.1	2	<1	1	2	2	3	4	8
20-34	386	2.4	3	<1	1	2	3	4	5	7
35-49	509	2.4	3	<1	1	2	3	4	5	7
50-64	696	2.4	4	1	1	2	3	4	5	10
65+	421	2.4	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	8	<1	<1	1	3	5	10	12
20-34	30	2.7	4	<1	<1	2	4	6	7	7
35-49	36	3.9	10	<1	1	3	6	8	11	13
50-64	48	3.7	9	<1	1	3	5	9	11	13
65+	33	4.2	14	1	1	3	5	9	14	15
B. *Operated*										
0-19 YRS	357	2.9	13	1	1	2	3	5	6	12
20-34	775	3.0	4	1	1	3	4	5	6	12
35-49	1026	3.0	8	1	1	3	4	5	6	10
50-64	1323	3.1	5	1	1	3	4	5	6	12
65+	757	3.5	8	1	2	3	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.7	3	1	1	2	3	5	6	10
B. *Operated*	2213	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	164	3.5	9	<1	1	3	5	8	11	14
B. *Operated*	4238	3.1	7	1	1	3	4	5	6	12
1. SINGLE DX	2258	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	4402	3.2	7	1	1	3	4	5	7	13
A. NOT OPERATED	209	3.4	8	<1	1	2	4	7	10	14
B. OPERATED	6451	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	582	2.7	9	1	1	2	3	4	5	12
20-34	1199	2.8	4	1	1	2	3	5	6	11
35-49	1578	2.8	6	1	1	2	3	4	5	10
50-64	2081	2.9	5	1	1	2	3	5	6	12
65+	1220	3.1	7	1	1	2	4	5	7	15
GRAND TOTAL	**6660**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1470	2.0	10	<1	<1	2	2	3	4	11
20-34	327	2.2	2	<1	1	2	3	3	4	8
35-49	46	2.3	2	<1	<1	2	3	4	5	8
50-64	11	3.5	10	<1	<1	2	5	8	12	12
65+	7	3.3	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	96380	1.9	3	1	1	2	2	2	3	4
20-34	23414	2.2	3	1	1	2	2	3	4	6
35-49	2011	2.4	6	1	1	2	3	3	4	7
50-64	421	2.4	3	1	1	2	3	4	5	12
65+	255	2.3	4	1	1	2	2	3	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2347	1.8	4	<1	<1	1	2	3	5	11
20-34	269	2.3	4	<1	<1	1	3	5	6	8
35-49	37	3.6	14	1	1	3	4	6	11	21
50-64	20	5.3	13	1	1	5	7	11	12	13
65+	22	6.4	13	2	3	5	9	10	14	18
B. *Operated*										
0-19 YRS	53778	1.8	4	<1	1	2	2	2	3	5
20-34	3902	2.6	3	1	1	2	3	4	5	10
35-49	586	3.2	11	1	2	2	3	5	8	17
50-64	239	3.8	32	1	1	2	4	7	10	43
65+	153	3.4	28	<1	1	2	3	8	11	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1861	2.1	8	<1	<1	2	2	3	4	11
B. *Operated*	122481	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	2695	1.9	5	<1	<1	1	2	4	5	11
B. *Operated*	58658	1.9	4	<1	1	2	2	2	3	7
1. SINGLE DX	124342	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX	61353	1.9	4	<1	1	2	2	2	3	7
A. NOT OPERATED	4556	2.0	6	<1	<1	1	2	3	5	11
B. OPERATED	181139	1.9	3	1	1	2	2	3	3	6
TOTAL 0-19 YRS	153975	1.9	3	<1	1	2	2	2	3	5
20-34	27912	2.3	3	1	1	2	2	3	4	7
35-49	2680	2.6	7	1	1	2	3	4	5	11
50-64	691	3.0	14	1	1	2	3	5	8	17
65+	437	2.9	14	1	1	2	3	6	10	23
GRAND TOTAL	**185695**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2229	3.2	9	1	1	3	4	5	7	11
20-34	1486	3.4	5	1	1	3	4	5	7	12
35-49	755	3.3	8	1	1	3	4	6	8	15
50-64	580	3.2	7	1	1	2	4	6	8	13
65+	287	3.5	13	1	1	2	4	7	9	19
B. *Operated*										
0-19 YRS	2624	2.7	8	<1	1	2	3	4	6	11
20-34	4686	2.6	4	1	1	2	3	4	6	10
35-49	4157	2.6	5	1	1	2	3	4	6	12
50-64	4226	2.5	4	1	1	2	3	4	5	11
65+	1800	2.8	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1990	4.1	10	1	1	3	5	7	9	15
20-34	1403	4.6	11	1	2	4	6	8	10	16
35-49	1241	5.1	15	1	2	4	6	9	12	22
50-64	1130	5.5	20	1	2	4	7	10	15	22
65+	992	6.4	30	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	2183	3.1	12	1	1	2	3	5	8	15
20-34	3984	3.5	10	1	1	3	4	6	8	16
35-49	3492	3.8	17	1	1	3	4	7	11	21
50-64	3837	4.4	33	1	2	3	4	8	13	27
65+	2064	5.9	65	1	2	3	6	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5337	3.3	8	1	1	3	4	6	7	13
B. *Operated*	17493	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	6756	5.0	17	1	2	4	6	9	12	20
B. *Operated*	15560	4.1	25	1	1	3	4	8	11	26
1. SINGLE DX	22830	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX	22316	4.3	23	1	1	3	5	8	12	23
A. NOT OPERATED	12093	4.2	13	1	1	3	5	8	10	18
B. OPERATED	33053	3.3	15	1	1	2	3	6	8	20
TOTAL 0-19 YRS	9026	3.2	10	1	1	2	4	6	7	13
20-34	11559	3.3	7	1	1	3	4	6	7	13
35-49	9645	3.4	12	1	1	2	4	6	9	17
50-64	9773	3.6	19	1	1	2	4	7	10	21
65+	5143	4.8	38	1	2	3	5	10	15	31
GRAND TOTAL	**45146**	**3.5**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42117	5.0	10	2	2	4	6	8	10	15
20-34	8437	5.6	10	2	3	5	7	9	11	16
35-49	5813	6.4	16	2	3	6	8	11	13	19
50-64	5855	7.2	19	3	3	6	9	12	15	23
65+	7348	8.3	28	3	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	268	7.8	46	1	2	6	10	17	20	30
20-34	239	9.0	41	2	3	7	13	17	21	32
35-49	443	10.0	50	2	2	9	13	19	23	38
50-64	718	10.0	52	1	2	9	14	18	23	34
65+	546	11.7	75	2	2	10	16	22	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32816	5.7	16	2	2	5	7	10	12	20
20-34	7536	6.9	25	2	3	6	8	12	15	26
35-49	8627	8.1	30	3	3	7	10	14	17	28
50-64	17739	9.2	37	3	4	8	11	16	20	32
65+	46160	11.5	65	4	5	10	14	20	26	43
B. *Operated*										
0-19 YRS	873	12.4	88	3	4	10	16	23	31	47
20-34	841	13.8	107	3	4	11	18	26	35	66
35-49	1424	16.0	163	4	5	13	19	30	42	80
50-64	3165	16.1	139	4	5	13	20	31	40	70
65+	5501	19.7	195	5	7	16	24	38	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69570	5.7	14	2	2	5	7	10	12	19
B. *Operated*	2214	10.0	56	2	2	9	14	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	112878	8.9	47	2	3	7	11	16	21	35
B. *Operated*	11804	17.3	168	4	6	14	22	33	44	78
1. SINGLE DX	71784	5.8	16	2	2	5	7	10	13	20
2. MULTIPLE DX	124682	9.7	65	2	3	8	12	18	24	43
A. NOT OPERATED	182448	7.7	37	2	3	6	9	14	18	31
B. OPERATED	14018	16.2	157	3	5	13	20	31	42	73
TOTAL 0-19 YRS	76074	5.4	14	2	2	5	7	9	11	19
20-34	17053	6.6	25	2	3	5	8	11	15	26
35-49	16307	8.2	44	2	3	7	10	14	19	36
50-64	27477	9.6	52	3	4	8	12	17	22	39
65+	59555	11.9	80	3	4	10	14	22	28	51
GRAND TOTAL	**196466**	**8.3**	**50**	**2**	**3**	**6**	**10**	**16**	**21**	**37**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1455	3.2	7	1	1	3	4	5	7	11
20-34	951	3.3	4	1	1	3	4	6	7	10
35-49	507	4.0	6	1	2	3	5	7	8	12
50-64	476	4.8	16	2	2	4	6	8	10	16
65+	529	4.8	9	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	18	3.5	4	1	2	3	5	7	7	7
20-34	15	3.8	7	1	1	3	5	8	9	9
35-49	9	3.9	2	2	2	4	5	6	6	6
50-64	5	5.8	9	2	2	6	8	10	10	10
65+	8	18.6	67	6	7	20	25	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1747	3.7	7	1	1	3	5	6	8	13
20-34	1552	4.2	15	1	2	3	5	7	9	15
35-49	1037	5.3	17	2	2	4	6	9	11	21
50-64	1496	6.1	21	2	2	5	8	11	14	23
65+	2654	7.3	29	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	32	9.1	121	1	2	6	9	22	41	46
20-34	54	7.6	49	2	2	6	9	14	17	41
35-49	52	10.5	63	2	4	8	13	19	29	41
50-64	78	10.4	37	3	4	10	12	19	23	32
65+	122	13.9	108	4	5	10	18	28	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3918	3.7	8	1	1	3	5	7	8	13
B. *Operated*	55	6.1	41	1	2	4	7	14	23	28
2. MULTIPLE DX										
A. *Not Operated*	8486	5.5	21	1	2	4	7	10	13	24
B. *Operated*	338	11.1	81	2	3	9	14	22	30	44
1. SINGLE DX	3973	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX	8824	5.8	24	2	2	4	7	11	14	26
A. NOT OPERATED	12404	5.0	18	1	2	4	6	9	12	22
B. OPERATED	393	10.4	78	2	2	8	13	22	29	44
TOTAL 0-19 YRS	3252	3.5	8	1	1	3	4	6	7	13
20-34	2572	4.0	12	1	2	3	5	7	9	14
35-49	1605	5.0	16	2	2	4	6	9	11	19
50-64	2055	6.0	21	2	2	5	7	11	14	22
65+	3313	7.2	32	2	3	6	9	13	17	29
GRAND TOTAL	**12797**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7623	3.9	11	1	2	3	5	7	8	12
20-34	927	4.5	11	1	2	4	6	8	9	13
35-49	1006	5.5	18	2	2	4	7	10	12	21
50-64	1801	6.4	19	2	3	5	8	11	14	22
65+	1804	7.2	29	2	3	6	9	13	15	28
B. *Operated*										
0-19 YRS	114	4.2	22	<1	1	2	5	10	15	23
20-34	191	4.2	13	1	1	3	5	9	11	20
35-49	321	4.7	17	1	1	3	6	10	12	23
50-64	518	4.6	17	1	1	3	6	9	13	22
65+	301	6.5	52	1	1	4	8	15	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6093	4.6	12	1	2	4	6	8	10	16
20-34	1906	5.5	14	2	2	5	7	10	12	21
35-49	2962	6.5	21	2	3	5	8	12	15	24
50-64	7288	7.9	35	2	3	7	10	14	18	31
65+	11743	9.1	44	3	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	161	8.2	72	2	2	6	10	14	22	45
20-34	336	7.3	35	2	2	6	9	14	18	32
35-49	779	8.1	56	1	2	6	10	16	22	34
50-64	1680	9.7	79	2	2	7	12	20	27	52
65+	1685	12.2	113	2	3	10	15	24	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13161	4.8	17	1	2	4	6	9	11	18
B. *Operated*	1445	4.9	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	29992	7.4	34	2	3	6	9	14	18	30
B. *Operated*	4641	10.1	87	2	2	8	13	21	27	53
1. SINGLE DX	14606	4.8	18	1	2	4	6	9	11	20
2. MULTIPLE DX	34633	7.8	42	2	3	6	10	15	19	34
A. NOT OPERATED	43153	6.6	30	2	2	5	8	12	16	28
B. OPERATED	6086	8.9	77	1	2	7	11	19	25	47
TOTAL 0-19 YRS	13991	4.2	12	1	2	4	5	7	9	14
20-34	3360	5.3	16	2	2	4	6	9	12	22
35-49	5068	6.4	26	2	2	5	8	12	15	26
50-64	11287	7.8	40	2	3	6	9	14	19	33
65+	15533	9.2	51	2	3	7	11	17	22	39
GRAND TOTAL	**49239**	**6.9**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	26	<1	1	3	6	13	18	19
20-34	19	6.2	17	2	2	5	8	14	15	15
35-49	144	5.9	25	1	2	5	7	11	15	26
50-64	693	7.1	31	2	2	6	9	13	17	30
65+	1004	8.3	55	2	2	6	10	15	20	38
B. *Operated*										
0-19 YRS	12	8.8	39	1	2	7	15	16	17	17
20-34	22	15.2	373	5	6	10	15	24	54	98
35-49	47	10.7	84	2	2	10	16	17	22	55
50-64	75	9.5	55	1	2	7	14	20	25	85
65+	33	11.2	97	1	2	9	15	25	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.0	33	1	1	4	7	13	17	28
20-34	66	6.0	19	1	2	5	8	11	12	26
35-49	634	7.9	36	2	3	6	10	14	20	33
50-64	3692	9.0	51	2	3	7	11	17	22	37
65+	6990	10.3	67	3	3	8	13	19	25	44
B. *Operated*										
0-19 YRS	17	11.4	86	1	2	9	13	20	31	32
20-34	63	13.3	170	2	5	10	14	25	37	83
35-49	172	13.7	109	4	5	11	16	26	40	64
50-64	536	15.5	189	3	5	12	18	29	42	81
65+	799	17.1	197	3	5	13	22	35	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1874	7.6	44	2	2	6	9	14	19	34
B. *Operated*	189	10.7	106	2	2	9	15	20	26	81
2. MULTIPLE DX										
A. *Not Operated*	11411	9.7	60	2	3	8	12	18	24	41
B. *Operated*	1587	16.0	184	3	5	12	20	32	44	82
1. SINGLE DX	2063	7.9	50	2	2	6	10	15	19	36
2. MULTIPLE DX	12998	10.5	79	3	3	8	13	20	27	48
A. NOT OPERATED	13285	9.4	58	2	3	7	12	18	23	41
B. OPERATED	1776	15.4	178	3	4	12	19	31	43	82
TOTAL 0-19 YRS	72	7.5	50	1	1	5	11	16	25	31
20-34	170	9.9	133	2	3	7	11	16	25	81
35-49	997	8.7	55	2	3	7	11	17	23	43
50-64	4996	9.5	68	2	3	7	12	18	24	44
65+	8826	10.7	82	2	3	8	13	21	27	49
GRAND TOTAL	**15061**	**10.1**	**76**	**2**	**3**	**8**	**12**	**19**	**26**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23490	3.8	6	1	2	3	5	6	8	11
20-34	6790	4.5	10	1	2	4	6	8	10	14
35-49	5609	5.4	13	1	2	5	7	10	12	18
50-64	5864	6.3	19	2	2	5	8	11	13	21
65+	3665	6.7	19	2	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	69	5.1	11	2	2	4	6	9	11	19
20-34	91	6.1	15	2	2	5	9	11	13	18
35-49	122	6.5	27	1	2	5	8	12	17	27
50-64	117	8.6	99	1	2	6	11	19	21	51
65+	54	8.8	27	2	3	7	11	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13217	4.6	9	2	2	4	6	8	10	15
20-34	5483	5.5	16	2	2	5	7	10	12	21
35-49	7118	6.9	26	2	3	6	9	12	15	24
50-64	12071	7.9	32	2	3	7	10	14	17	29
65+	12531	8.9	38	3	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	202	9.2	79	2	3	7	11	17	26	65
20-34	344	10.4	59	2	3	8	13	19	25	39
35-49	575	11.8	81	3	4	10	14	21	28	40
50-64	830	13.5	115	3	4	11	17	24	32	72
65+	708	16.5	158	4	6	13	20	32	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45418	4.7	12	1	2	4	6	8	10	16
B. *Operated*	453	7.0	43	1	2	6	9	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	50420	6.9	28	2	2	6	9	13	16	27
B. *Operated*	2659	13.2	115	3	4	11	16	25	33	66
1. SINGLE DX	45871	4.7	12	1	2	4	6	8	10	16
2. MULTIPLE DX	53079	7.2	34	2	2	6	9	13	17	30
A. NOT OPERATED	95838	5.8	21	2	2	5	7	11	14	23
B. OPERATED	3112	12.3	109	2	3	10	15	24	31	63
TOTAL 0-19 YRS	36978	4.1	8	1	2	4	5	7	8	13
20-34	12708	5.1	15	1	2	4	6	9	11	19
35-49	13424	6.5	25	2	2	5	8	12	15	24
50-64	18882	7.7	34	2	3	6	10	14	17	29
65+	16958	8.7	43	2	3	7	11	16	20	34
GRAND TOTAL	**98950**	**6.0**	**25**	**2**	**2**	**5**	**7**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	4.9	22	1	1	4	6	9	13	27
20-34	149	5.3	13	2	2	4	7	10	13	15
35-49	677	6.3	21	2	2	5	8	12	14	23
50-64	3259	7.8	42	2	3	6	9	14	18	35
65+	4409	8.3	42	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	56	5.2	27	1	1	2	8	13	15	23
20-34	77	7.4	35	1	2	6	11	15	18	28
35-49	139	7.2	48	1	1	5	9	15	19	38
50-64	356	8.7	72	2	2	7	11	17	25	48
65+	261	9.6	78	2	2	7	12	20	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	6.8	34	2	2	5	9	12	16	42
20-34	395	7.1	42	1	2	5	9	13	19	32
35-49	2793	7.9	39	2	3	6	10	14	19	32
50-64	16866	9.2	55	2	3	7	11	17	22	40
65+	30574	10.2	63	3	3	8	13	19	25	42
B. *Operated*										
0-19 YRS	51	7.0	37	1	1	5	11	14	21	26
20-34	143	8.8	50	1	2	6	12	18	25	30
35-49	571	11.9	103	2	3	9	16	25	33	93
50-64	2367	14.6	182	3	4	11	18	31	44	84
65+	3528	16.5	186	3	5	13	21	34	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8624	7.8	40	2	3	6	10	14	19	33
B. *Operated*	889	8.4	65	1	2	6	11	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	50853	9.7	60	3	3	8	12	18	23	41
B. *Operated*	6660	15.2	177	3	4	11	19	32	43	84
1. SINGLE DX	9513	7.9	43	2	3	6	10	15	19	33
2. MULTIPLE DX	57513	10.3	76	3	3	8	13	19	26	48
A. NOT OPERATED	59477	9.4	57	2	3	8	12	17	23	40
B. OPERATED	7549	14.4	169	2	3	11	18	30	41	82
TOTAL 0-19 YRS	462	6.1	31	1	2	4	8	12	15	29
20-34	764	7.1	39	1	2	5	9	14	19	30
35-49	4180	8.1	47	2	3	6	10	15	21	37
50-64	22848	9.6	70	2	3	7	11	18	24	48
65+	38772	10.5	76	3	3	8	13	20	27	47
GRAND TOTAL	**67026**	**10.0**	**72**	**2**	**3**	**8**	**12**	**19**	**25**	**47**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	3.6	8	1	1	3	5	6	8	13
20-34	940	4.0	8	1	1	3	5	7	9	14
35-49	258	4.8	13	1	1	4	6	8	10	17
50-64	127	5.9	24	1	2	5	8	11	13	57
65+	58	5.8	14	2	2	5	7	9	14	22
B. *Operated*										
0-19 YRS	628	7.0	26	2	3	6	9	13	15	22
20-34	2406	6.7	22	2	3	5	8	12	15	22
35-49	819	7.3	27	3	3	6	9	14	17	27
50-64	340	8.4	38	3	3	7	10	16	21	31
65+	242	9.9	81	3	4	8	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.7	9	1	2	4	6	8	10	16
20-34	229	5.4	15	1	2	4	7	10	12	22
35-49	138	6.0	18	1	2	5	7	13	16	21
50-64	243	8.4	44	2	3	7	11	16	20	32
65+	343	11.0	75	3	4	8	13	21	29	47
B. *Operated*										
0-19 YRS	194	10.8	62	3	3	9	14	21	27	38
20-34	757	10.1	55	3	4	8	13	19	22	37
35-49	502	11.0	65	3	4	9	14	20	26	45
50-64	764	13.2	106	3	4	11	16	26	35	59
65+	921	15.1	139	3	4	12	20	31	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1696	4.2	11	1	1	4	5	8	10	16
B. *Operated*	4435	7.2	28	2	3	6	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1037	8.0	47	2	2	6	10	15	20	36
B. *Operated*	3138	12.5	98	3	4	10	16	25	32	51
1. SINGLE DX	6131	6.3	25	2	2	5	8	12	15	24
2. MULTIPLE DX	4175	11.4	89	3	3	9	14	23	30	49
A. NOT OPERATED	2733	5.6	28	1	2	4	7	11	15	27
B. OPERATED	7573	9.4	64	3	3	7	12	18	24	41
TOTAL 0-19 YRS	1219	6.5	31	1	2	5	8	13	17	27
20-34	4332	6.6	28	2	2	5	8	12	16	25
35-49	1717	7.9	40	2	3	6	10	15	19	35
50-64	1474	10.6	80	3	3	8	13	21	29	49
65+	1564	13.0	118	3	4	10	17	27	34	53
GRAND TOTAL	**10306**	**8.4**	**57**	**2**	**3**	**6**	**10**	**17**	**22**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1725	4.1	12	1	1	3	5	8	10	19
20-34	1207	4.2	14	1	1	3	5	8	11	17
35-49	1121	4.8	19	1	1	4	6	9	12	22
50-64	1347	5.7	25	1	2	4	7	11	15	24
65+	1580	7.0	32	1	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	307	7.0	54	1	1	5	9	16	22	40
20-34	666	8.4	60	1	2	7	11	17	22	35
35-49	974	8.5	53	1	2	7	11	17	22	39
50-64	1589	8.9	72	1	2	7	12	19	25	41
65+	1257	9.0	81	1	2	6	12	19	26	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2450	5.4	28	1	2	4	7	10	14	28
20-34	1977	5.9	28	1	2	4	7	12	16	28
35-49	2845	6.9	33	1	2	5	8	13	17	29
50-64	7011	8.3	45	2	3	7	10	16	20	35
65+	15291	10.4	70	2	3	8	13	20	25	44
B. *Operated*										
0-19 YRS	494	10.8	146	1	1	8	14	24	31	82
20-34	1006	11.0	105	2	2	8	15	23	31	57
35-49	1845	13.0	141	2	3	10	17	26	36	64
50-64	4044	13.3	146	2	3	10	17	28	37	70
65+	5064	15.4	163	2	3	12	20	32	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6980	5.2	22	1	1	4	7	10	13	23
B. *Operated*	4793	8.7	68	1	2	7	12	18	24	40
2. MULTIPLE DX										
A. *Not Operated*	29574	8.8	57	2	2	7	11	17	23	39
B. *Operated*	12453	13.8	151	2	3	11	18	29	38	69
1. SINGLE DX	11773	6.6	44	1	1	5	8	14	19	33
2. MULTIPLE DX	42027	10.3	90	2	3	8	13	21	28	51
A. NOT OPERATED	36554	8.2	53	1	2	6	10	16	21	37
B. OPERATED	17246	12.4	133	2	2	9	16	26	35	63
TOTAL 0-19 YRS	4976	5.6	39	1	1	4	7	11	16	31
20-34	4856	6.9	51	1	2	5	9	15	20	36
35-49	6785	8.4	72	1	2	6	10	17	23	45
50-64	13991	9.6	82	2	2	7	12	19	26	48
65+	23192	11.2	94	2	3	9	14	22	29	51
GRAND TOTAL	**53800**	**9.5**	**82**	**2**	**2**	**7**	**12**	**20**	**26**	**48**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	2.6	7	<1	<1	2	3	5	6	11
20-34	366	2.9	8	<1	1	2	3	6	7	18
35-49	170	3.7	30	<1	1	2	5	7	8	19
50-64	104	3.6	16	<1	1	2	4	7	10	23
65+	72	5.8	137	<1	1	3	6	8	13	82
B. *Operated*										
0-19 YRS	19089	1.9	2	<1	1	2	2	2	3	6
20-34	15089	2.1	4	<1	1	2	2	3	4	7
35-49	4174	2.4	5	1	1	2	2	4	5	9
50-64	2787	2.5	5	1	1	2	3	4	5	11
65+	895	2.9	10	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	553	3.2	16	<1	<1	2	4	6	8	14
20-34	543	3.8	16	<1	<1	2	5	8	10	28
35-49	376	5.0	27	<1	1	3	6	10	14	28
50-64	369	5.0	27	1	1	4	6	10	13	30
65+	307	5.8	27	1	1	4	8	11	14	28
B. *Operated*										
0-19 YRS	5974	2.4	8	1	1	2	2	4	5	11
20-34	8406	2.6	6	1	1	2	3	4	6	13
35-49	5368	2.9	10	1	1	2	3	5	7	14
50-64	5422	3.3	15	1	2	2	3	6	8	18
65+	2710	4.0	21	1	2	3	4	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1092	3.2	21	<1	1	2	4	6	8	19
B. *Operated*	42034	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	2148	4.3	23	<1	1	3	5	9	12	26
B. *Operated*	27880	2.9	10	1	1	2	3	5	7	16
1. SINGLE DX	43126	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX	30028	3.0	11	1	1	2	3	5	7	17
A. NOT OPERATED	3240	4.0	22	<1	1	3	5	8	11	23
B. OPERATED	69914	2.4	6	1	1	2	2	4	5	12
TOTAL 0-19 YRS	25996	2.0	4	<1	1	2	2	3	4	8
20-34	24404	2.3	5	1	1	2	2	4	5	10
35-49	10088	2.8	9	1	1	2	3	4	6	14
50-64	8682	3.1	12	1	1	2	3	5	8	17
65+	3984	3.9	21	1	2	2	4	8	11	25
GRAND TOTAL	**73154**	**2.5**	**7**	**1**	**1**	**2**	**2**	**4**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	3.7	5	1	1	3	5	6	7	12
20-34	224	4.3	6	1	2	4	5	7	9	13
35-49	129	4.1	6	1	1	4	6	7	8	13
50-64	158	4.4	8	1	1	4	6	8	10	16
65+	146	5.3	16	1	1	4	7	9	14	19
B. *Operated*										
0-19 YRS	881	2.6	6	<1	1	2	3	5	7	12
20-34	862	3.4	10	1	1	3	4	6	8	13
35-49	840	3.4	11	1	1	3	4	6	7	16
50-64	987	3.4	6	1	1	3	4	6	7	13
65+	683	3.7	8	1	2	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	661	4.4	8	1	2	4	6	7	9	15
20-34	248	5.0	17	1	2	4	6	9	11	28
35-49	218	6.5	29	1	2	5	7	13	17	34
50-64	370	6.6	30	1	2	5	8	12	16	27
65+	569	8.8	54	2	3	7	11	17	21	37
B. *Operated*										
0-19 YRS	412	3.5	8	1	1	3	4	7	9	15
20-34	583	4.2	19	1	2	3	4	8	11	26
35-49	621	4.6	23	1	2	3	5	9	11	23
50-64	944	5.2	25	1	2	4	6	10	13	25
65+	922	6.9	54	2	2	4	8	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1118	4.2	7	1	1	4	5	7	9	15
B. *Operated*	4253	3.3	8	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	2066	6.3	31	1	2	5	7	12	16	28
B. *Operated*	3482	5.2	31	1	2	4	6	10	14	29
1. SINGLE DX	5371	3.5	8	1	1	3	4	6	8	14
2. MULTIPLE DX	5548	5.6	31	1	2	4	7	11	15	29
A. NOT OPERATED	3184	5.5	24	1	2	4	7	10	14	25
B. OPERATED	7735	4.1	19	1	1	3	5	8	11	22
TOTAL 0-19 YRS	2415	3.5	7	1	1	3	4	7	8	14
20-34	1917	4.0	14	1	1	3	4	7	9	17
35-49	1808	4.2	18	1	2	3	5	7	11	21
50-64	2459	4.6	18	1	2	3	5	9	12	23
65+	2320	6.3	42	1	2	4	8	13	17	34
GRAND TOTAL	**10919**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	729	3.8	10	1	1	3	5	8	9	16
20-34	1025	4.1	11	1	1	3	5	8	9	16
35-49	1280	4.1	10	1	1	3	5	7	10	15
50-64	1209	4.0	8	1	1	3	5	8	9	14
65+	814	4.6	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	213	5.1	22	<1	1	3	8	11	15	26
20-34	453	6.6	38	1	1	5	9	13	17	30
35-49	632	6.6	32	1	1	5	9	13	16	27
50-64	925	6.4	42	1	1	4	8	13	17	37
65+	989	7.1	49	1	1	5	9	15	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	851	5.5	37	1	2	4	7	10	14	22
20-34	2238	5.2	14	1	2	4	7	9	12	19
35-49	3759	5.5	17	1	2	5	7	10	12	20
50-64	4966	5.9	19	1	2	5	7	11	14	23
65+	5649	7.1	33	2	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	298	10.5	159	1	2	7	13	22	40	89
20-34	972	8.5	49	2	2	7	11	16	20	35
35-49	1868	9.3	60	2	3	7	12	18	23	42
50-64	3208	9.9	85	2	2	8	13	20	26	47
65+	4151	11.2	116	2	2	8	14	23	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5057	4.1	10	1	1	3	5	8	10	16
B. *Operated*	3212	6.6	41	1	1	5	9	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	17463	6.1	24	1	2	5	8	11	14	25
B. *Operated*	10497	10.2	93	2	2	8	13	20	28	54
1. SINGLE DX	8269	5.1	24	1	1	4	6	10	13	25
2. MULTIPLE DX	27960	7.6	54	2	2	6	9	15	20	39
A. NOT OPERATED	22520	5.7	22	1	2	5	7	11	14	23
B. OPERATED	13709	9.3	83	1	2	7	12	19	26	50
TOTAL 0-19 YRS	2091	5.6	48	1	1	4	6	11	16	37
20-34	4688	5.8	25	1	2	4	7	11	15	25
35-49	7539	6.3	31	1	2	5	8	12	16	27
50-64	10308	7.0	45	1	2	5	9	14	18	34
65+	11603	8.4	68	2	2	6	10	17	23	45
GRAND TOTAL	**36229**	**7.0**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.5	11	1	2	4	5	8	9	21
20-34	569	5.2	22	1	2	4	6	9	11	20
35-49	1023	5.2	14	1	2	4	7	9	11	16
50-64	997	5.5	13	1	2	5	7	10	12	18
65+	801	6.5	23	1	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	20	6.8	23	1	2	6	10	14	17	17
20-34	271	8.4	27	2	3	8	11	15	18	28
35-49	649	8.8	27	2	3	8	11	16	19	26
50-64	786	9.0	42	1	2	8	12	17	21	34
65+	563	9.6	60	2	2	8	12	19	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.3	20	1	2	4	6	9	13	28
20-34	752	6.4	20	2	2	5	8	11	14	25
35-49	1522	6.9	22	2	2	6	9	12	16	25
50-64	2399	7.3	25	2	3	6	9	13	16	24
65+	3420	8.8	39	2	3	7	11	16	20	34
B. *Operated*										
0-19 YRS	31	9.5	43	3	4	9	12	17	23	34
20-34	410	10.1	53	2	3	9	13	18	24	36
35-49	1152	10.8	59	3	4	9	14	19	25	38
50-64	2049	11.2	70	3	3	9	14	21	26	42
65+	2295	12.3	79	3	4	10	16	23	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3515	5.5	17	1	2	5	7	10	12	21
B. *Operated*	2289	9.0	41	1	2	8	12	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	8200	7.7	31	2	3	7	10	14	18	29
B. *Operated*	5937	11.4	71	3	4	9	14	21	27	42
1. SINGLE DX	5804	6.9	29	1	2	6	9	13	17	26
2. MULTIPLE DX	14137	9.3	51	2	3	8	12	18	22	36
A. NOT OPERATED	11715	7.1	28	2	2	6	9	13	16	27
B. OPERATED	8226	10.8	63	2	3	9	14	20	25	40
TOTAL 0-19 YRS	283	5.5	21	1	2	4	7	10	13	24
20-34	2002	7.1	31	2	2	6	9	13	17	28
35-49	4346	7.8	35	2	2	6	10	15	18	29
50-64	6231	8.5	44	2	3	7	11	16	20	34
65+	7079	9.7	56	2	3	8	12	18	23	38
GRAND TOTAL	**19941**	**8.6**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	5.7	9	2	3	5	7	9	11	17
20-34	174	6.0	30	2	3	5	7	10	13	24
35-49	362	6.0	12	2	3	5	7	10	12	16
50-64	570	6.5	27	2	3	6	8	11	13	17
65+	609	7.4	17	3	3	6	9	13	15	20
B. *Operated*										
0-19 YRS	25	7.9	16	2	3	8	10	11	16	21
20-34	121	9.6	41	3	5	8	11	16	21	38
35-49	291	9.9	27	4	5	9	12	16	18	32
50-64	465	10.6	37	4	5	9	13	18	22	28
65+	488	12.6	55	4	5	11	16	21	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.2	7	2	2	5	6	9	11	14
20-34	238	6.1	13	2	3	6	7	10	13	19
35-49	499	7.2	21	2	3	6	8	12	15	24
50-64	1268	7.9	28	3	3	7	10	14	17	28
65+	2612	10.1	52	3	4	8	12	18	22	39
B. *Operated*										
0-19 YRS	22	9.6	23	3	4	9	14	16	17	18
20-34	140	11.3	50	3	5	10	14	19	24	61
35-49	450	13.3	110	4	5	10	16	24	32	64
50-64	1207	14.0	113	4	5	11	17	27	35	61
65+	2139	16.0	126	5	6	13	21	29	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1783	6.6	20	2	3	6	8	11	13	19
B. *Operated*	1390	11.0	43	4	5	10	14	18	23	34
2. MULTIPLE DX										
A. *Not Operated*	4669	8.9	42	3	4	7	11	16	20	35
B. *Operated*	3958	14.9	119	4	5	12	19	28	36	63
1. SINGLE DX	3173	8.5	35	3	3	7	11	15	18	29
2. MULTIPLE DX	8627	11.7	86	3	4	9	14	22	29	49
A. NOT OPERATED	6452	8.3	37	3	3	7	10	14	18	32
B. OPERATED	5348	13.9	102	4	5	11	17	26	33	59
TOTAL 0-19 YRS	167	6.4	14	2	3	5	8	11	14	18
20-34	673	7.8	35	2	3	6	10	14	18	32
35-49	1602	9.1	54	3	3	7	11	16	21	38
50-64	3510	10.1	68	3	4	8	12	19	25	42
65+	5848	12.2	85	4	4	10	15	23	29	48
GRAND TOTAL	**11800**	**10.8**	**74**	**3**	**4**	**8**	**13**	**20**	**27**	**44**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1048	4.2	8	1	2	4	5	8	9	13
20-34	3697	4.6	10	1	2	4	6	8	10	16
35-49	3576	5.0	11	2	2	4	6	9	11	17
50-64	2623	5.3	13	2	2	5	7	9	11	16
65+	1457	6.1	17	2	2	5	8	10	13	21
B. *Operated*										
0-19 YRS	46	9.1	24	2	3	8	11	16	19	24
20-34	521	10.4	31	3	5	9	12	17	21	29
35-49	793	10.9	37	3	5	10	13	18	21	29
50-64	579	10.5	33	2	4	10	13	18	22	31
65+	249	11.5	50	3	4	10	14	21	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	759	5.7	30	2	2	5	7	10	12	25
20-34	3716	5.7	20	2	2	5	7	10	13	20
35-49	5312	6.2	18	2	2	5	8	11	14	21
50-64	6278	6.6	19	2	3	6	8	11	14	23
65+	6547	7.8	28	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	67	9.9	87	3	3	8	12	15	20	61
20-34	679	11.2	81	3	4	9	14	19	23	57
35-49	1437	11.7	78	3	4	10	14	20	28	53
50-64	1726	12.2	73	3	4	10	15	23	28	47
65+	1428	14.2	100	3	5	12	18	26	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12401	5.0	12	1	2	4	6	9	11	17
B. *Operated*	2188	10.7	36	3	5	10	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	22612	6.7	23	2	3	6	8	12	15	23
B. *Operated*	5337	12.5	84	3	4	10	15	23	29	51
1. SINGLE DX	14589	5.8	20	2	2	5	7	11	14	23
2. MULTIPLE DX	27949	7.8	40	2	3	6	9	14	19	32
A. NOT OPERATED	35013	6.1	19	2	2	5	8	11	14	22
B. OPERATED	7525	11.9	71	3	4	10	15	21	27	45
TOTAL 0-19 YRS	1920	5.1	21	1	2	4	6	9	11	21
20-34	8613	5.9	25	2	2	5	7	11	14	24
35-49	11118	6.8	31	2	2	5	9	13	16	27
50-64	11206	7.4	32	2	3	6	9	14	18	29
65+	9681	8.6	44	2	3	7	10	16	21	36
GRAND TOTAL	**42538**	**7.1**	**34**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	5.1	9	2	2	5	7	9	11	19
20-34	1251	5.1	9	2	2	5	6	9	10	16
35-49	1552	5.6	8	2	3	5	7	9	11	16
50-64	1961	6.2	10	2	3	6	8	10	12	17
65+	1551	7.1	14	3	3	7	9	11	14	19
B. *Operated*										
0-19 YRS	63	7.4	17	1	2	8	10	13	15	19
20-34	442	9.6	20	5	6	9	11	14	18	30
35-49	659	10.4	28	5	6	9	12	16	20	33
50-64	764	11.1	38	5	6	10	13	18	22	32
65+	623	13.1	53	6	7	12	16	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	6.2	22	2	3	5	8	10	13	26
20-34	919	6.2	18	2	3	5	7	11	13	25
35-49	1631	6.8	20	2	3	6	8	11	14	24
50-64	3159	7.5	23	3	3	6	9	12	16	27
65+	5090	9.6	45	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	44	12.8	205	2	4	8	15	28	40	81
20-34	323	13.5	100	4	5	11	16	24	33	56
35-49	696	14.1	103	5	6	11	17	24	35	61
50-64	1379	15.4	139	4	6	12	18	29	41	63
65+	2197	18.4	167	6	7	15	22	34	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6539	6.0	11	2	3	5	7	10	12	17
B. *Operated*	2551	11.1	37	5	6	10	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	10975	8.3	34	3	3	7	10	14	19	32
B. *Operated*	4639	16.4	149	5	6	13	20	31	42	68
1. SINGLE DX	9090	7.4	23	2	3	6	9	13	16	25
2. MULTIPLE DX	15614	10.7	82	3	4	8	13	20	27	51
A. NOT OPERATED	17514	7.4	27	2	3	6	9	13	16	27
B. OPERATED	7190	14.5	116	5	6	12	17	26	35	61
TOTAL 0-19 YRS	507	6.4	35	2	2	5	8	11	14	28
20-34	2935	7.1	31	2	3	6	8	12	16	30
35-49	4538	8.0	39	2	3	7	9	14	18	34
50-64	7263	9.0	55	3	3	7	11	16	21	43
65+	9461	11.5	85	3	4	9	14	21	28	52
GRAND TOTAL	**24704**	**9.5**	**63**	**3**	**3**	**7**	**11**	**17**	**23**	**44**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.5	3	1	2	5	6	6	7	7
20-34	72	6.0	14	2	2	5	7	11	13	24
35-49	98	6.0	19	2	2	6	7	9	12	27
50-64	130	7.6	20	2	3	7	9	13	16	26
65+	136	8.1	30	2	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	14	12.5	116	1	2	10	14	28	40	43
20-34	86	11.4	41	1	3	11	16	19	23	76
35-49	219	14.6	63	6	7	13	18	24	28	39
50-64	305	14.7	78	6	7	13	17	24	29	52
65+	215	17.1	106	6	8	16	20	28	39	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.5	22	1	2	8	12	14	15	15
20-34	85	6.6	17	2	2	5	8	12	15	21
35-49	152	8.3	52	2	3	6	10	15	19	36
50-64	276	8.8	33	2	3	8	11	15	20	31
65+	502	10.8	48	3	4	9	13	21	26	37
B. *Operated*										
0-19 YRS	11	9.1	20	<1	2	9	12	15	16	16
20-34	111	15.9	128	6	7	13	19	30	38	64
35-49	315	17.8	121	7	8	15	21	33	40	59
50-64	604	19.2	178	7	8	16	23	36	50	83
65+	779	21.7	189	7	9	18	27	39	51	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	7.0	22	2	3	6	8	12	15	29
B. *Operated*	839	14.9	80	5	7	13	18	24	31	53
2. MULTIPLE DX										
A. *Not Operated*	1026	9.5	44	3	3	8	12	17	23	36
B. *Operated*	1820	19.7	173	6	8	16	24	37	48	75
1. SINGLE DX	1292	12.1	74	3	4	10	16	22	27	45
2. MULTIPLE DX	2846	16.1	150	4	5	13	20	31	40	69
A. NOT OPERATED	1479	8.8	39	2	3	7	11	16	21	34
B. OPERATED	2659	18.2	148	6	8	15	22	33	43	73
TOTAL 0-19 YRS	53	8.2	48	1	2	7	11	15	17	42
20-34	354	10.6	74	2	3	9	13	20	27	53
35-49	784	13.6	99	3	4	11	17	25	33	51
50-64	1315	14.8	130	4	5	12	18	27	37	71
65+	1632	16.6	150	4	5	14	21	32	40	66
GRAND TOTAL	**4138**	**14.8**	**130**	**3**	**5**	**12**	**19**	**28**	**37**	**63**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4001	3.1	5	1	1	3	4	5	7	10
20-34	6668	3.8	9	1	1	3	5	7	8	13
35-49	4708	4.2	10	1	2	4	5	7	9	15
50-64	3003	4.3	8	1	1	4	5	8	9	15
65+	1695	4.9	15	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	87	6.5	55	2	2	5	8	10	17	49
20-34	364	6.6	41	1	2	5	8	13	15	23
35-49	494	7.5	37	1	2	6	9	15	18	27
50-64	396	7.3	39	1	2	6	9	14	20	31
65+	272	8.1	40	1	2	7	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5003	3.9	13	1	2	3	5	7	8	14
20-34	11284	5.0	14	1	2	4	6	9	11	18
35-49	12089	5.7	16	2	2	5	7	10	13	20
50-64	11941	6.3	19	2	2	5	8	11	14	23
65+	11799	7.3	31	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	217	7.5	32	2	3	6	9	14	20	37
20-34	1596	8.8	43	2	3	7	11	16	20	34
35-49	2356	9.9	59	2	3	8	12	19	24	41
50-64	2825	10.5	79	2	3	8	13	19	25	50
65+	2599	11.6	86	3	4	9	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20075	3.9	9	1	1	3	5	7	9	14
B. *Operated*	1613	7.3	40	1	2	6	9	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	52116	5.9	20	2	2	5	7	11	14	23
B. *Operated*	9593	10.3	70	2	3	8	13	19	25	46
1. SINGLE DX	21688	4.2	12	1	1	3	5	8	10	17
2. MULTIPLE DX	61709	6.6	31	2	2	5	8	12	16	28
A. NOT OPERATED	72191	5.3	18	1	2	4	7	10	13	21
B. OPERATED	11206	9.9	67	2	3	8	12	18	24	44
TOTAL 0-19 YRS	9308	3.7	11	1	1	3	4	6	8	14
20-34	19912	4.9	17	1	2	4	6	9	12	20
35-49	19647	5.9	23	1	2	5	7	11	14	24
50-64	18165	6.6	30	2	2	5	8	12	16	28
65+	16365	7.8	41	2	2	6	9	14	19	33
GRAND TOTAL	**83397**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1189	3.3	6	1	1	3	4	6	7	12
20-34	1726	3.8	16	1	1	3	5	7	8	13
35-49	1355	4.0	8	1	2	3	5	7	9	15
50-64	930	4.3	10	1	1	3	5	8	10	16
65+	547	5.8	29	1	2	4	7	11	16	26
B. *Operated*										
0-19 YRS	401	4.4	6	2	2	4	5	7	9	12
20-34	158	9.5	54	1	2	8	12	20	23	37
35-49	207	10.6	65	1	3	9	13	21	26	50
50-64	215	12.7	100	2	3	10	16	23	32	55
65+	161	13.5	85	1	2	12	18	28	32	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1271	4.1	9	1	2	3	5	7	9	17
20-34	2507	4.8	12	1	2	4	6	9	11	20
35-49	2753	5.4	19	2	2	4	7	10	13	22
50-64	2826	5.9	23	2	2	5	7	11	14	22
65+	2909	7.8	45	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	162	7.6	43	2	3	6	9	13	21	45
20-34	436	11.5	93	2	3	9	15	24	29	54
35-49	688	13.6	124	3	4	10	18	28	34	62
50-64	924	15.6	145	3	4	12	20	31	39	74
65+	1061	19.4	185	4	6	16	26	37	47	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5747	4.0	13	1	1	3	5	7	9	17
B. *Operated*	1142	9.1	65	2	2	7	12	19	25	41
2. MULTIPLE DX										
A. *Not Operated*	12266	5.8	25	2	2	5	7	11	14	26
B. *Operated*	3271	15.5	152	3	4	12	20	31	40	69
1. SINGLE DX	6889	4.9	25	1	2	3	6	9	13	25
2. MULTIPLE DX	15537	7.9	67	2	2	5	9	16	24	44
A. NOT OPERATED	18013	5.3	22	1	2	4	6	10	13	23
B. OPERATED	4413	13.8	137	2	3	10	18	29	37	62
TOTAL 0-19 YRS	3023	4.0	10	1	1	3	5	7	9	16
20-34	4827	5.2	27	1	2	4	6	10	14	27
35-49	5003	6.4	42	2	2	4	8	13	18	33
50-64	4895	7.7	64	2	2	5	9	16	22	42
65+	4678	10.4	102	2	3	7	13	22	31	52
GRAND TOTAL	**22426**	**6.9**	**56**	**1**	**2**	**5**	**8**	**14**	**21**	**40**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	379	3.4	4	1	1	3	4	5	7	11
20-34	284	3.4	3	1	1	3	4	6	7	9
35-49	48	3.9	5	1	1	3	5	7	8	9
50-64	34	4.7	11	<1	2	4	5	8	11	17
65+	13	5.2	14	1	1	5	9	10	12	12
B. *Operated*										
0-19 YRS	23718	4.0	4	2	2	4	5	6	7	11
20-34	14426	4.2	5	2	2	4	5	6	7	12
35-49	3788	4.9	9	2	3	4	6	8	9	15
50-64	1698	5.6	8	2	3	5	7	9	11	17
65+	543	7.1	24	3	3	6	8	13	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.8	5	1	1	3	5	7	8	10
20-34	115	3.8	9	<1	1	3	5	8	10	15
35-49	32	4.6	8	1	1	4	6	8	12	12
50-64	29	9.5	72	1	1	9	11	22	31	35
65+	27	10.1	60	1	2	7	13	20	23	35
B. *Operated*										
0-19 YRS	3603	5.8	17	2	3	5	7	10	13	22
20-34	2936	6.0	15	3	3	5	7	11	13	21
35-49	1136	7.7	32	3	3	6	9	13	17	33
50-64	839	9.0	37	3	4	7	11	16	20	31
65+	585	11.3	71	4	4	9	13	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	758	3.5	5	1	1	3	4	6	7	11
B. *Operated*	44173	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	329	4.9	22	1	1	4	6	10	13	25
B. *Operated*	9099	6.8	26	3	3	5	8	12	16	27
1. SINGLE DX	44931	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX	9428	6.7	26	2	3	5	8	12	16	27
A. NOT OPERATED	1087	3.9	10	1	1	3	5	7	9	18
B. OPERATED	53272	4.7	10	2	2	4	5	7	10	17
TOTAL 0-19 YRS	27826	4.2	6	2	2	4	5	6	8	14
20-34	17761	4.5	7	2	2	4	5	7	9	15
35-49	5004	5.5	16	2	3	5	6	9	11	21
50-64	2600	6.7	21	3	3	6	8	12	15	24
65+	1168	9.3	53	3	4	7	11	17	23	36
GRAND TOTAL	**54359**	**4.7**	**10**	**2**	**2**	**4**	**5**	**7**	**10**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	6.2	13	1	2	6	8	10	12	21
20-34	91	7.0	13	2	3	7	9	11	14	20
35-49	52	7.1	27	1	2	7	8	13	19	28
50-64	44	7.4	13	2	3	7	10	12	13	20
65+	18	7.9	42	<1	1	7	8	13	24	30
B. *Operated*										
0-19 YRS	5200	7.3	18	3	3	7	9	12	15	23
20-34	2958	7.1	17	3	3	6	9	12	14	21
35-49	1464	8.6	20	3	4	8	11	14	17	24
50-64	1296	9.7	22	4	5	9	12	15	19	26
65+	671	11.5	35	5	6	10	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.2	18	3	3	8	10	13	16	21
20-34	34	8.0	27	2	3	7	10	15	20	21
35-49	24	11.9	44	3	5	10	16	22	24	29
50-64	44	11.3	34	3	6	10	14	20	23	28
65+	45	14.4	198	3	4	10	16	26	40	73
B. *Operated*										
0-19 YRS	2086	11.9	55	4	5	10	15	21	25	38
20-34	1381	10.9	45	4	5	9	13	19	24	35
35-49	1022	12.5	64	5	6	11	15	21	26	45
50-64	1290	14.6	73	6	7	12	18	25	32	48
65+	1237	17.7	123	7	8	15	21	30	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	6.8	17	1	2	6	9	11	14	21
B. *Operated*	11589	7.9	21	3	3	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	178	11.0	78	3	3	9	14	20	24	58
B. *Operated*	7016	13.3	75	5	6	11	16	23	29	48
1. SINGLE DX	11906	7.9	21	3	3	7	10	13	16	24
2. MULTIPLE DX	7194	13.3	76	4	6	11	16	23	29	48
A. NOT OPERATED	495	8.3	43	2	3	7	10	15	20	29
B. OPERATED	18605	10.0	48	3	4	8	12	18	22	37
TOTAL 0-19 YRS	7429	8.6	33	3	3	7	10	15	19	30
20-34	4464	8.3	28	3	3	7	10	14	18	28
35-49	2562	10.1	42	4	4	9	12	17	21	33
50-64	2674	12.0	53	5	6	10	14	20	26	41
65+	1971	15.4	103	6	7	13	19	26	34	60
GRAND TOTAL	**19100**	**9.9**	**48**	**3**	**4**	**8**	**12**	**18**	**22**	**37**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	606	2.6	6	1	1	2	3	5	6	12
20-34	414	2.8	4	1	1	2	4	5	6	10
35-49	115	3.7	7	1	1	3	5	7	8	13
50-64	61	4.3	15	1	1	3	5	8	11	22
65+	25	3.0	2	1	1	3	4	5	5	6
B. *Operated*										
0-19 YRS	2918	4.4	8	2	2	4	5	7	8	13
20-34	1899	4.8	6	2	3	4	6	7	9	14
35-49	450	5.7	9	2	3	5	7	10	11	17
50-64	227	7.1	49	3	3	6	8	13	14	22
65+	87	6.6	7	3	4	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	3.2	6	1	1	3	4	6	7	13
20-34	212	3.6	8	1	1	3	5	7	8	14
35-49	76	4.1	6	1	1	4	6	8	9	10
50-64	57	4.7	12	1	2	4	6	8	10	22
65+	36	6.8	29	1	2	5	9	15	17	24
B. *Operated*										
0-19 YRS	1400	5.8	15	3	3	5	7	9	12	21
20-34	1270	6.5	14	3	3	6	8	11	13	20
35-49	391	8.3	38	3	4	7	10	14	17	25
50-64	230	10.9	56	4	4	8	14	19	22	49
65+	151	13.2	82	4	6	11	16	24	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1221	2.9	6	1	1	2	4	5	7	12
B. *Operated*	5581	4.8	9	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	678	3.7	9	1	1	3	5	7	9	16
B. *Operated*	3442	7.0	26	3	3	6	8	12	16	26
1. SINGLE DX	6802	4.4	9	1	2	4	5	7	9	14
2. MULTIPLE DX	4120	6.5	25	2	3	5	8	11	15	25
A. NOT OPERATED	1899	3.2	7	1	1	2	4	6	8	14
B. OPERATED	9023	5.6	17	2	3	5	7	9	12	21
TOTAL 0-19 YRS	5221	4.5	10	1	2	4	5	7	9	16
20-34	3795	5.1	10	2	2	4	6	9	11	17
35-49	1032	6.3	23	2	2	5	8	11	14	22
50-64	575	8.1	51	2	3	6	10	15	20	41
65+	299	9.7	61	2	3	8	12	18	25	42
GRAND TOTAL	**10922**	**5.2**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.7	2	<1	<1	1	2	3	5	8
20-34	138	2.7	7	<1	<1	2	4	5	7	12
35-49	92	3.1	5	<1	1	3	4	6	8	10
50-64	134	3.2	6	<1	1	3	4	6	7	12
65+	163	4.8	53	<1	1	3	6	9	11	35
B. *Operated*										
0-19 YRS	20314	2.4	4	<1	1	2	3	4	5	7
20-34	17491	4.0	4	2	2	4	5	6	7	10
35-49	15706	4.5	5	2	3	4	5	6	8	11
50-64	23841	4.8	6	2	3	4	6	7	8	12
65+	15381	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	1.7	4	<1	<1	1	1	3	5	10
20-34	173	2.2	3	<1	<1	1	3	5	6	9
35-49	177	3.5	10	<1	<1	2	5	8	10	14
50-64	360	4.3	13	<1	1	3	6	9	11	16
65+	669	5.7	47	1	1	4	7	11	16	37
B. *Operated*										
0-19 YRS	10601	2.6	6	<1	1	2	3	5	6	11
20-34	5607	4.9	14	2	3	4	6	7	9	16
35-49	7949	5.5	12	2	3	5	6	8	10	18
50-64	15982	6.2	18	3	3	5	7	10	13	22
65+	17210	7.8	30	3	3	6	9	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	746	3.0	16	<1	<1	2	4	6	8	12
B. *Operated*	92733	4.2	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2209	3.5	22	<1	<1	2	4	8	11	21
B. *Operated*	57349	5.8	21	1	2	5	7	10	13	24
1. SINGLE DX	93479	4.2	7	1	2	4	5	7	8	12
2. MULTIPLE DX	59558	5.7	21	1	2	5	7	10	13	23
A. NOT OPERATED	2955	3.4	20	<1	<1	2	4	7	10	20
B. OPERATED	150082	4.8	13	1	2	4	6	8	10	18
TOTAL 0-19 YRS	31964	2.5	5	<1	1	2	3	4	5	9
20-34	23409	4.2	6	2	2	4	5	6	7	12
35-49	23924	4.8	8	2	3	4	6	7	9	14
50-64	40317	5.4	11	2	3	5	6	8	10	17
65+	33423	6.7	21	3	3	6	8	11	14	25
GRAND TOTAL	**153037**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.4		<1	<1	1	2	2	3	3
20-34	11	2.3	4	<1	<1	1	4	5	6	6
35-49	9	2.3	6	<1	<1	1	3	6	8	8
50-64	20	2.5	5	<1	<1	1	4	6	7	8
65+	73	3.4	11	<1	1	2	5	7	10	18
B. *Operated*										
0-19 YRS	1307	2.4	6	<1	1	2	3	4	5	9
20-34	584	4.3	4	2	2	4	5	6	7	10
35-49	522	4.8	5	2	3	4	6	7	9	13
50-64	913	5.6	17	2	3	5	6	9	11	19
65+	1269	6.8	16	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.2	3	<1	<1	1	3	5	6	7
20-34	8	6.3	39	1	1	4	8	17	20	20
35-49	16	7.5	31	1	1	6	11	14	18	20
50-64	31	5.4	26	<1	1	4	6	12	19	20
65+	196	7.2	73	1	1	5	9	16	20	36
B. *Operated*										
0-19 YRS	769	3.1	6	1	1	2	4	6	8	12
20-34	220	5.8	28	2	3	5	7	10	11	19
35-49	291	7.0	23	3	3	6	8	12	17	27
50-64	802	8.5	45	3	3	7	10	16	19	38
65+	2350	11.1	74	4	4	9	13	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	2.6	7	<1	<1	2	3	6	8	11
B. *Operated*	4595	4.8	14	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	294	6.2	57	1	1	4	8	14	19	34
B. *Operated*	4432	8.7	61	1	2	7	11	16	22	43
1. SINGLE DX	4747	4.7	14	1	1	4	6	8	10	17
2. MULTIPLE DX	4726	8.6	61	1	2	7	11	16	22	42
A. NOT OPERATED	446	5.0	43	<1	1	3	6	12	16	[illegible]
B. OPERATED	9027	6.7	41	1	2	5	8	13	17	33
TOTAL 0-19 YRS	2158	2.6	6	<1	1	2	3	5	6	11
20-34	823	4.7	11	2	2	4	5	7	9	14
35-49	838	5.6	13	2	3	5	6	9	12	23
50-64	1766	6.9	32	2	3	6	8	12	16	31
65+	3888	9.4	59	3	3	7	11	17	22	43
GRAND TOTAL	**9473**	**6.6**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.6	1	<1	<1	1	2	3	3	5
20-34	14	2.0	2	<1	1	1	3	5	5	5
35-49	20	3.6	7	<1	1	3	4	8	9	10
50-64	9	3.8	7	1	1	3	6	8	8	8
65+	11	3.6	13	<1	<1	1	7	9	10	10
B. *Operated*										
0-19 YRS	3822	2.3	5	<1	1	2	3	4	4	7
20-34	1185	3.7	10	2	2	3	4	6	7	9
35-49	1242	4.2	7	2	2	4	5	6	8	12
50-64	904	4.5	6	2	2	4	6	8	9	14
65+	365	5.4	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	2.1	7	<1	<1	1	2	5	6	16
20-34	40	2.8	5	<1	<1	2	4	6	8	10
35-49	46	4.4	16	<1	1	3	6	11	14	16
50-64	71	5.4	40	<1	1	4	6	11	16	36
65+	84	6.5	41	1	1	5	7	14	18	35
B. *Operated*										
0-19 YRS	838	3.2	6	1	1	2	4	6	8	13
20-34	663	5.1	13	2	2	4	6	8	10	15
35-49	1003	6.0	20	2	3	5	7	10	13	22
50-64	1151	7.2	26	2	3	6	9	13	17	27
65+	644	8.9	48	3	3	7	11	16	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.4	5	<1	<1	2	3	5	8	10
B. *Operated*	7518	3.3	8	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	420	3.9	23	<1	<1	2	5	9	13	26
B. *Operated*	4299	6.1	25	2	2	5	8	11	15	28
1. SINGLE DX	7621	3.3	8	1	1	3	4	6	7	11
2. MULTIPLE DX	4719	5.9	25	1	2	5	7	11	15	28
A. NOT OPERATED	523	3.6	20	<1	<1	2	4	8	11	25
B. OPERATED	11817	4.3	16	1	2	3	5	8	11	20
TOTAL 0-19 YRS	4888	2.5	5	<1	1	2	3	4	5	10
20-34	1902	4.2	11	2	2	4	5	7	8	13
35-49	2311	5.0	14	2	2	4	6	8	11	19
50-64	2135	6.0	20	2	2	5	7	11	14	24
65+	1104	7.5	37	2	3	6	9	14	19	38
GRAND TOTAL	**12340**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	6	<1	1	2	3	3	9	11
20-34	48	2.5	5	<1	<1	2	3	6	6	12
35-49	66	3.0	5	<1	<1	2	4	6	8	11
50-64	72	3.6	6	<1	<1	3	5	7	9	11
65+	79	4.2	7	1	1	3	6	8	10	11
B. *Operated*										
0-19 YRS	723	2.8	8	<1	1	2	3	5	6	10
20-34	1822	4.5	7	2	2	4	6	8	9	14
35-49	2704	5.8	10	2	3	5	7	9	11	17
50-64	3307	6.6	13	3	3	6	8	10	13	19
65+	2041	7.6	16	3	4	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	5	<1	<1	1	4	6	7	7
20-34	67	3.6	12	<1	<1	2	5	8	12	16
35-49	175	4.2	11	1	1	3	6	9	11	17
50-64	297	5.6	23	1	1	4	7	11	14	29
65+	463	6.8	40	1	2	5	8	12	16	35
B. *Operated*										
0-19 YRS	199	4.1	17	1	1	3	5	8	10	19
20-34	1075	6.7	20	2	3	6	8	11	14	25
35-49	2400	8.1	33	3	3	7	10	14	18	31
50-64	3633	9.4	44	3	4	8	11	16	21	36
65+	3188	10.9	56	4	5	9	13	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	3.4	6	<1	<1	3	4	7	9	11
B. *Operated*	10597	6.0	13	2	2	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1018	5.7	29	1	1	4	7	11	14	28
B. *Operated*	10495	9.2	45	3	4	8	11	16	21	36
1. SINGLE DX	10877	5.9	13	2	2	5	8	10	12	18
2. MULTIPLE DX	11513	8.9	44	2	3	7	11	16	20	35
A. NOT OPERATED	1298	5.2	25	1	1	4	7	10	13	24
B. OPERATED	21092	7.6	31	2	3	6	9	13	17	29
TOTAL 0-19 YRS	953	3.0	10	<1	1	2	3	5	7	12
20-34	3012	5.3	13	2	2	5	6	9	11	19
35-49	5345	6.8	22	2	3	6	8	11	15	25
50-64	7309	8.0	31	3	3	7	9	13	17	29
65+	5771	9.3	43	3	4	8	11	16	21	35
GRAND TOTAL	**22390**	**7.4**	**31**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	28	1	1	4	6	8	9	33
20-34	359	3.9	7	1	2	3	5	7	8	14
35-49	989	4.1	10	1	2	3	5	7	9	13
50-64	1385	4.4	9	1	2	4	5	8	10	15
65+	1021	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	34	4.9	13	1	1	4	7	10	12	15
20-34	142	7.8	22	2	3	7	9	14	18	22
35-49	310	8.4	21	2	3	8	10	15	18	26
50-64	435	9.4	26	2	3	9	12	15	19	26
65+	232	11.8	64	2	4	10	14	21	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.8	13	<1	1	4	6	9	11	18
20-34	1369	4.9	14	1	2	4	6	9	10	17
35-49	4300	5.2	14	2	2	4	6	9	11	17
50-64	7562	5.6	17	2	2	5	7	10	13	20
65+	10093	6.4	22	2	3	5	8	11	14	23
B. *Operated*										
0-19 YRS	55	11.3	207	2	2	8	13	19	29	96
20-34	675	9.4	35	2	3	8	12	17	20	31
35-49	1850	10.0	42	3	3	9	12	17	22	34
50-64	2950	10.4	47	2	4	9	13	18	23	37
65+	2488	11.7	74	2	3	10	15	22	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3791	4.3	10	1	2	4	5	8	10	15
B. *Operated*	1153	9.3	34	2	3	9	11	16	21	28
2. MULTIPLE DX										
A. *Not Operated*	23456	5.9	18	2	2	5	7	10	13	21
B. *Operated*	8018	10.6	55	2	3	9	13	19	24	39
1. SINGLE DX	4944	5.5	20	1	2	4	7	11	14	22
2. MULTIPLE DX	31474	7.1	32	2	2	6	9	13	17	28
A. NOT OPERATED	27247	5.6	18	2	2	5	7	10	13	21
B. OPERATED	9171	10.5	53	2	3	9	13	19	23	38
TOTAL 0-19 YRS	258	6.2	62	1	1	4	7	11	16	33
20-34	2545	6.1	24	1	2	5	8	12	15	24
35-49	7449	6.4	26	2	2	5	8	12	15	26
50-64	12332	6.8	28	2	2	5	9	13	16	26
65+	13834	7.3	36	2	3	6	9	14	18	30
GRAND TOTAL	**36418**	**6.9**	**31**	**2**	**2**	**5**	**9**	**13**	**17**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	14	1	1	2	3	6	13	15
20-34	31	5.3	16	1	1	4	6	11	14	18
35-49	39	5.9	23	1	1	5	7	13	16	21
50-64	26	3.9	8	1	2	3	5	7	9	15
65+	34	4.7	20	1	1	3	6	9	15	21
B. *Operated*										
0-19 YRS	151	3.3	5	1	1	3	4	5	7	15
20-34	363	4.7	10	2	2	4	5	7	9	18
35-49	530	5.1	12	2	3	4	6	8	10	21
50-64	665	5.5	10	2	3	5	7	9	11	16
65+	550	6.4	12	3	3	6	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.8	7	<1	<1	3	5	8	9	10
20-34	28	5.6	26	1	2	4	6	11	14	27
35-49	54	6.5	25	1	2	5	9	13	16	26
50-64	106	6.7	26	1	2	5	8	13	16	29
65+	138	6.7	31	1	2	5	8	12	19	31
B. *Operated*										
0-19 YRS	78	4.5	19	1	1	3	5	8	11	28
20-34	208	6.0	19	2	3	5	7	10	14	26
35-49	368	7.2	30	2	3	6	8	14	17	28
50-64	549	8.1	33	3	4	7	10	14	19	31
65+	776	9.1	47	3	4	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.9	18	1	1	4	6	11	14	21
B. *Operated*	2259	5.3	11	2	3	5	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	346	6.4	27	1	2	5	8	12	16	30
B. *Operated*	1979	8.0	37	2	3	6	10	15	19	31
1. SINGLE DX	2402	5.3	11	2	2	5	6	9	11	19
2. MULTIPLE DX	2325	7.7	36	2	3	6	9	14	18	31
A. NOT OPERATED	489	6.0	25	1	1	5	8	12	15	27
B. OPERATED	4238	6.6	25	2	3	5	8	12	15	27
TOTAL 0-19 YRS	262	3.7	10	1	1	3	4	6	9	16
20-34	630	5.2	14	2	2	4	6	8	12	23
35-49	991	6.0	21	2	3	5	7	11	15	26
50-64	1346	6.6	22	2	3	5	8	12	15	25
65+	1498	7.8	34	2	3	6	9	13	18	31
GRAND TOTAL	**4727**	**6.5**	**25**	**2**	**3**	**5**	**8**	**12**	**15**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	18	<1	<1	2	4	11	14	15
20-34	17	2.4	2	<1	<1	2	3	5	5	5
35-49	48	3.0	4	1	1	3	4	5	7	12
50-64	88	4.2	9	<1	1	4	6	8	9	16
65+	123	5.4	16	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	261	3.1	5	1	1	2	4	6	7	13
20-34	518	4.7	23	1	2	4	5	8	10	18
35-49	861	5.5	12	2	2	5	7	9	12	18
50-64	1129	6.9	20	2	3	6	8	12	15	25
65+	1305	9.1	31	3	4	8	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	43	<1	1	5	7	10	19	31
20-34	31	4.4	18	1	1	4	5	9	11	23
35-49	107	5.9	57	1	2	4	6	9	13	48
50-64	268	5.9	15	1	2	5	8	10	13	20
65+	551	7.8	35	2	3	6	10	15	20	32
B. *Operated*										
0-19 YRS	102	6.3	63	1	1	4	7	14	17	48
20-34	336	7.8	39	2	3	6	9	15	21	33
35-49	840	9.3	57	3	3	7	11	17	23	39
50-64	1583	11.0	84	3	4	9	13	19	27	50
65+	2724	13.7	95	4	5	11	17	25	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	4.4	12	1	1	4	6	8	11	17
B. *Operated*	4074	6.8	24	2	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	979	6.9	32	1	2	5	9	13	18	30
B. *Operated*	5585	11.8	86	3	4	9	14	22	29	52
1. SINGLE DX	4362	6.6	24	2	2	5	8	12	16	24
2. MULTIPLE DX	6564	11.1	81	3	4	9	14	21	28	50
A. NOT OPERATED	1267	6.4	29	1	2	5	8	12	17	28
B. OPERATED	9659	9.7	66	2	3	8	12	18	25	45
TOTAL 0-19 YRS	397	4.1	24	1	1	3	5	8	11	22
20-34	902	5.8	31	1	2	4	7	10	15	28
35-49	1856	7.2	38	2	3	5	9	13	17	30
50-64	3068	8.8	57	2	3	7	11	16	22	41
65+	4703	11.5	75	3	4	9	14	21	28	49
GRAND TOTAL	**10926**	**9.3**	**63**	**2**	**3**	**7**	**11**	**18**	**24**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	652	3.4	11	1	1	2	4	6	8	17
20-34	1127	4.8	11	1	2	4	6	9	11	17
35-49	1556	5.4	16	1	2	4	7	10	12	19
50-64	2046	5.7	18	1	2	5	7	10	13	21
65+	2392	6.6	25	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	613	7.3	21	2	3	7	9	12	15	27
20-34	822	10.1	28	4	5	9	12	16	20	31
35-49	1091	11.3	40	5	6	10	13	18	22	34
50-64	1374	12.8	58	6	6	11	15	21	27	43
65+	1526	14.6	65	7	8	13	17	24	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	4.4	11	1	1	4	6	9	10	15
20-34	999	6.1	29	1	2	5	8	11	15	27
35-49	1633	6.8	23	2	2	6	8	13	16	25
50-64	3244	7.5	32	2	3	6	9	14	18	32
65+	7332	9.3	53	2	3	7	12	18	23	39
B. *Operated*										
0-19 YRS	654	10.0	56	3	4	8	12	17	25	55
20-34	1175	13.6	96	5	6	11	16	24	32	57
35-49	1797	16.0	129	6	7	13	19	29	38	75
50-64	3232	18.0	153	6	8	14	22	32	44	78
65+	5889	20.3	157	7	9	17	25	36	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7773	5.6	19	1	2	5	7	10	13	22
B. *Operated*	5426	12.0	53	4	6	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	13587	8.2	43	2	3	7	10	15	20	35
B. *Operated*	12747	18.0	149	6	7	15	22	33	43	73
1. SINGLE DX	13199	8.2	43	2	2	7	11	16	20	33
2. MULTIPLE DX	26334	12.9	118	2	3	10	16	26	34	61
A. NOT OPERATED	21360	7.2	36	2	2	6	9	14	18	32
B. OPERATED	18173	16.2	128	5	7	13	20	30	39	67
TOTAL 0-19 YRS	2298	6.5	34	1	1	5	8	12	16	32
20-34	4123	8.7	56	2	2	7	11	16	22	38
35-49	6077	10.0	75	2	3	8	12	19	25	47
50-64	9896	11.3	99	2	3	9	14	22	30	57
65+	17139	13.2	116	2	3	10	17	26	34	58
GRAND TOTAL	**39533**	**11.3**	**98**	**2**	**3**	**9**	**14**	**23**	**30**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27576	3.3	7	1	1	3	4	6	7	12
20-34	12252	3.2	8	1	1	3	4	6	7	12
35-49	5518	3.8	10	1	1	3	5	7	8	14
50-64	4314	4.0	12	1	1	3	5	7	9	15
65+	3822	4.5	16	1	1	4	6	8	11	17
B. *Operated*										
0-19 YRS	798	4.5	13	1	2	4	5	8	10	19
20-34	789	5.7	36	2	2	4	7	10	13	21
35-49	396	6.7	27	1	2	5	8	13	17	28
50-64	270	7.6	38	1	2	6	10	14	18	31
65+	209	9.0	56	1	2	7	12	19	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31377	4.3	11	1	2	4	5	7	9	17
20-34	11686	4.2	10	1	1	3	5	8	10	16
35-49	8223	5.2	15	1	2	4	7	10	12	19
50-64	10738	5.8	22	2	2	5	7	11	14	23
65+	19073	7.2	35	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	1144	7.1	65	2	2	5	8	12	20	52
20-34	1116	8.2	46	2	3	7	10	15	19	37
35-49	1013	10.2	68	2	3	8	12	19	25	42
50-64	1337	11.5	91	3	3	9	14	22	30	56
65+	1859	13.7	118	3	4	11	17	27	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53482	3.5	9	1	1	3	4	6	8	13
B. *Operated*	2462	5.9	31	1	2	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	81097	5.3	20	1	2	4	6	10	13	23
B. *Operated*	6469	10.6	89	2	3	8	13	20	29	53
1. SINGLE DX	55944	3.6	10	1	1	3	4	6	8	14
2. MULTIPLE DX	87566	5.6	27	1	2	4	7	11	14	27
A. NOT OPERATED	134579	4.5	16	1	2	4	6	8	11	20
B. OPERATED	8931	9.3	77	2	3	7	12	18	25	47
TOTAL 0-19 YRS	60895	3.9	10	1	1	3	5	7	8	15
20-34	25843	3.9	13	1	1	3	5	7	9	16
35-49	15150	5.1	19	1	2	4	6	9	12	22
50-64	16659	5.9	29	1	2	4	7	11	15	27
65+	24963	7.3	43	2	2	6	9	14	19	34
GRAND TOTAL	**143510**	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.1	14	1	2	5	6	10	11	19
20-34	320	4.9	8	1	2	4	6	8	10	14
35-49	2007	5.2	10	2	2	5	7	9	11	16
50-64	4358	5.2	13	1	2	5	7	9	11	17
65+	5553	5.6	18	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	19	7.5	38	1	2	6	8	18	21	24
20-34	169	9.5	37	3	5	9	11	15	18	27
35-49	628	11.0	34	3	5	10	13	18	22	33
50-64	1406	12.6	44	4	6	11	15	20	24	37
65+	1177	14.0	74	3	5	12	17	23	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	7.0	32	1	2	6	8	14	18	32
20-34	307	6.0	29	2	2	5	7	10	13	23
35-49	2336	5.9	14	2	2	5	7	10	13	19
50-64	8726	6.3	19	2	2	5	8	11	14	22
65+	23450	7.5	33	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	23	13.8	274	2	4	10	15	23	48	83
20-34	217	13.9	141	4	5	11	15	25	35	69
35-49	1397	13.8	76	4	6	12	16	23	29	51
50-64	4238	15.0	101	4	5	13	18	26	34	57
65+	6906	17.4	158	4	6	14	22	33	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12268	5.4	15	1	2	5	7	9	12	18
B. *Operated*	3399	12.6	54	4	5	11	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	34885	7.1	28	2	3	6	9	13	16	27
B. *Operated*	12781	16.1	132	4	5	13	20	30	38	66
1. SINGLE DX	15667	7.0	32	2	2	5	9	13	17	28
2. MULTIPLE DX	47666	9.5	72	2	3	7	12	19	25	45
A. NOT OPERATED	47153	6.6	25	2	2	5	8	12	15	25
B. OPERATED	16180	15.4	118	4	5	13	19	28	36	63
TOTAL 0-19 YRS	138	7.8	75	1	2	6	9	16	20	40
20-34	1013	7.9	60	2	2	6	9	14	18	36
35-49	6368	7.9	41	2	2	6	10	15	19	32
50-64	18728	8.5	54	2	2	6	11	16	22	38
65+	37086	9.3	72	2	3	7	11	18	25	46
GRAND TOTAL	**63333**	**8.9**	**64**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.2	4	1	1	3	4	6	7	9
20-34	330	3.6	11	1	1	3	4	6	8	18
35-49	241	3.8	6	1	1	3	5	7	9	13
50-64	154	4.0	13	1	1	3	5	7	11	17
65+	73	5.8	31	1	1	4	7	11	15	35
B. *Operated*										
0-19 YRS	972	3.6	7	1	1	3	4	6	8	13
20-34	5392	4.0	14	1	2	3	5	6	8	12
35-49	4502	4.2	10	1	2	4	5	7	8	14
50-64	2644	4.5	13	1	2	4	5	7	9	17
65+	888	5.3	19	2	2	4	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	3.5	5	1	1	3	5	6	8	12
20-34	343	4.9	20	1	1	4	6	9	12	25
35-49	391	5.6	33	1	2	4	7	10	15	23
50-64	388	5.5	17	1	2	4	7	10	13	22
65+	370	8.5	54	2	2	7	11	17	23	47
B. *Operated*										
0-19 YRS	431	5.1	28	1	2	4	6	9	12	23
20-34	4348	5.0	14	2	2	4	6	8	10	19
35-49	4901	5.4	19	2	2	4	6	9	11	22
50-64	4165	6.2	29	2	3	5	7	11	14	28
65+	2000	8.7	71	2	3	6	10	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	987	3.8	11	1	1	3	5	7	9	16
B. *Operated*	14398	4.2	13	1	2	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	1661	5.9	31	1	2	4	7	11	16	29
B. *Operated*	15845	5.9	28	2	3	5	7	10	14	28
1. SINGLE DX	15385	4.1	12	1	2	4	5	7	8	15
2. MULTIPLE DX	17506	5.9	28	2	2	5	7	10	14	28
A. NOT OPERATED	2648	5.1	24	1	1	4	6	10	13	25
B. OPERATED	30243	5.1	22	2	2	4	6	8	11	23
TOTAL 0-19 YRS	1761	3.9	12	1	1	3	5	7	9	14
20-34	10413	4.4	14	1	2	4	5	7	9	16
35-49	10035	4.8	16	2	2	4	6	8	10	20
50-64	7351	5.5	23	2	2	4	6	10	13	24
65+	3331	7.7	56	2	3	5	9	15	21	42
GRAND TOTAL	**32891**	**5.1**	**22**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4619	4.0	14	1	1	3	5	7	10	18
20-34	7687	5.1	21	1	2	4	6	9	13	22
35-49	5146	5.1	18	1	2	4	6	9	12	22
50-64	3860	5.1	26	1	1	4	6	10	13	24
65+	3401	5.3	24	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	1422	6.5	43	1	1	5	8	13	18	34
20-34	3369	8.4	62	1	2	6	11	18	24	39
35-49	2489	8.9	63	1	2	7	12	18	24	43
50-64	2402	8.7	71	1	2	7	12	17	23	48
65+	2057	9.8	88	2	2	7	13	20	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3726	4.8	21	1	1	4	6	9	12	24
20-34	8981	5.9	26	2	2	5	7	11	14	27
35-49	8734	6.1	24	2	2	5	7	11	14	26
50-64	10502	6.5	32	2	2	5	8	12	15	28
65+	17610	7.4	44	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	1412	10.0	114	2	2	7	12	22	32	67
20-34	5819	10.9	106	2	3	8	13	23	31	55
35-49	5679	11.3	114	2	3	8	14	23	33	64
50-64	6776	12.7	145	2	3	9	16	27	38	71
65+	8058	15.5	176	3	4	12	20	32	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24713	4.9	20	1	1	4	6	9	12	22
B. *Operated*	11739	8.6	67	1	2	6	11	18	23	42
2. MULTIPLE DX										
A. *Not Operated*	49553	6.5	33	2	2	5	8	12	16	30
B. *Operated*	27744	12.7	141	2	3	9	16	27	37	67
1. SINGLE DX	36452	6.1	38	1	2	4	7	13	17	31
2. MULTIPLE DX	77297	8.7	81	2	2	6	10	18	25	50
A. NOT OPERATED	74266	6.0	30	1	2	5	7	11	15	28
B. OPERATED	39483	11.5	123	2	3	8	14	24	34	61
TOTAL 0-19 YRS	11179	5.3	36	1	1	4	6	10	15	33
20-34	25856	7.1	52	1	2	5	8	14	20	37
35-49	22048	7.5	56	2	2	5	9	15	21	42
50-64	23540	8.3	76	2	2	6	10	17	24	49
65+	31126	9.4	92	2	2	7	12	20	27	53
GRAND TOTAL	**113749**	**7.9**	**69**	**1**	**2**	**5**	**9**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	8	3	3	6	9	10	10	10
20-34	139	8.9	74	2	2	6	11	16	27	51
35-49	450	9.2	64	2	3	7	11	19	28	41
50-64	427	10.4	73	2	3	8	13	19	26	47
65+	168	10.4	81	2	4	8	12	21	27	56
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	65	9.6	165	1	2	5	12	18	33	81
35-49	179	8.9	71	1	2	6	13	21	25	36
50-64	190	9.2	86	1	1	7	13	20	25	43
65+	39	11.5	67	2	2	9	17	21	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	13.9	90	3	4	9	20	29	33	36
20-34	887	11.6	100	2	3	8	15	24	30	59
35-49	2899	12.8	112	3	3	10	17	27	33	54
50-64	3931	13.0	99	3	4	10	17	26	31	50
65+	1708	13.9	113	3	4	11	19	26	34	52
B. *Operated*										
0-19 YRS	5	23.8	652	6	6	10	39	66	66	66
20-34	284	16.0	177	2	4	13	19	31	44	71
35-49	975	16.8	167	3	5	13	23	32	42	67
50-64	1374	17.0	165	3	4	14	23	34	43	68
65+	534	18.1	177	4	5	15	23	37	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1189	9.7	71	2	3	7	12	19	27	46
B. *Operated*	475	9.3	89	1	1	7	13	20	25	42
2. MULTIPLE DX										
A. *Not Operated*	9443	13.0	106	3	4	10	17	26	32	52
B. *Operated*	3172	17.0	170	3	5	14	22	34	44	68
1. SINGLE DX	1664	9.6	76	2	2	7	12	20	26	44
2. MULTIPLE DX	12615	14.0	125	3	4	11	19	29	36	59
A. NOT OPERATED	10632	12.6	103	3	4	10	16	26	32	51
B. OPERATED	3647	16.0	166	2	4	13	21	32	42	67
TOTAL 0-19 YRS	30	13.8	176	3	3	9	17	29	36	66
20-34	1375	12.1	121	2	3	9	16	26	33	66
35-49	4503	13.1	123	2	3	10	17	28	34	56
50-64	5922	13.6	117	3	4	11	18	28	34	57
65+	2449	14.6	128	3	4	11	19	29	37	58
GRAND TOTAL	**14279**	**13.5**	**121**	**3**	**4**	**10**	**18**	**28**	**35**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	19	1	2	5	8	11	14	21
20-34	164	6.1	33	1	1	4	8	11	16	30
35-49	249	8.7	49	2	2	7	11	18	23	36
50-64	400	9.6	77	2	2	7	12	21	26	40
65+	222	9.0	51	1	2	7	12	17	22	37
B. *Operated*										
0-19 YRS	79	4.2	20	1	1	2	6	9	11	27
20-34	721	3.5	16	1	1	2	4	8	12	19
35-49	504	5.5	40	1	1	3	8	13	18	30
50-64	652	5.6	56	1	1	3	7	14	20	32
65+	281	9.1	88	1	1	6	14	22	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	6.9	60	1	1	5	8	14	21	48
20-34	350	8.2	56	2	2	6	10	18	24	38
35-49	1096	10.8	80	2	3	8	13	22	27	50
50-64	2323	11.8	88	3	4	9	15	23	29	47
65+	2087	13.1	110	3	4	10	16	25	34	59
B. *Operated*										
0-19 YRS	94	8.6	120	1	1	4	12	22	29	61
20-34	550	9.1	95	1	1	6	13	20	27	47
35-49	938	11.1	115	1	2	9	15	23	31	56
50-64	1768	12.9	137	1	2	10	17	27	35	60
65+	1412	16.1	183	2	3	12	22	33	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1086	8.6	58	1	2	7	11	18	23	37
B. *Operated*	2237	5.3	45	1	1	2	7	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	5933	11.8	94	2	3	9	15	23	30	51
B. *Operated*	4762	13.0	147	1	2	10	18	28	36	60
1. SINGLE DX	3323	6.4	52	1	1	4	8	15	21	34
2. MULTIPLE DX	10695	12.3	118	2	2	9	16	25	33	55
A. NOT OPERATED	7019	11.3	89	2	3	9	14	22	29	50
B. OPERATED	6999	10.5	127	1	1	7	15	24	32	54
TOTAL 0-19 YRS	301	6.5	64	1	1	4	8	15	21	45
20-34	1785	6.4	56	1	1	3	8	15	21	36
35-49	2787	9.8	86	1	2	7	13	20	27	48
50-64	5143	11.2	105	1	2	8	15	24	31	50
65+	4002	13.6	136	2	3	11	18	28	37	60
GRAND TOTAL	**14018**	**10.9**	**108**	**1**	**2**	**8**	**14**	**23**	**31**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	428	5.7	15	1	2	5	7	11	13	18
20-34	1019	6.8	25	2	2	6	9	13	16	24
35-49	467	7.5	33	2	2	6	9	14	18	33
50-64	449	7.5	33	2	2	6	10	14	18	34
65+	261	8.6	41	2	2	7	11	16	21	35
B. *Operated*										
0-19 YRS	50	7.2	62	1	1	4	9	15	29	36
20-34	265	7.0	54	1	1	4	10	16	20	34
35-49	204	7.5	54	1	1	5	10	20	24	30
50-64	247	9.6	89	1	1	7	15	22	28	43
65+	158	11.3	100	1	2	10	15	25	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	6.9	27	2	2	6	8	13	17	28
20-34	886	7.8	35	2	2	6	10	15	19	29
35-49	1115	10.1	71	2	3	7	13	19	25	51
50-64	1870	11.0	85	3	3	8	14	22	29	49
65+	1611	11.7	87	3	4	9	15	23	29	51
B. *Operated*										
0-19 YRS	61	13.5	156	2	3	10	17	27	36	74
20-34	311	11.4	110	1	2	9	15	24	30	52
35-49	464	14.0	140	2	3	11	19	29	40	64
50-64	767	15.6	146	2	3	13	21	31	40	65
65+	662	19.2	217	3	5	16	25	38	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2624	7.1	28	2	2	6	9	13	16	28
B. *Operated*	924	8.6	74	1	1	6	12	20	26	35
2. MULTIPLE DX										
A. *Not Operated*	5779	10.3	75	2	3	8	13	20	27	47
B. *Operated*	2265	15.7	168	2	3	13	21	32	42	67
1. SINGLE DX	3548	7.5	40	1	2	6	10	15	19	32
2. MULTIPLE DX	8044	11.8	107	2	3	9	15	24	32	54
A. NOT OPERATED	8403	9.3	62	2	3	7	12	18	24	42
B. OPERATED	3189	13.6	151	1	2	11	19	29	38	63
TOTAL 0-19 YRS	836	6.8	36	2	2	5	8	12	17	33
20-34	2481	7.8	44	2	2	6	10	15	20	33
35-49	2250	10.1	81	2	2	7	13	21	28	50
50-64	3333	11.5	99	2	3	9	15	24	31	51
65+	2692	13.2	128	2	3	10	17	26	36	60
GRAND TOTAL	**11592**	**10.5**	**90**	**2**	**3**	**8**	**13**	**22**	**29**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	3.7	8	1	1	3	4	7	8	14
20-34	1834	3.4	6	1	1	3	4	6	8	12
35-49	1606	3.7	7	1	1	3	5	7	8	13
50-64	1816	4.3	14	1	1	4	5	8	10	15
65+	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	1419	7.6	13	4	5	7	9	11	13	20
20-34	15407	7.7	11	5	5	7	9	11	13	18
35-49	13973	8.2	12	5	5	7	9	12	14	20
50-64	14342	8.8	12	5	6	8	10	13	16	21
65+	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	8	1	1	3	5	8	10	14
20-34	1520	4.5	10	1	1	4	6	8	10	16
35-49	2000	5.4	20	1	2	4	7	10	12	22
50-64	4049	5.9	20	2	2	5	7	11	13	22
65+	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	702	9.7	29	4	5	9	11	15	19	29
20-34	9582	9.5	24	5	6	8	11	15	18	27
35-49	11814	10.2	29	5	6	9	12	16	20	30
50-64	18554	11.7	43	6	6	10	14	19	23	36
65+	18734	15.2	77	6	7	13	18	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7092	4.2	11	1	1	3	5	8	10	15
B. *Operated*	52635	8.6	15	5	5	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	15350	6.6	27	2	2	5	8	12	15	25
B. *Operated*	59386	12.1	53	5	6	10	14	20	25	40
1. SINGLE DX	59727	8.1	16	3	4	7	9	13	15	22
2. MULTIPLE DX	74736	11.0	52	3	5	9	13	19	24	38
A. NOT OPERATED	22442	5.8	23	1	2	5	7	11	14	24
B. OPERATED	112021	10.5	38	5	6	9	12	17	21	34
TOTAL 0-19 YRS	2499	7.6	20	2	3	7	9	12	14	23
20-34	28343	7.8	18	3	4	7	9	12	15	22
35-49	29393	8.5	22	3	5	8	10	14	17	25
50-64	38761	9.7	33	3	5	8	11	16	20	31
65+	35467	12.2	66	3	5	10	15	22	27	43
GRAND TOTAL	**134463**	**9.7**	**38**	**3**	**5**	**8**	**11**	**16**	**21**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	4.1	7	1	2	4	5	7	9	14
20-34	2128	4.0	10	1	1	4	5	7	9	13
35-49	1707	4.3	11	1	2	4	5	7	9	14
50-64	1538	4.9	14	1	2	4	6	9	11	17
65+	1286	5.9	23	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	168	8.1	15	4	4	7	10	13	15	22
20-34	1872	8.6	16	4	5	8	10	13	16	24
35-49	1871	9.0	19	5	5	8	10	14	17	24
50-64	1637	10.0	21	5	6	9	12	15	18	26
65+	1020	11.8	31	6	7	11	14	19	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.8	13	1	2	4	6	8	9	24
20-34	1847	4.8	10	1	2	4	6	9	11	17
35-49	2054	5.7	16	2	2	5	7	10	12	20
50-64	2982	6.4	27	2	2	5	8	11	14	23
65+	5001	8.4	37	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	186	10.0	53	5	5	8	12	16	19	51
20-34	2822	9.8	26	5	5	8	12	16	19	28
35-49	3659	10.7	36	5	6	9	13	17	22	33
50-64	4274	12.4	57	6	6	10	15	21	26	43
65+	4374	16.0	83	7	8	14	20	28	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6977	4.6	14	1	2	4	6	8	10	16
B. *Operated*	6568	9.6	22	5	5	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	12122	6.8	28	2	2	6	9	12	16	27
B. *Operated*	15315	12.5	59	5	6	10	15	21	27	44
1. SINGLE DX	13545	7.0	24	2	2	6	9	13	15	24
2. MULTIPLE DX	27437	10.0	54	2	3	8	12	18	23	38
A. NOT OPERATED	19099	6.0	24	1	2	5	8	11	14	24
B. OPERATED	21883	11.6	50	5	6	10	14	20	25	40
TOTAL 0-19 YRS	910	6.2	25	1	2	5	8	11	14	23
20-34	8669	7.0	23	2	2	6	9	13	16	24
35-49	9291	8.1	30	2	3	7	10	14	18	27
50-64	10431	9.2	46	2	3	8	11	16	21	34
65+	11681	11.3	67	3	4	9	14	21	27	44
GRAND TOTAL	**40982**	**9.0**	**46**	**2**	**3**	**8**	**11**	**17**	**21**	**35**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.2	12	1	1	3	6	8	13	16
20-34	168	4.0	10	1	1	3	5	8	11	16
35-49	151	4.3	8	1	1	4	6	8	10	14
50-64	181	5.0	17	1	1	4	6	10	12	23
65+	283	6.2	18	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	51	8.5	29	2	4	7	10	12	22	33
20-34	646	8.9	22	4	5	8	11	15	17	24
35-49	587	9.5	24	4	5	8	11	15	19	24
50-64	762	10.6	38	3	5	9	13	19	23	31
65+	934	13.3	58	3	5	12	17	23	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.6	11	1	2	6	8	10	12	12
20-34	118	5.1	14	1	2	4	7	9	11	21
35-49	165	5.8	21	2	2	5	7	10	12	27
50-64	374	6.6	26	2	2	6	9	12	14	24
65+	905	8.8	44	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	46	11.2	27	5	6	10	14	17	23	27
20-34	546	11.0	36	5	6	9	13	17	21	41
35-49	633	12.4	66	5	6	11	15	20	26	42
50-64	1202	14.8	74	6	7	13	18	24	31	50
65+	2475	18.9	108	7	9	17	24	32	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	5.0	15	1	1	4	7	10	11	19
B. *Operated*	2980	10.8	41	3	5	9	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	1575	7.6	36	2	3	6	9	14	18	28
B. *Operated*	4902	16.1	95	6	7	14	20	29	35	53
1. SINGLE DX	3786	9.6	41	2	3	8	12	18	22	32
2. MULTIPLE DX	6477	14.0	94	3	5	12	18	26	33	50
A. NOT OPERATED	2381	6.8	31	1	2	6	9	12	16	27
B. OPERATED	7882	14.1	81	5	6	12	18	25	31	48
TOTAL 0-19 YRS	133	8.4	30	2	2	7	10	15	18	28
20-34	1478	8.8	30	2	3	8	11	15	18	27
35-49	1536	9.8	47	2	3	8	12	17	21	35
50-64	2519	11.6	64	2	4	10	15	21	25	45
65+	4597	15.0	101	3	5	13	19	28	34	50
GRAND TOTAL	**10263**	**12.4**	**79**	**2**	**4**	**10**	**16**	**23**	**29**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	18	2	2	5	9	13	15	17
20-34	152	4.9	11	1	2	4	6	9	11	20
35-49	197	5.7	13	1	2	5	8	10	12	20
50-64	202	6.0	21	1	2	5	8	12	16	24
65+	348	7.2	23	1	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	13	11.5	54	1	2	11	16	21	24	25
20-34	99	12.0	86	2	3	9	15	24	30	49
35-49	107	12.4	52	1	2	11	15	22	27	32
50-64	140	13.4	99	1	2	12	18	25	30	43
65+	172	15.8	141	2	3	15	20	29	33	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	7.4	31	2	2	6	10	15	20	25
20-34	183	7.2	47	2	2	6	9	13	15	34
35-49	278	7.6	31	2	3	6	9	14	18	29
50-64	544	8.3	37	2	3	7	11	15	19	33
65+	1367	10.6	61	3	4	9	13	19	25	38
B. *Operated*										
0-19 YRS	31	15.8	122	2	2	14	22	30	41	43
20-34	166	13.6	121	2	4	10	17	25	33	66
35-49	320	15.1	141	3	4	12	19	28	35	80
50-64	617	18.0	154	3	5	15	23	33	40	60
65+	1188	21.6	162	6	9	19	26	38	47	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	6.2	19	1	2	5	8	12	14	22
B. *Operated*	531	13.7	102	1	3	12	18	25	30	47
2. MULTIPLE DX										
A. *Not Operated*	2409	9.4	52	2	3	8	12	18	23	37
B. *Operated*	2322	19.1	162	4	6	17	24	34	44	72
1. SINGLE DX	1463	8.9	62	1	2	7	12	18	24	35
2. MULTIPLE DX	4731	14.2	129	3	4	11	19	28	36	57
A. NOT OPERATED	3341	8.5	45	2	3	7	11	16	21	33
B. OPERATED	2853	18.1	155	3	5	16	23	33	42	71
TOTAL 0-19 YRS	114	9.8	69	2	2	7	14	21	26	42
20-34	600	9.2	77	2	2	7	11	19	25	46
35-49	902	10.4	84	2	3	8	13	21	27	46
50-64	1503	12.4	113	2	3	10	16	25	32	53
65+	3075	14.8	132	3	4	12	19	29	36	59
GRAND TOTAL	**6194**	**12.9**	**118**	**2**	**3**	**10**	**17**	**26**	**33**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	6.3	19	2	2	5	7	11	15	26
20-34	2738	6.5	21	2	3	6	8	12	14	22
35-49	2920	7.3	28	2	3	6	9	13	16	28
50-64	875	7.3	23	2	3	6	9	13	16	26
65+	1[illegible]39	8.3	32	2	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	43	9.9	41	2	3	9	12	17	22	32
20-34	213	14.2	169	1	3	11	18	28	40	70
35-49	307	13.5	137	2	2	11	17	25	36	73
50-64	305	14.4	158	1	2	11	19	31	39	59
65+	158	15.4	142	2	3	13	19	29	37	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	7.1	21	2	3	6	9	13	15	25
20-34	3887	8.1	33	2	3	7	10	14	18	30
35-49	6119	8.9	41	3	3	7	11	16	20	35
50-64	4838	9.3	41	3	4	8	11	16	21	34
65+	4247	10.4	51	3	4	9	13	18	24	37
B. *Operated*										
0-19 YRS	63	16.7	131	5	6	13	20	37	42	57
20-34	736	18.2	221	4	6	14	23	39	56	99+
35-49	1405	19.4	219	4	6	15	24	39	52	89
50-64	1444	20.2	227	4	7	16	26	40	54	95
65+	1266	21.4	206	6	8	18	27	41	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9065	7.1	26	2	3	6	9	13	16	26
B. *Operated*	1026	14.1	147	1	2	11	18	28	37	66
2. MULTIPLE DX										
A. *Not Operated*	19411	9.1	42	3	3	8	11	16	21	35
B. *Operated*	4914	20.0	218	4	7	16	25	40	53	95
1. SINGLE DX	10091	7.9	42	2	3	6	9	14	19	35
2. MULTIPLE DX	24325	11.3	96	3	4	9	14	22	30	56
A. NOT OPERATED	28476	8.5	37	2	3	7	10	15	19	32
B. OPERATED	5940	18.9	211	4	6	15	24	38	51	91
TOTAL 0-19 YRS	819	7.6	37	2	3	6	9	14	18	34
20-34	7574	8.7	62	2	3	7	10	16	22	45
35-49	10751	9.9	78	2	3	8	12	19	26	50
50-64	8462	10.9	93	3	3	8	13	21	29	54
65+	6810	12.2	99	3	4	10	15	23	30	55
GRAND TOTAL	**34416**	**10.3**	**83**	**2**	**3**	**8**	**12**	**20**	**27**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	595	3.7	6	1	1	3	5	7	8	13
20-34	760	3.9	9	1	1	3	5	7	9	15
35-49	857	4.8	13	1	2	4	6	9	11	20
50-64	1103	5.3	15	1	2	5	7	9	11	17
65+	1704	6.4	23	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	57	5.5	20	1	1	5	8	11	12	24
20-34	91	7.0	28	2	2	6	9	14	17	28
35-49	121	8.3	36	1	2	7	10	16	22	28
50-64	163	8.9	33	2	2	8	12	16	20	30
65+	231	10.0	57	2	3	8	13	19	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	760	4.7	16	1	2	4	6	8	11	22
20-34	1933	5.2	19	1	2	4	6	9	12	26
35-49	2900	6.4	25	2	2	5	8	12	15	27
50-64	5554	7.4	33	2	3	6	9	13	16	30
65+	13066	8.9	43	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	94	7.6	33	1	2	5	11	16	19	26
20-34	361	9.6	72	2	3	8	12	17	22	49
35-49	686	11.6	91	2	3	9	14	23	32	60
50-64	1618	12.2	94	3	4	10	15	23	31	53
65+	3246	14.9	133	4	5	12	19	29	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5019	5.2	16	1	2	4	7	10	12	20
B. *Operated*	663	8.6	42	1	2	7	11	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	24213	7.8	38	2	3	6	10	14	19	32
B. *Operated*	6005	13.4	116	3	4	10	16	26	35	60
1. SINGLE DX	5682	5.6	21	1	2	4	7	11	14	22
2. MULTIPLE DX	30218	8.9	58	2	3	7	11	17	23	41
A. NOT OPERATED	29232	7.4	35	2	2	6	9	14	18	31
B. OPERATED	6668	12.9	110	3	4	10	16	25	34	56
TOTAL 0-19 YRS	1506	4.5	14	1	1	4	6	8	11	20
20-34	3145	5.5	26	1	2	4	7	10	14	28
35-49	4564	7.0	38	2	2	5	8	13	17	33
50-64	8438	8.1	47	2	3	6	10	15	20	35
65+	18247	9.7	64	2	3	8	12	18	25	44
GRAND TOTAL	**35900**	**8.4**	**54**	**2**	**2**	**7**	**10**	**16**	**22**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	4.5	9	1	2	4	6	8	10	16
20-34	68	5.9	12	1	2	5	8	11	13	16
35-49	66	6.2	18	2	2	5	8	13	15	20
50-64	82	7.3	44	1	2	5	9	14	19	40
65+	38	8.6	50	1	2	7	9	15	27	34
B. *Operated*										
0-19 YRS	23	8.1	150	<1	1	5	8	37	68	99+
20-34	54	9.3	45	2	2	8	13	18	24	29
35-49	52	10.8	67	1	2	8	15	23	26	42
50-64	54	9.2	61	2	2	7	11	20	32	97
65+	41	11.4	96	<1	1	8	16	27	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	448	6.6	46	2	2	5	7	12	16	41
20-34	146	8.4	68	2	2	6	10	19	28	50
35-49	234	9.0	57	2	3	7	11	18	23	50
50-64	293	10.2	68	2	3	8	13	22	25	41
65+	375	11.9	86	3	4	10	16	24	28	38
B. *Operated*										
0-19 YRS	40	12.6	307	1	2	7	15	43	99	99+
20-34	141	13.5	82	3	5	12	16	24	31	57
35-49	181	16.9	166	4	6	13	21	34	42	61
50-64	204	15.4	134	3	4	12	19	36	43	54
65+	199	19.1	249	3	5	15	23	39	51	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	5.4	19	1	2	4	7	10	13	21
B. *Operated*	224	9.9	74	1	2	7	13	23	29	65
2. MULTIPLE DX										
A. *Not Operated*	1496	9.2	68	2	3	7	11	19	25	45
B. *Operated*	765	16.2	174	3	5	13	20	35	44	85
1. SINGLE DX	842	6.6	38	1	2	5	8	13	18	34
2. MULTIPLE DX	2261	11.6	115	2	3	9	15	24	33	57
A. NOT OPERATED	2114	8.1	57	2	2	6	10	17	22	39
B. OPERATED	989	14.8	158	2	4	12	18	32	42	83
TOTAL 0-19 YRS	875	6.0	48	1	2	4	7	11	15	45
20-34	409	9.8	68	2	2	8	13	19	25	47
35-49	533	11.5	106	2	3	9	14	23	33	55
50-64	633	11.4	94	2	3	9	15	23	33	53
65+	653	13.9	146	3	4	11	17	27	36	63
GRAND TOTAL	**3103**	**10.2**	**99**	**2**	**2**	**7**	**13**	**22**	**30**	**54**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	547	6.8	23	2	2	6	9	14	17	23
20-34	145	5.4	16	1	2	4	7	11	15	21
35-49	96	6.3	28	2	2	5	8	10	16	31
50-64	77	6.1	21	1	2	5	8	14	16	18
65+	65	9.9	59	2	3	8	13	19	24	41
B. *Operated*										
0-19 YRS	226	5.4	42	1	2	3	6	10	16	29
20-34	253	5.2	36	1	2	3	6	11	15	28
35-49	165	5.3	26	1	2	3	7	11	15	23
50-64	107	6.7	39	1	2	5	10	14	19	31
65+	58	9.7	86	1	2	7	14	19	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	7.6	56	2	2	6	9	15	21	36
20-34	317	6.9	34	1	2	5	9	15	19	27
35-49	257	7.8	54	1	2	6	10	15	19	35
50-64	443	9.2	47	2	3	8	12	17	23	33
65+	673	12.2	112	2	3	9	15	24	33	63
B. *Operated*										
0-19 YRS	207	9.8	128	1	2	6	13	23	32	60
20-34	440	9.4	91	1	2	6	13	21	30	50
35-49	407	10.5	100	2	2	7	13	23	33	50
50-64	508	12.5	153	2	2	9	16	26	34	69
65+	423	15.4	155	3	4	12	20	32	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	6.7	26	2	2	5	8	14	17	24
B. *Operated*	809	5.8	41	1	2	3	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	2093	9.3	73	2	2	7	12	19	25	41
B. *Operated*	1985	11.7	131	2	2	8	15	26	35	59
1. SINGLE DX	1739	6.3	33	1	2	5	8	13	17	26
2. MULTIPLE DX	4078	10.5	103	2	2	8	13	22	30	52
A. NOT OPERATED	3023	8.5	60	2	2	6	11	17	23	38
B. OPERATED	2794	10.0	112	2	2	7	13	23	31	54
TOTAL 0-19 YRS	1383	7.3	53	2	2	5	9	15	20	36
20-34	1155	7.3	57	1	2	5	9	16	22	39
35-49	925	8.4	71	2	2	6	10	17	24	41
50-64	1135	10.2	97	2	2	7	13	21	27	50
65+	1219	13.1	126	2	3	10	17	27	35	65
GRAND TOTAL	**5817**	**9.2**	**85**	**2**	**2**	**6**	**12**	**19**	**27**	**47**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	5.8	14	1	2	5	7	11	13	18
20-34	61	5.3	12	1	1	5	6	10	13	16
35-49	18	5.5	16	<1	1	4	8	10	14	17
50-64	11	7.9	28	2	2	7	12	16	18	18
65+	6	10.7	125	4	4	6	10	31	33	33
B. *Operated*										
0-19 YRS	45	6.2	29	1	2	4	8	13	18	25
20-34	42	4.8	11	1	2	4	6	9	12	15
35-49	16	10.1	81	1	2	9	14	22	30	33
50-64	18	8.3	60	1	2	4	15	20	24	26
65+	7	8.6	45	2	2	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	7.1	30	2	2	6	9	12	15	25
20-34	64	5.3	9	1	2	5	6	9	12	14
35-49	39	7.5	23	1	2	8	10	14	17	23
50-64	44	8.6	38	1	2	7	11	17	22	29
65+	76	11.0	143	2	3	8	12	20	26	80
B. *Operated*										
0-19 YRS	56	8.1	92	1	2	5	9	17	33	48
20-34	71	12.3	176	2	3	9	15	21	42	79
35-49	61	9.4	56	1	2	7	14	18	24	35
50-64	65	13.8	149	3	4	10	17	23	31	77
65+	64	17.0	207	3	3	15	19	30	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.8	16	1	2	5	7	11	14	18
B. *Operated*	128	6.6	37	1	2	4	9	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	487	7.7	47	2	2	6	9	13	17	31
B. *Operated*	317	12.3	147	2	2	9	16	23	36	66
1. SINGLE DX	580	6.0	21	1	2	5	8	12	15	23
2. MULTIPLE DX	804	9.5	91	2	2	7	11	18	23	50
A. NOT OPERATED	939	6.8	33	2	2	6	9	12	15	25
B. OPERATED	445	10.6	121	2	2	8	15	21	27	51
TOTAL 0-19 YRS	721	6.5	27	2	2	5	8	12	14	26
20-34	238	7.3	70	1	2	5	9	14	18	50
35-49	134	8.4	45	1	2	7	11	17	23	33
50-64	138	11.0	98	2	2	8	15	22	25	51
65+	153	13.4	172	2	3	10	16	24	33	90
GRAND TOTAL	**1384**	**8.0**	**64**	**2**	**2**	**6**	**10**	**16**	**20**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	3	<1	<1	1	4	8	9	13
20-34	105	3.0	37	<1	<1	1	2	6	10	37
35-49	87	3.5	24	<1	1	2	4	6	10	30
50-64	202	3.8	28	1	1	2	4	8	14	30
65+	203	6.4	83	1	1	3	8	16	22	57
B. *Operated*										
0-19 YRS	56	8.2	60	<1	1	6	12	20	25	34
20-34	207	9.6	98	2	2	6	12	24	33	52
35-49	270	7.7	79	1	1	4	9	19	26	46
50-64	493	6.6	65	1	1	4	8	14	21	50
65+	307	7.0	63	1	1	4	8	16	22	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	3.6	18	1	1	2	4	7	12	25
20-34	343	5.1	28	1	1	3	7	12	15	27
35-49	536	6.5	68	1	1	4	8	14	20	39
50-64	1185	7.6	66	1	1	5	10	16	22	42
65+	2206	8.9	86	1	1	6	12	20	27	48
B. *Operated*										
0-19 YRS	246	14.9	251	1	2	9	21	34	51	69
20-34	1028	13.6	229	1	2	8	17	32	49	83
35-49	1425	12.2	161	1	2	8	16	29	41	64
50-64	2315	12.8	183	2	2	8	17	29	40	71
65+	1862	15.1	207	2	3	11	20	34	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.4	48	<1	1	2	5	11	16	36
B. *Operated*	1333	7.5	73	1	1	4	9	17	26	46
2. MULTIPLE DX										
A. *Not Operated*	4434	7.8	73	1	1	5	10	18	24	43
B. *Operated*	6876	13.5	196	2	2	9	18	31	44	71
1. SINGLE DX	1959	6.5	67	1	1	4	8	15	23	42
2. MULTIPLE DX	11310	11.2	155	1	1	7	15	26	37	66
A. NOT OPERATED	5060	7.4	71	1	1	5	10	17	23	43
B. OPERATED	8209	12.5	181	1	2	8	16	29	42	69
TOTAL 0-19 YRS	495	9.7	166	1	1	4	12	25	34	66
20-34	1683	10.7	175	1	1	6	13	26	40	73
35-49	2318	10.0	133	1	2	6	13	24	36	61
50-64	4195	10.2	138	1	2	6	13	24	32	62
65+	4578	11.2	144	1	1	7	15	26	36	65
GRAND TOTAL	**13269**	**10.5**	**145**	**1**	**1**	**7**	**14**	**25**	**35**	**64**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.6	10	1	1	4	6	9	12	14
20-34	27	4.0	9	1	1	4	5	7	10	15
35-49	23	5.0	15	<1	1	5	7	9	13	18
50-64	76	4.9	25	<1	1	4	7	12	16	80
65+	118	9.9	84	1	2	7	14	22	25	70
B. *Operated*										
0-19 YRS	12	17.8	455	<1	1	9	23	57	64	65
20-34	53	9.8	86	1	1	8	13	22	32	38
35-49	43	12.2	178	2	2	7	17	33	42	52
50-64	80	8.3	117	<1	1	4	11	21	27	61
65+	65	9.5	117	1	1	6	12	22	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.6	59	1	1	5	9	18	27	33
20-34	130	6.5	37	1	2	5	8	14	17	31
35-49	219	8.1	50	1	2	6	11	18	25	32
50-64	583	10.4	107	1	2	8	13	21	31	59
65+	1984	13.5	109	2	3	11	17	26	34	50
B. *Operated*										
0-19 YRS	36	12.9	164	2	3	9	16	26	41	65
20-34	151	15.0	242	2	2	10	23	36	71	99+
35-49	258	15.3	227	2	2	11	21	34	48	93
50-64	577	17.3	256	2	3	13	23	38	54	90
65+	829	21.9	240	3	5	19	30	44	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	6.9	52	1	1	5	9	16	22	54
B. *Operated*	253	10.0	138	1	1	6	12	25	37	56
2. MULTIPLE DX										
A. *Not Operated*	2993	12.1	105	2	2	10	16	25	32	50
B. *Operated*	1851	18.8	250	2	3	15	26	41	54	99+
1. SINGLE DX	531	8.4	95	1	1	5	11	20	28	56
2. MULTIPLE DX	4844	14.6	171	2	3	11	20	32	41	76
A. NOT OPERATED	3271	11.6	102	2	2	9	15	24	32	50
B. OPERATED	2104	17.7	245	2	3	14	25	39	53	99+
TOTAL 0-19 YRS	159	8.9	113	1	1	6	11	20	30	64
20-34	361	10.4	145	1	2	6	13	27	36	99+
35-49	543	11.7	156	1	2	8	16	27	39	68
50-64	1316	13.0	184	1	2	9	17	30	41	77
65+	2996	15.6	160	2	3	12	21	32	41	69
GRAND TOTAL	**5375**	**14.0**	**167**	**2**	**2**	**11**	**19**	**31**	**41**	**73**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1419	4.3	5	2	2	4	5	7	8	10
20-34	2119	4.5	7	2	2	4	5	7	8	12
35-49	524	5.2	7	2	2	5	6	9	10	14
50-64	360	5.3	8	2	2	5	7	9	10	14
65+	360	6.5	12	2	3	6	8	10	13	19
B. *Operated*										
0-19 YRS	112	5.6	8	1	2	5	7	8	9	16
20-34	142	6.6	21	2	3	6	8	10	14	27
35-49	57	6.6	9	2	3	7	8	10	12	17
50-64	42	8.8	24	3	4	7	13	16	18	25
65+	27	7.6	29	1	1	7	11	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1260	4.9	8	2	2	4	6	8	9	14
20-34	2195	5.5	17	2	2	5	7	9	11	17
35-49	1024	6.5	13	2	3	6	8	11	13	18
50-64	1302	7.8	23	3	3	7	9	13	16	25
65+	2356	9.8	49	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	213	6.9	19	2	3	6	8	12	15	25
20-34	518	8.9	42	3	4	7	10	16	21	39
35-49	294	11.0	66	4	4	8	14	22	29	47
50-64	385	13.4	97	4	5	11	17	24	32	50
65+	426	16.3	120	5	6	14	20	29	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4782	4.7	7	2	2	4	6	7	9	13
B. *Operated*	380	6.6	17	2	3	6	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	8137	7.1	29	2	3	6	9	13	16	28
B. *Operated*	1836	11.6	83	3	4	9	15	22	28	50
1. SINGLE DX	5162	4.9	8	2	2	4	6	8	9	14
2. MULTIPLE DX	9973	8.0	42	2	3	6	9	15	19	35
A. NOT OPERATED	12919	6.2	22	2	3	5	7	11	14	24
B. OPERATED	2216	10.8	75	3	4	8	13	21	26	46
TOTAL 0-19 YRS	3004	4.8	8	2	2	4	6	7	9	14
20-34	4974	5.4	17	2	2	5	6	9	11	20
35-49	1899	6.8	23	2	3	6	8	12	15	27
50-64	2089	8.4	40	3	3	7	10	15	19	34
65+	3169	10.3	61	3	4	8	13	19	24	42
GRAND TOTAL	**15135**	**6.9**	**33**	**2**	**3**	**5**	**8**	**13**	**17**	**29**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	1434	4.1	6	1	2	4	5	7	8	12
20-34	1900	4.4	7	2	2	4	5	7	8	13
35-49	537	5.0	8	2	2	4	6	8	10	15
50-64	389	5.6	15	2	2	5	7	10	12	22
65+	370	6.4	18	2	3	5	8	11	14	24
B. ***Operated***										
0-19 YRS	246	5.3	33	1	1	4	7	9	13	24
20-34	344	5.8	17	1	2	5	8	12	14	20
35-49	214	6.6	32	1	2	5	9	13	17	28
50-64	188	9.3	93	2	2	7	12	19	25	55
65+	120	9.9	68	2	2	7	13	24	27	38
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	1241	4.8	14	2	2	4	6	8	10	14
20-34	2234	5.2	10	2	2	5	6	9	11	16
35-49	1062	6.9	24	2	3	6	8	12	16	26
50-64	1378	7.9	32	2	3	6	10	14	18	34
65+	2443	9.6	46	3	4	8	12	17	21	37
B. ***Operated***										
0-19 YRS	466	6.3	24	1	1	5	8	12	16	24
20-34	971	8.6	58	2	2	7	10	17	21	42
35-49	768	11.2	103	2	3	8	14	23	31	55
50-64	935	12.6	95	2	3	10	16	25	31	53
65+	1050	15.0	136	2	4	12	19	29	38	59
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	4630	4.7	9	2	2	4	6	8	9	16
B. ***Operated***	1112	6.9	45	1	2	5	8	14	18	32
2. MULTIPLE DX										
A. ***Not Operated***	8358	7.1	30	2	3	6	9	13	17	28
B. ***Operated***	4190	11.3	98	2	2	9	15	23	31	54
1. SINGLE DX	5742	5.1	16	1	2	4	6	9	12	22
2. MULTIPLE DX	12548	8.5	57	2	3	6	10	17	22	40
A. NOT OPERATED	12988	6.2	24	2	2	5	7	11	15	24
B. OPERATED	5302	10.4	90	2	2	8	13	22	29	52
TOTAL 0-19 YRS	3387	4.7	14	1	2	4	6	8	10	17
20-34	5449	5.6	20	2	2	5	7	10	13	23
35-49	2581	7.8	50	2	2	6	9	15	21	37
50-64	2890	9.2	60	2	3	7	11	18	24	39
65+	3983	10.7	75	3	3	8	13	20	27	49
GRAND TOTAL	**18290**	**7.4**	**47**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	2.7	4	1	1	2	3	5	7	11
20-34	2128	2.5	4	1	1	2	3	5	6	11
35-49	2349	2.7	6	1	1	2	3	5	7	12
50-64	1627	2.9	6	1	1	2	4	5	7	12
65+	523	3.5	7	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	128	7.4	13	2	3	8	9	12	13	19
20-34	1157	8.5	25	2	3	8	10	14	16	28
35-49	1510	8.5	22	2	2	8	11	14	16	25
50-64	1510	9.4	32	2	3	9	12	15	19	28
65+	641	9.9	31	2	3	10	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.6	10	1	1	3	5	6	7	21
20-34	1373	3.6	9	1	1	3	5	7	9	15
35-49	1780	3.9	11	1	1	3	5	8	10	15
50-64	1994	4.5	14	1	1	4	6	9	11	17
65+	1492	6.1	26	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	142	9.4	54	2	3	7	11	18	22	43
20-34	1206	10.0	51	2	3	9	12	17	22	38
35-49	1841	10.2	48	2	3	9	13	19	23	35
50-64	2692	11.0	67	2	3	10	14	20	25	40
65+	2041	12.6	86	2	3	11	16	24	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6916	2.8	5	1	1	2	3	5	7	12
B. *Operated*	4946	9.0	27	2	3	9	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	6810	4.5	15	1	1	3	6	9	11	19
B. *Operated*	7922	11.1	66	2	3	10	14	20	26	42
1. SINGLE DX	11862	5.3	24	1	1	3	8	11	14	22
2. MULTIPLE DX	14732	8.0	53	1	2	6	11	16	21	36
A. NOT OPERATED	13726	3.6	11	1	1	3	4	7	10	16
B. OPERATED	12868	10.2	52	2	3	9	13	18	23	37
TOTAL 0-19 YRS	730	5.1	24	1	1	4	7	10	13	23
20-34	5864	5.5	29	1	1	4	8	12	15	27
35-49	7480	6.0	30	1	1	4	9	13	16	26
50-64	7823	7.4	45	1	2	6	10	15	19	31
65+	4697	9.2	62	1	2	7	12	18	24	39
GRAND TOTAL	**26594**	**6.8**	**42**	**1**	**1**	**5**	**9**	**14**	**18**	**31**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	941	2.6	8	1	1	2	3	4	6	9
20-34	8878	2.3	4	1	1	2	3	4	5	8
35-49	9301	2.4	5	1	1	2	3	4	5	8
50-64	6064	2.6	5	1	1	2	3	5	6	9
65+	1585	3.0	5	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	516	6.2	16	2	2	5	8	11	14	20
20-34	5280	6.1	17	2	2	5	8	11	13	19
35-49	6251	6.5	20	2	2	6	9	12	14	21
50-64	5040	7.1	21	2	2	6	9	13	15	23
65+	1775	8.3	26	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	3.2	35	1	1	2	4	5	6	9
20-34	2408	3.1	10	1	1	2	4	6	7	13
35-49	3159	3.2	8	1	1	3	4	6	7	12
50-64	3398	3.6	8	1	1	3	4	7	8	13
65+	1791	4.6	23	1	1	4	6	8	11	22
B. *Operated*										
0-19 YRS	216	6.6	19	2	2	6	8	12	14	22
20-34	2144	7.5	28	2	3	6	10	14	17	27
35-49	3118	8.1	32	2	3	7	10	15	18	29
50-64	4199	9.4	42	2	3	8	12	17	21	32
65+	2801	11.3	62	3	4	10	14	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26769	2.4	5	1	1	2	3	4	5	9
B. *Operated*	18862	6.7	20	2	2	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	11017	3.5	12	1	1	3	4	6	8	14
B. *Operated*	12478	9.1	43	2	3	8	12	17	21	33
1. SINGLE DX	45631	4.2	16	1	1	3	5	9	12	18
2. MULTIPLE DX	23495	6.5	36	1	2	5	9	14	18	29
A. NOT OPERATED	37786	2.8	7	1	1	2	3	5	6	11
B. OPERATED	31340	7.7	31	2	2	6	10	14	18	28
TOTAL 0-19 YRS	1934	4.1	18	1	1	3	5	8	11	18
20-34	18710	4.1	15	1	1	3	5	9	11	18
35-49	21829	4.5	19	1	1	3	6	10	12	20
50-64	18701	5.5	26	1	1	4	7	12	15	24
65+	7952	7.5	45	1	2	6	10	15	20	32
GRAND TOTAL	**69126**	**5.0**	**24**	**1**	**1**	**3**	**7**	**11**	**14**	**23**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	3.2	12	<1	1	2	4	7	9	16
20-34	269	3.3	9	1	1	2	4	7	9	13
35-49	274	3.5	9	1	1	3	4	7	10	18
50-64	260	3.8	10	1	1	3	5	8	10	18
65+	252	4.6	16	1	1	3	6	10	13	21
B. *Operated*										
0-19 YRS	1853	6.3	25	<1	1	7	9	12	15	20
20-34	910	7.3	28	1	2	7	10	14	17	23
35-49	905	6.8	34	1	1	5	10	14	17	28
50-64	1081	6.7	41	1	1	4	9	15	19	31
65+	782	6.9	41	1	2	5	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	449	4.5	22	1	1	3	6	9	11	21
20-34	520	4.8	20	1	1	4	6	9	13	24
35-49	462	6.1	37	1	2	4	8	11	16	28
50-64	827	7.4	49	2	2	6	9	14	18	33
65+	1747	9.5	75	2	2	7	12	19	26	46
B. *Operated*										
0-19 YRS	2288	6.9	39	1	1	6	10	14	18	28
20-34	1703	9.2	61	1	2	8	12	18	22	34
35-49	1819	9.6	65	2	2	8	13	19	24	39
50-64	2619	10.3	77	2	2	8	14	21	27	42
65+	3008	12.3	115	2	2	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1369	3.7	12	1	1	3	4	7	10	18
B. *Operated*	5531	6.7	32	1	1	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	4005	7.5	56	1	2	5	9	15	20	39
B. *Operated*	11437	9.9	78	1	2	8	13	20	26	43
1. SINGLE DX	6900	6.1	30	1	1	4	9	13	16	25
2. MULTIPLE DX	15442	9.3	74	1	2	7	12	19	25	42
A. NOT OPERATED	5374	6.5	48	1	1	4	8	14	18	34
B. OPERATED	16968	8.8	66	1	1	8	12	18	23	39
TOTAL 0-19 YRS	4904	6.2	31	1	1	5	9	13	16	25
20-34	3402	7.6	46	1	2	6	10	15	19	31
35-49	3460	7.9	53	1	2	6	11	16	21	34
50-64	4787	8.7	64	1	2	7	12	18	23	37
65+	5789	10.4	94	2	2	8	14	22	28	49
GRAND TOTAL	**22342**	**8.3**	**62**	**1**	**1**	**7**	**11**	**17**	**22**	**38**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.7	3	1	1	2	4	5	5	9
20-34	795	2.4	3	1	1	2	3	4	5	8
35-49	781	2.5	4	1	1	2	3	5	5	8
50-64	545	2.8	6	1	1	2	4	5	6	11
65+	148	3.7	7	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	69	4.4	11	1	1	4	7	10	11	13
20-34	390	6.0	14	2	2	5	8	11	12	18
35-49	472	6.4	25	1	2	5	8	12	15	29
50-64	511	6.8	31	1	2	6	9	13	17	26
65+	421	6.7	29	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.6	6	1	1	3	5	6	7	14
20-34	314	3.4	7	1	1	3	4	6	8	15
35-49	381	3.8	12	1	1	3	5	7	9	15
50-64	438	4.3	17	1	1	3	5	8	10	22
65+	278	6.3	66	1	1	4	7	12	17	42
B. *Operated*										
0-19 YRS	64	6.3	45	1	2	5	8	13	19	92
20-34	346	8.5	50	2	2	7	11	17	21	35
35-49	419	8.6	76	2	2	7	11	17	22	40
50-64	897	8.3	41	2	2	7	11	16	21	30
65+	1515	10.9	77	2	3	9	14	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2369	2.6	4	1	1	2	3	5	6	10
B. *Operated*	1863	6.4	25	1	2	5	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1460	4.3	23	1	1	3	5	8	11	23
B. *Operated*	3241	9.5	65	2	2	8	12	19	24	39
1. SINGLE DX	4232	4.3	17	1	1	3	5	9	12	20
2. MULTIPLE DX	4701	7.9	58	1	2	6	10	16	22	37
A. NOT OPERATED	3829	3.3	12	1	1	2	4	6	8	16
B. OPERATED	5104	8.4	53	2	2	7	11	16	22	36
TOTAL 0-19 YRS	282	4.1	17	1	1	3	5	8	11	25
20-34	1845	4.5	20	1	1	3	5	10	13	21
35-49	2053	4.9	31	1	1	3	6	10	14	28
50-64	2391	6.0	31	1	1	4	8	13	16	27
65+	2362	9.1	68	2	2	7	12	19	24	39
GRAND TOTAL	**8933**	**6.2**	**42**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	807	3.3	16	1	1	3	4	5	7	11
20-34	748	3.2	5	1	1	3	4	5	7	11
35-49	339	3.8	7	1	1	3	5	6	8	15
50-64	303	4.0	7	1	1	3	5	7	8	14
65+	337	5.2	13	1	2	4	6	9	13	16
B. *Operated*										
0-19 YRS	1373	2.7	6	<1	1	2	3	5	7	11
20-34	2030	3.2	9	1	1	2	4	6	8	13
35-49	1581	3.3	8	1	1	2	4	6	9	14
50-64	1949	3.4	12	1	1	3	4	6	8	14
65+	1760	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	980	3.9	7	1	1	3	5	7	9	12
20-34	1285	4.7	12	1	2	4	6	8	11	18
35-49	918	5.8	18	1	2	5	7	10	13	23
50-64	1207	6.5	23	2	2	5	8	12	15	25
65+	2846	8.6	50	2	3	7	11	16	21	35
B. *Operated*										
0-19 YRS	2305	3.1	10	1	1	2	4	6	8	14
20-34	4097	4.6	20	1	1	3	6	9	12	22
35-49	3578	5.3	26	1	1	4	7	11	15	25
50-64	4360	6.0	39	1	2	4	7	12	17	31
65+	6076	7.9	57	2	2	6	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2534	3.6	10	1	1	3	4	6	8	14
B. *Operated*	8693	3.4	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7236	6.6	32	2	2	5	8	12	16	29
B. *Operated*	20416	5.8	37	1	1	4	7	12	17	31
1. SINGLE DX	11227	3.4	10	1	1	3	4	7	9	14
2. MULTIPLE DX	27652	6.0	36	1	2	4	8	12	16	30
A. NOT OPERATED	9770	5.8	28	1	2	4	7	11	15	26
B. OPERATED	29109	5.1	30	1	1	3	6	11	15	28
TOTAL 0-19 YRS	5465	3.2	9	1	1	2	4	6	7	13
20-34	8160	4.1	15	1	1	3	5	8	11	19
35-49	6416	4.8	21	1	1	3	6	10	13	22
50-64	7819	5.3	30	1	2	4	7	11	15	27
65+	11019	7.4	49	2	2	5	9	15	20	36
GRAND TOTAL	**38879**	**5.3**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	1.9	2	<1	<1	2	2	3	5	8
20-34	55	2.9	6	<1	1	2	4	5	8	13
35-49	48	2.8	4	<1	<1	2	4	6	7	9
50-64	61	3.6	8	1	1	3	5	7	8	16
65+	102	4.5	14	1	1	3	6	9	13	18
B. *Operated*										
0-19 YRS	5616	1.9	5	<1	<1	1	2	3	4	9
20-34	2290	3.2	9	<1	1	2	4	6	9	17
35-49	1501	3.5	15	1	1	2	4	7	10	17
50-64	1721	3.7	11	1	1	3	4	7	10	17
65+	1732	4.5	16	1	2	3	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.8	13	<1	<1	2	3	5	9	33
20-34	129	4.1	9	1	1	3	5	8	9	16
35-49	96	5.8	20	1	2	5	7	12	15	22
50-64	132	5.8	62	1	1	4	7	11	15	31
65+	440	7.4	68	1	2	5	9	14	20	47
B. *Operated*										
0-19 YRS	4934	2.3	8	<1	1	2	2	4	6	12
20-34	3987	3.8	15	1	1	3	4	8	11	19
35-49	3089	4.5	24	1	1	3	5	9	13	23
50-64	3943	5.3	28	1	2	4	7	11	15	25
65+	5192	7.2	43	2	2	5	9	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	3.1	8	<1	1	2	4	6	8	15
B. *Operated*	12860	2.9	10	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	944	5.9	49	1	1	4	7	12	16	39
B. *Operated*	21145	4.7	27	1	1	3	6	10	14	25
1. SINGLE DX	13244	2.9	10	<1	1	2	3	6	8	16
2. MULTIPLE DX	22089	4.7	28	1	1	3	6	10	14	25
A. NOT OPERATED	1328	5.1	38	<1	1	3	6	11	14	26
B. OPERATED	34005	4.0	21	1	1	2	5	9	12	22
TOTAL 0-19 YRS	10815	2.1	6	<1	<1	2	2	4	5	11
20-34	6461	3.6	13	1	1	2	4	7	10	18
35-49	4734	4.2	21	1	1	3	5	9	12	21
50-64	5857	4.8	24	1	1	3	6	10	14	23
65+	7466	6.6	40	1	2	5	8	14	18	31
GRAND TOTAL	**35333**	**4.0**	**22**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3952	3.5	7	1	1	3	4	6	7	12
20-34	2321	3.8	8	1	1	3	5	7	8	13
35-49	1121	4.1	9	1	1	3	5	7	9	15
50-64	1194	4.7	12	1	2	4	6	9	11	18
65+	2038	5.7	21	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	3821	2.5	8	<1	1	2	3	5	8	13
20-34	3411	3.3	11	<1	1	2	4	7	9	14
35-49	2768	3.6	14	1	1	2	4	7	10	17
50-64	3135	3.9	17	1	1	3	5	8	11	19
65+	3094	5.0	27	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5261	4.4	10	1	2	4	5	8	10	16
20-34	5082	5.0	17	1	2	4	6	9	12	21
35-49	3598	6.1	26	2	2	5	7	11	14	24
50-64	5673	7.2	34	2	2	6	9	13	17	30
65+	19052	9.4	56	2	3	7	12	17	22	41
B. *Operated*										
0-19 YRS	5563	3.4	17	<1	1	2	4	8	10	20
20-34	6053	5.0	30	1	1	3	6	11	14	26
35-49	5780	5.5	35	1	1	4	7	12	16	31
50-64	8534	6.7	45	1	2	5	9	14	19	32
65+	13770	9.9	88	2	2	7	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10626	4.2	11	1	1	3	5	8	10	16
B. *Operated*	16229	3.6	16	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	38666	7.5	43	2	2	6	9	14	19	34
B. *Operated*	39700	6.9	58	1	1	5	9	15	21	38
1. SINGLE DX	26855	3.8	14	1	1	3	5	8	10	18
2. MULTIPLE DX	78366	7.2	50	1	2	5	9	15	20	37
A. NOT OPERATED	49292	6.8	38	1	2	5	8	13	17	31
B. OPERATED	55929	5.9	48	1	1	4	8	13	18	35
TOTAL 0-19 YRS	18597	3.5	11	1	1	3	4	7	9	16
20-34	16867	4.5	20	1	1	3	6	9	12	22
35-49	13267	5.2	27	1	1	4	6	10	14	25
50-64	18536	6.3	36	1	2	5	8	13	17	29
65+	37954	9.0	65	2	2	7	11	18	23	44
GRAND TOTAL	**105221**	**6.3**	**43**	**1**	**1**	**4**	**8**	**13**	**18**	**33**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	18	1	1	2	8	74	99+	99+
20-34	11	3.9	3	2	2	3	5	7	7	7
35-49	29	3.6	8	<1	1	2	5	8	10	11
50-64	256	4.0	10	1	1	3	5	8	10	15
65+	474	4.7	17	1	1	3	7	10	12	20
B. *Operated*										
0-19 YRS	36	5.1	16	<1	1	5	8	12	15	99+
20-34	103	4.1	49	1	1	2	5	8	10	40
35-49	897	4.5	12	1	1	4	6	9	10	17
50-64	10569	6.5	16	1	2	6	8	11	13	19
65+	17949	7.9	22	2	3	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.0	26	<1	<1	6	11	14	14	14
20-34	21	3.6	3	<1	1	3	5	6	7	8
35-49	73	6.3	70	1	2	4	7	11	17	57
50-64	861	5.3	21	1	1	4	7	11	14	26
65+	2863	7.1	48	1	2	5	9	15	20	34
B. *Operated*										
0-19 YRS	78	8.1	47	1	1	7	10	13	22	41
20-34	146	5.1	20	1	1	4	7	11	14	20
35-49	1180	6.2	28	1	2	5	8	12	15	22
50-64	15395	8.3	31	2	2	7	10	15	19	29
65+	38020	10.8	57	3	4	9	13	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	4.4	14	1	1	3	6	9	12	19
B. *Operated*	29554	7.3	20	2	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	3826	6.7	42	1	2	5	8	14	19	32
B. *Operated*	54819	10.0	51	2	4	8	12	18	23	37
1. SINGLE DX	30331	7.2	20	2	2	7	9	12	15	22
2. MULTIPLE DX	58645	9.8	51	2	3	8	12	18	23	37
A. NOT OPERATED	4603	6.3	38	1	1	4	8	13	18	31
B. OPERATED	84373	9.0	42	2	3	8	11	16	20	33
TOTAL 0-19 YRS	129	6.9	37	1	1	6	9	13	21	99+
20-34	281	4.6	29	1	1	3	6	9	12	19
35-49	2179	5.5	23	1	1	5	7	10	13	21
50-64	27081	7.5	26	2	2	7	9	13	16	26
65+	59306	9.7	48	2	3	8	12	17	22	36
GRAND TOTAL	**88976**	**8.9**	**42**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.3	4	1	1	3	4	5	6	12
20-34	370	3.5	5	1	1	3	4	6	8	12
35-49	365	4.1	16	1	2	4	5	6	8	12
50-64	355	4.5	5	2	2	4	6	7	8	12
65+	202	4.7	8	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS	148	2.4	3	<1	1	2	3	4	6	11
20-34	1096	2.5	4	<1	1	2	3	5	6	10
35-49	1144	2.6	5	<1	1	2	3	5	7	11
50-64	895	3.3	7	1	1	2	4	7	8	13
65+	442	4.4	15	1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	3.8	4	1	2	3	5	7	8	10
20-34	503	4.5	9	1	2	4	6	7	9	14
35-49	579	5.0	10	1	2	4	6	9	11	16
50-64	925	5.4	10	2	2	5	7	9	12	16
65+	804	6.5	22	2	2	6	8	11	14	25
B. *Operated*										
0-19 YRS	163	3.3	8	1	1	2	4	7	9	14
20-34	1309	3.6	14	1	1	2	4	7	9	16
35-49	1647	4.2	19	1	1	3	5	9	12	19
50-64	2040	5.7	25	1	2	4	7	12	15	25
65+	1617	7.9	45	2	2	6	10	16	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1355	4.1	9	1	2	4	5	7	8	13
B. *Operated*	3725	2.9	7	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2880	5.4	14	2	2	5	7	9	12	19
B. *Operated*	6776	5.4	28	1	1	4	7	11	15	26
1. SINGLE DX	5080	3.2	8	1	1	2	4	6	8	13
2. MULTIPLE DX	9656	5.4	24	1	2	4	7	11	14	25
A. NOT OPERATED	4235	5.0	13	1	2	4	6	9	11	17
B. OPERATED	10501	4.5	22	1	1	3	6	10	13	23
TOTAL 0-19 YRS	443	3.1	5	1	1	2	4	6	7	13
20-34	3278	3.3	9	1	1	2	4	7	8	14
35-49	3735	3.8	14	1	1	3	5	8	10	16
50-64	4215	5.0	17	1	2	4	6	10	12	22
65+	3065	6.8	34	1	2	5	9	14	18	31
GRAND TOTAL	**14736**	**4.7**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	1	<1	<1	1	2	3	4	6
20-34	10	3.0	4	<1	<1	3	4	6	7	7
35-49	13	2.8	3	1	1	2	4	5	6	6
50-64	12	2.8	5	<1	<1	2	4	7	8	8
65+	9	3.1	3	<1	<1	3	4	6	7	7
B. *Operated*										
0-19 YRS	1663	2.5	3	<1	1	2	3	4	5	8
20-34	681	3.6	3	1	2	3	4	5	7	10
35-49	708	3.7	3	2	2	3	5	6	7	11
50-64	1341	4.0	5	2	2	4	5	6	8	12
65+	778	4.5	8	2	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	7	<1	<1	1	2	5	7	16
20-34	15	2.1	2	<1	<1	1	3	4	5	5
35-49	18	5.2	22	<1	1	4	8	13	16	16
50-64	34	4.4	11	<1	1	3	6	11	11	12
65+	57	6.6	31	<1	1	4	9	14	20	25
B. *Operated*										
0-19 YRS	1507	2.9	12	<1	1	2	3	5	6	10
20-34	388	4.4	8	2	2	4	5	7	10	17
35-49	532	4.4	10	2	2	4	5	7	10	16
50-64	1164	5.4	21	2	2	4	6	9	12	21
65+	1078	6.8	30	2	3	5	8	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	5171	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	224	3.9	18	<1	<1	2	5	9	12	21
B. *Operated*	4669	4.7	20	1	2	4	5	9	12	21
1. SINGLE DX	5272	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	4893	4.7	20	1	2	4	5	9	12	21
A. NOT OPERATED	325	3.4	14	<1	<1	2	4	8	11	19
B. OPERATED	9840	4.1	12	1	2	3	5	7	9	16
TOTAL 0-19 YRS	3327	2.7	7	<1	1	2	3	4	6	9
20-34	1094	3.8	5	1	2	3	4	6	7	12
35-49	1271	4.0	6	2	2	4	5	6	8	14
50-64	2551	4.6	13	2	2	4	5	8	10	17
65+	1922	5.8	22	2	2	4	7	11	14	25
GRAND TOTAL	**10165**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8).	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	765	4.5	8	1	2	4	6	8	9	13
20-34	1364	4.5	7	1	2	4	6	7	9	13
35-49	611	5.4	8	2	2	5	7	9	11	14
50-64	482	5.8	8	2	3	5	7	9	11	16
65+	299	6.6	14	2	3	6	8	11	13	24
B. *Operated*										
0-19 YRS	252	4.3	9	1	1	4	5	8	10	13
20-34	528	4.6	11	1	2	4	6	9	11	19
35-49	357	4.8	20	1	2	4	6	9	12	18
50-64	308	5.5	12	2	2	4	7	10	12	18
65+	201	6.4	21	2	3	5	8	11	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	5.2	13	2	2	4	7	9	10	19
20-34	469	5.2	9	2	2	4	7	9	11	15
35-49	412	6.3	13	2	3	6	8	11	13	17
50-64	643	6.8	13	2	3	6	9	11	13	18
65+	724	7.7	22	3	3	7	9	13	16	27
B. *Operated*										
0-19 YRS	185	5.2	13	1	2	4	7	10	13	20
20-34	357	6.2	32	1	2	5	8	12	16	32
35-49	373	6.5	27	1	2	5	9	12	16	36
50-64	546	7.8	30	2	3	7	10	14	19	27
65+	554	10.5	66	2	3	9	13	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3521	5.0	9	1	2	4	6	9	10	14
B. *Operated*	1646	5.0	14	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2463	6.5	16	2	3	6	8	11	13	20
B. *Operated*	2015	7.8	42	2	2	6	10	15	20	37
1. SINGLE DX	5167	5.0	11	1	2	4	6	9	11	16
2. MULTIPLE DX	4478	7.1	28	2	2	6	9	13	16	29
A. NOT OPERATED	5984	5.6	12	2	2	5	7	10	12	18
B. OPERATED	3661	6.5	31	1	2	5	8	13	17	29
TOTAL 0-19 YRS	1417	4.6	10	1	2	4	6	8	10	16
20-34	2718	4.9	12	1	2	4	6	8	11	18
35-49	1753	5.7	16	2	2	5	7	10	12	19
50-64	1979	6.6	17	2	3	6	8	12	14	21
65+	1778	8.2	37	2	3	7	10	15	20	35
GRAND TOTAL	**9645**	**6.0**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2639	1.9	1	<1	1	2	2	3	3	5
20-34	978	2.1	1	1	1	2	2	3	4	5
35-49	402	2.1	1	<1	1	2	2	3	4	7
50-64	252	2.5	16	<1	1	2	2	3	4	7
65+	135	2.7	3	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	4658	1.8	2	<1	1	2	2	2	3	5
20-34	1874	2.3	7	1	1	2	2	3	4	8
35-49	784	2.2	3	<1	1	2	2	3	4	7
50-64	467	2.5	20	1	1	2	3	3	4	10
65+	309	3.1	22	1	1	2	3	4	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	2.0	2	<1	<1	2	2	3	5	8
20-34	311	2.7	5	1	1	2	3	4	7	13
35-49	295	3.5	10	1	1	2	4	8	10	17
50-64	266	3.7	10	1	2	3	4	8	10	17
65+	219	4.3	20	1	1	3	5	8	11	25
B. *Operated*										
0-19 YRS	1400	2.3	3	<1	1	2	2	4	5	9
20-34	1282	2.8	5	1	1	2	3	4	6	12
35-49	901	3.2	8	1	1	2	3	6	9	16
50-64	794	3.6	10	1	2	2	4	7	10	17
65+	691	5.4	35	1	2	3	6	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4406	2.0	2	<1	1	2	2	3	3	6
B. *Operated*	8092	2.1	5	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	1689	3.0	8	<1	1	2	3	6	8	15
B. *Operated*	5068	3.2	11	1	1	2	3	6	9	18
1. SINGLE DX	12498	2.0	4	<1	1	2	2	3	3	7
2. MULTIPLE DX	6757	3.1	10	1	1	2	3	6	9	17
A. NOT OPERATED	6095	2.3	4	<1	1	2	2	3	5	11
B. OPERATED	13160	2.5	8	<1	1	2	2	4	6	13
TOTAL 0-19 YRS	9295	1.9	2	<1	1	2	2	3	3	7
20-34	4445	2.4	5	1	1	2	2	3	4	10
35-49	2382	2.7	6	1	1	2	3	5	7	13
50-64	1779	3.2	14	1	1	2	3	6	8	15
65+	1354	4.4	28	1	2	3	5	9	13	26
GRAND TOTAL	**19255**	**2.4**	**7**	**<1**	**1**	**2**	**2**	**4**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	2.3	4	<1	1	2	3	4	5	9
20-34	417	2.6	4	<1	1	2	3	5	7	11
35-49	226	2.9	5	1	1	2	4	5	7	11
50-64	126	3.0	5	1	1	2	3	5	7	13
65+	88	3.8	8	1	2	3	5	9	11	13
B. *Operated*										
0-19 YRS	2783	2.7	4	1	1	2	3	5	6	10
20-34	2708	2.9	8	1	1	2	3	5	6	12
35-49	1536	3.2	6	1	1	3	4	5	7	13
50-64	1249	3.8	7	1	2	3	5	7	9	14
65+	465	4.3	15	1	2	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.1	6	<1	1	2	4	6	8	12
20-34	298	4.1	15	1	1	3	5	9	11	21
35-49	270	4.3	21	1	1	3	5	8	11	17
50-64	250	4.3	14	1	1	3	5	9	11	22
65+	246	7.6	52	2	2	5	10	15	19	39
B. *Operated*										
0-19 YRS	1090	3.2	6	1	1	3	4	6	7	12
20-34	1735	3.8	15	1	1	3	4	7	10	19
35-49	1305	4.7	28	1	1	3	5	9	12	27
50-64	1563	5.8	41	2	2	4	7	11	16	34
65+	937	7.4	57	2	2	5	9	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	8741	3.1	7	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1283	4.7	24	1	1	3	6	10	14	24
B. *Operated*	6630	4.9	30	1	2	3	5	9	13	28
1. SINGLE DX	9949	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX	7913	4.8	29	1	2	3	5	9	13	28
A. NOT OPERATED	2491	3.7	15	1	1	2	4	8	11	19
B. OPERATED	15371	3.8	17	1	1	3	4	7	10	21
TOTAL 0-19 YRS	4443	2.8	4	1	1	2	3	5	6	11
20-34	5158	3.2	10	1	1	2	4	6	8	15
35-49	3337	3.8	16	1	1	3	4	7	10	21
50-64	3188	4.8	25	1	2	3	5	9	12	26
65+	1736	6.4	45	2	2	4	8	13	19	37
GRAND TOTAL	**17862**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	4	<1	<1	2	3	5	8	9
20-34	153	2.4	3	<1	1	2	3	4	5	8
35-49	269	2.6	4	<1	1	2	3	4	7	12
50-64	127	2.6	3	<1	<1	2	3	5	6	10
65+	37	2.7	4	<1	1	2	3	6	7	9
B. *Operated*										
0-19 YRS	1068	2.1	1	<1	1	2	2	3	4	6
20-34	7882	2.4	4	<1	1	2	3	4	5	9
35-49	15909	2.5	4	1	1	2	3	4	5	8
50-64	6847	2.6	4	1	2	2	3	4	5	9
65+	2179	3.0	6	1	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	7	<1	<1	2	4	8	8	8
20-34	139	3.9	10	<1	1	3	5	7	10	18
35-49	219	4.3	11	<1	1	3	6	9	11	16
50-64	140	4.1	13	1	1	3	5	7	10	20
65+	64	5.5	21	1	2	4	7	10	15	25
B. *Operated*										
0-19 YRS	251	3.0	8	1	1	2	3	5	6	12
20-34	3289	3.4	9	1	1	3	4	6	8	16
35-49	7557	3.6	9	1	2	3	4	7	9	15
50-64	4352	3.8	12	1	2	3	4	7	9	17
65+	2045	4.5	17	2	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	2.6	4	<1	1	2	3	4	6	11
B. *Operated*	33885	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	579	4.3	12	1	1	3	5	8	11	19
B. *Operated*	17494	3.7	11	1	2	3	4	7	9	17
1. SINGLE DX	34501	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX	18073	3.7	11	1	2	3	4	7	9	17
A. NOT OPERATED	1195	3.4	8	<1	1	3	4	7	9	16
B. OPERATED	51379	3.0	7	1	1	2	3	5	7	13
TOTAL 0-19 YRS	1366	2.3	3	<1	1	2	2	3	4	8
20-34	11463	2.7	5	<1	1	2	3	4	6	12
35-49	23954	2.9	6	1	1	2	3	5	7	12
50-64	11466	3.1	8	1	2	2	3	5	7	14
65+	4325	3.7	12	1	2	3	4	7	9	19
GRAND TOTAL	**52574**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.3	4	<1	1	3	4	6	8	10
20-34	387	3.3	13	<1	1	3	4	5	7	12
35-49	172	3.7	7	<1	1	3	5	7	9	13
50-64	108	3.2	7	<1	<1	2	5	7	9	11
65+	66	4.1	8	<1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	2070	3.0	8	1	1	3	4	5	6	9
20-34	4218	3.1	5	<1	1	3	4	5	6	10
35-49	2717	3.0	6	1	1	2	4	5	7	12
50-64	1892	3.3	5	1	2	3	4	6	7	12
65+	971	3.4	9	1	2	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	3.9	8	<1	1	4	5	7	8	17
20-34	288	4.4	12	<1	1	4	6	9	10	18
35-49	228	4.2	13	1	1	3	6	9	11	14
50-64	203	5.3	23	1	1	4	6	10	15	28
65+	188	6.8	36	1	1	5	9	15	17	32
B. *Operated*										
0-19 YRS	441	3.7	10	1	2	3	4	6	8	13
20-34	1767	4.1	12	1	2	3	5	7	9	19
35-49	1941	4.3	15	1	2	3	5	8	10	18
50-64	1672	4.8	19	2	2	4	6	9	13	24
65+	993	5.6	37	2	2	4	7	10	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	3.4	9	<1	1	3	4	6	8	12
B. *Operated*	11868	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1014	4.9	19	1	1	4	6	10	13	23
B. *Operated*	6814	4.5	18	1	2	3	5	8	11	22
1. SINGLE DX	12762	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX	7828	4.6	19	1	2	3	5	8	11	22
A. NOT OPERATED	1908	4.2	15	<1	1	3	5	8	10	19
B. OPERATED	18682	3.6	11	1	1	3	4	6	8	16
TOTAL 0-19 YRS	2779	3.2	8	1	1	3	4	5	6	10
20-34	6660	3.4	8	1	1	3	4	6	7	13
35-49	5058	3.6	10	1	1	3	4	7	9	15
50-64	3875	4.0	13	1	2	3	5	7	10	19
65+	2218	4.7	25	1	2	3	5	9	13	25
GRAND TOTAL	**20590**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1142	2.7	3	1	1	2	3	5	6	9
20-34	2248	2.7	8	1	1	2	3	5	6	10
35-49	425	3.2	5	1	1	3	4	6	7	10
50-64	33	4.4	8	1	2	4	6	8	9	13
65+	16	4.4	7	2	2	3	6	9	10	10
B. *Operated*										
0-19 YRS	2170	4.9	8	1	2	5	6	8	9	15
20-34	7242	5.1	10	1	2	5	7	8	10	15
35-49	1790	6.5	12	2	2	6	8	10	12	19
50-64	325	7.6	13	3	4	7	9	11	13	20
65+	132	9.6	21	5	6	9	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	577	3.6	8	1	1	3	5	7	8	15
20-34	1553	3.8	19	1	1	3	5	7	9	15
35-49	386	4.7	12	1	1	4	7	9	11	16
50-64	54	4.6	8	1	1	4	6	8	10	13
65+	54	7.8	83	2	2	5	9	16	23	60
B. *Operated*										
0-19 YRS	1911	5.7	12	2	2	5	7	9	11	17
20-34	11480	6.4	16	2	2	6	8	10	12	20
35-49	4636	7.9	21	2	4	7	9	12	16	26
50-64	739	9.5	28	4	5	8	11	15	19	31
65+	327	12.8	77	6	7	10	14	22	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3864	2.8	7	1	1	2	3	5	7	10
B. *Operated*	11659	5.4	11	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	2624	4.0	17	1	1	3	5	7	9	16
B. *Operated*	19093	6.9	20	2	2	6	8	11	14	23
1. SINGLE DX	15523	4.7	11	1	1	4	6	8	10	15
2. MULTIPLE DX	21717	6.6	20	1	2	6	8	11	13	23
A. NOT OPERATED	6488	3.3	11	1	1	3	4	6	8	13
B. OPERATED	30752	6.3	17	2	2	6	8	10	13	21
TOTAL 0-19 YRS	5800	4.6	9	1	1	4	6	8	10	15
20-34	22523	5.4	15	1	2	5	7	9	11	18
35-49	7237	7.1	19	2	2	7	8	11	14	23
50-64	1151	8.6	24	3	4	8	10	13	17	27
65+	529	11.2	66	3	5	9	12	20	26	43
GRAND TOTAL	**37240**	**5.8**	**17**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4838	4.6	14	2	2	4	6	7	9	14
20-34	10620	4.7	9	2	2	4	6	8	9	14
35-49	1245	5.6	17	2	2	5	7	9	12	18
50-64	106	6.0	16	2	2	5	7	12	14	20
65+	38	6.9	40	2	3	5	8	14	30	99+
B. *Operated*										
0-19 YRS	1359	5.5	13	1	2	5	7	10	12	17
20-34	7126	5.2	14	1	1	5	7	9	12	18
35-49	1611	6.8	20	1	2	6	8	12	15	23
50-64	264	7.6	32	2	2	7	9	13	15	35
65+	70	10.6	87	1	2	8	15	22	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2547	5.1	8	2	2	5	6	8	10	15
20-34	7249	5.6	17	2	2	5	7	9	11	17
35-49	1288	6.5	14	2	3	6	8	11	13	20
50-64	195	7.4	24	2	3	6	9	13	16	26
65+	90	10.6	76	4	4	8	12	19	26	52
B. *Operated*										
0-19 YRS	2268	6.7	18	2	2	6	8	12	15	22
20-34	17685	6.5	19	1	2	6	8	11	14	22
35-49	5368	8.5	32	2	3	7	10	14	18	29
50-64	766	10.7	64	2	4	9	13	19	26	43
65+	269	15.8	203	3	4	11	20	32	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16847	4.7	11	2	2	4	6	8	9	15
B. *Operated*	10430	5.6	16	1	2	5	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	11369	5.7	16	2	2	5	7	9	12	18
B. *Operated*	26356	7.1	27	1	2	6	9	12	16	26
1. SINGLE DX	27277	5.1	13	1	2	4	6	9	11	17
2. MULTIPLE DX	37725	6.7	24	2	2	6	8	12	15	24
A. NOT OPERATED	28216	5.1	13	2	2	4	6	9	10	16
B. OPERATED	36786	6.7	24	1	2	6	8	12	15	25
TOTAL 0-19 YRS	11012	5.2	14	2	2	5	6	9	11	17
20-34	42680	5.7	16	1	2	5	7	10	12	20
35-49	9512	7.5	27	2	2	7	9	13	16	26
50-64	1331	9.2	51	2	3	8	11	17	22	36
65+	467	13.3	157	3	3	10	16	28	36	67
GRAND TOTAL	**65002**	**6.0**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	2	1	1	3	4	5	6	6
20-34	370	3.4	5	1	1	3	4	6	8	12
35-49	111	4.3	6	1	1	4	6	8	9	11
50-64	6	3.7	4	1	1	3	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	296	3.5	6	1	1	2	5	7	8	11
20-34	5774	4.8	11	1	1	5	7	8	9	14
35-49	2924	6.4	11	1	2	7	8	9	10	15
50-64	225	6.1	10	1	2	7	8	9	11	14
65+	33	5.7	25	1	1	5	8	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.1	6	1	2	3	6	7	9	13
20-34	436	4.3	10	<1	1	4	6	8	9	19
35-49	242	5.4	15	1	1	5	7	9	12	15
50-64	30	7.0	13	2	2	7	9	12	14	14
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	339	4.6	8	1	1	4	6	8	10	14
20-34	13733	6.2	13	1	2	6	8	9	11	17
35-49	13369	7.6	11	3	5	7	9	11	13	19
50-64	1877	8.4	17	5	6	8	9	12	14	23
65+	176	9.3	24	2	4	8	11	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	3.5	5	1	1	3	5	7	8	11
B. *Operated*	9252	5.3	11	1	1	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	753	4.7	12	1	1	4	7	9	11	17
B. *Operated*	29494	7.0	13	2	2	7	8	10	12	19
1. SINGLE DX	9783	5.2	11	1	1	6	7	8	10	14
2. MULTIPLE DX	30247	6.9	14	2	2	7	8	10	12	19
A. NOT OPERATED	1284	4.2	10	1	1	3	6	8	9	15
B. OPERATED	38746	6.6	13	1	2	7	8	10	12	18
TOTAL 0-19 YRS	722	4.0	7	1	1	3	6	7	8	13
20-34	20313	5.7	13	1	2	6	7	9	10	16
35-49	16646	7.4	12	2	4	7	8	10	13	19
50-64	2138	8.1	17	3	5	8	9	12	14	22
65+	211	8.7	26	2	2	8	10	15	18	27
GRAND TOTAL	**40030**	**6.5**	**13**	**1**	**2**	**7**	**8**	**10**	**12**	**18**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	4	<1	<1	2	5	6	7	7
20-34	73	3.4	5	<1	1	3	5	6	8	10
35-49	20	3.1	5	1	1	2	4	7	8	9
50-64	7	5.4	11	2	2	5	6	11	12	12
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	138	2.7	6	1	1	2	3	5	6	15
20-34	1794	2.8	7	<1	1	2	3	5	7	11
35-49	1046	2.8	4	<1	1	2	3	6	7	10
50-64	481	2.6	4	1	1	2	3	4	6	12
65+	144	3.0	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	10	<1	1	2	5	7	10	16
20-34	181	4.1	10	1	1	3	5	8	10	17
35-49	72	4.5	13	1	1	3	6	9	12	20
50-64	24	5.2	9	2	2	5	7	9	10	12
65+	23	6.0	22	1	2	5	7	12	16	22
B. *Operated*										
0-19 YRS	254	3.0	6	1	1	2	3	6	8	12
20-34	5312	4.3	10	1	2	3	6	8	10	15
35-49	4641	5.2	15	1	2	5	7	10	12	18
50-64	1481	4.8	14	1	1	3	7	10	12	17
65+	469	6.1	54	1	2	4	8	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.4	5	<1	1	3	5	6	8	11
B. *Operated*	3603	2.8	6	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	340	4.3	12	1	1	3	6	8	11	18
B. *Operated*	12157	4.8	15	1	2	3	7	9	11	17
1. SINGLE DX	3723	2.8	6	<1	1	2	3	5	7	10
2. MULTIPLE DX	12497	4.8	14	1	2	3	7	9	11	17
A. NOT OPERATED	460	4.1	10	1	1	3	5	8	10	16
B. OPERATED	15760	4.3	13	1	1	3	6	9	10	16
TOTAL 0-19 YRS	451	3.0	6	1	1	2	3	5	7	14
20-34	7360	4.0	10	1	1	3	6	8	9	14
35-49	5779	4.8	14	1	1	3	7	9	11	17
50-64	1993	4.2	12	1	1	3	6	9	11	16
65+	637	5.4	44	1	2	3	7	10	14	28
GRAND TOTAL	**16220**	**4.3**	**13**	**1**	**1**	**3**	**6**	**8**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	428	3.6	5	1	1	3	5	6	8	12
20-34	901	3.5	5	1	1	3	5	6	7	11
35-49	199	3.9	10	1	1	3	5	7	8	19
50-64	44	3.8	5	<1	1	4	5	7	8	9
65+	38	5.0	15	1	1	4	7	12	14	15
B. *Operated*										
0-19 YRS	783	2.5	4	1	1	2	3	4	5	11
20-34	4958	2.4	7	<1	1	2	3	4	5	10
35-49	2096	2.5	4	<1	1	2	3	4	6	10
50-64	735	2.8	5	1	1	2	3	5	6	11
65+	160	3.5	9	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	4.4	9	1	2	4	6	8	9	14
20-34	1078	4.7	24	1	2	4	6	8	10	16
35-49	281	5.8	16	1	2	5	7	11	14	22
50-64	170	6.9	20	2	3	6	8	13	16	22
65+	208	7.7	20	2	3	7	10	13	17	22
B. *Operated*										
0-19 YRS	466	3.8	11	1	1	3	5	8	10	18
20-34	3139	4.1	16	1	1	3	5	8	10	19
35-49	1735	4.4	14	1	1	3	6	9	12	20
50-64	596	4.6	23	1	1	3	6	10	14	28
65+	317	7.7	66	1	2	5	10	17	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	3.6	6	1	1	3	5	6	8	12
B. *Operated*	8732	2.5	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2176	5.2	21	1	2	4	6	9	12	19
B. *Operated*	6253	4.4	19	1	1	3	6	9	12	22
1. SINGLE DX	10342	2.7	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	8429	4.6	20	1	1	3	6	9	12	21
A. NOT OPERATED	3786	4.6	15	1	1	4	6	8	11	17
B. OPERATED	14985	3.3	12	1	1	2	4	7	9	16
TOTAL 0-19 YRS	2116	3.4	7	1	1	3	4	6	8	13
20-34	10076	3.3	12	1	1	2	4	6	8	15
35-49	4311	3.5	10	<1	1	2	4	7	9	17
50-64	1545	4.0	15	1	1	3	4	8	11	21
65+	723	6.6	41	1	2	5	8	13	18	31
GRAND TOTAL	**18771**	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	43	5.2	12	<1	1	6	7	10	12	13
35-49	77	5.3	13	<1	1	6	8	10	11	17
50-64	81	4.2	11	<1	<1	3	7	9	10	15
65+	86	5.0	10	1	1	5	8	9	10	13
B. *Operated*										
0-19 YRS	33	5.3	9	1	2	5	7	9	11	14
20-34	2451	6.5	7	2	4	6	8	9	11	15
35-49	3768	7.5	10	4	5	7	9	11	13	19
50-64	4833	8.0	11	4	5	7	9	12	14	19
65+	3331	8.5	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	72	<1	<1	4	14	17	17	17
20-34	198	4.9	13	<1	1	5	7	9	12	17
35-49	354	5.3	18	1	1	5	7	9	12	20
50-64	415	5.4	19	<1	1	5	8	10	13	23
65+	522	6.2	34	1	1	5	8	12	16	34
B. *Operated*										
0-19 YRS	73	6.8	17	1	2	6	9	13	15	20
20-34	7939	7.2	10	4	5	7	8	11	12	18
35-49	14317	8.3	14	4	5	8	9	12	15	21
50-64	11390	9.1	17	5	5	8	10	14	16	24
65+	8396	10.1	25	5	6	9	12	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.9	12	<1	1	5	7	9	11	14
B. *Operated*	14416	7.7	11	4	5	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	1492	5.6	23	1	1	5	7	11	14	25
B. *Operated*	42115	8.7	17	4	5	8	10	13	16	24
1. SINGLE DX	14706	7.7	11	4	5	7	9	11	13	19
2. MULTIPLE DX	43607	8.6	18	4	5	8	10	13	16	24
A. NOT OPERATED	1782	5.5	21	1	1	5	7	10	13	24
B. OPERATED	56531	8.4	16	4	5	8	10	13	15	23
TOTAL 0-19 YRS	112	6.3	16	1	2	6	8	12	15	19
20-34	10631	7.0	9	3	4	7	8	10	12	18
35-49	18516	8.0	13	4	5	7	9	12	14	21
50-64	16719	8.7	16	4	5	8	10	13	16	23
65+	12335	9.5	23	4	5	9	11	15	18	28
GRAND TOTAL	**58313**	**8.3**	**16**	**4**	**5**	**8**	**10**	**13**	**15**	**23**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.0	2	<1	1	2	2	3	5	7
20-34	96	2.3	6	<1	1	2	3	3	4	18
35-49	28	2.1	3	<1	<1	2	2	3	7	9
50-64	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	109	1.8	1	<1	1	2	2	3	3	5
20-34	1382	2.1	3	<1	<1	2	2	3	5	8
35-49	1441	2.1	4	<1	<1	2	2	3	5	10
50-64	230	1.8	1	<1	<1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.6	4	<1	1	2	4	6	6	7
20-34	112	3.2	8	<1	1	2	4	6	9	14
35-49	71	4.0	28	<1	<1	2	5	8	11	35
50-64	12	4.5	25	<1	<1	2	5	14	16	16
B. *Operated*										
0-19 YRS	96	3.6	61	1	1	2	3	5	8	47
20-34	1715	3.5	9	<1	1	2	5	8	9	14
35-49	2209	3.9	14	<1	1	2	6	8	10	18
50-64	365	3.8	14	<1	1	2	5	9	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	5	<1	1	2	3	3	5	16
B. *Operated*	3162	2.1	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	221	3.5	15	<1	1	2	4	7	10	16
B. *Operated*	4385	3.7	13	<1	1	2	5	8	10	16
1. SINGLE DX	3315	2.1	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX	4606	3.7	13	<1	1	2	5	8	10	16
A. NOT OPERATED	374	3.0	11	<1	1	2	3	6	8	16
B. OPERATED	7547	3.0	10	<1	1	2	3	7	9	14
TOTAL 0-19 YRS	258	2.6	24	1	1	2	2	4	6	10
20-34	3305	2.9	7	<1	1	2	3	6	8	13
35-49	3749	3.2	11	<1	1	2	3	7	9	15
50-64	609	3.1	10	<1	<1	2	3	7	9	16
GRAND TOTAL	**7921**	**3.0**	**10**	**<1**	**1**	**2**	**3**	**7**	**9**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	646	2.4	4	<1	1	2	3	4	5	11
20-34	1785	2.3	7	<1	1	2	3	4	5	8
35-49	655	2.2	3	<1	<1	2	2	4	6	9
50-64	82	2.0	2	<1	<1	2	2	4	4	7
B. *Operated*										
0-19 YRS	2499	2.1	5	<1	1	2	2	3	4	7
20-34	24272	2.2	5	<1	<1	2	2	4	6	9
35-49	20127	2.3	5	<1	<1	2	2	4	7	10
50-64	2840	2.1	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	623	3.2	5	1	1	3	4	6	8	12
20-34	1981	3.3	8	<1	1	2	4	6	8	13
35-49	1253	3.8	15	<1	1	2	5	8	10	19
50-64	168	3.6	9	1	1	2	5	8	10	15
B. *Operated*										
0-19 YRS	2059	3.2	15	1	1	2	3	6	8	13
20-34	29917	4.0	12	1	1	3	6	8	9	15
35-49	34996	4.6	15	1	1	3	7	9	11	17
50-64	4520	4.3	16	<1	1	2	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3168	2.3	6	<1	1	2	3	4	5	9
B. *Operated*	49738	2.2	5	<1	<1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	4025	3.4	10	<1	1	2	4	7	9	15
B. *Operated*	71492	4.3	14	1	1	3	6	8	10	16
1. SINGLE DX	52906	2.2	5	<1	<1	2	2	4	6	9
2. MULTIPLE DX	75517	4.2	14	1	1	3	6	8	10	16
A. NOT OPERATED	7193	2.9	8	<1	1	2	4	6	8	13
B. OPERATED	121230	3.4	11	<1	1	2	5	8	9	14
TOTAL 0-19 YRS	5827	2.6	9	<1	1	2	3	5	6	11
20-34	57955	3.2	10	<1	1	2	4	7	8	13
35-49	57031	3.7	13	<1	1	2	6	8	10	15
50-64	7610	3.4	13	<1	1	2	4	8	10	15
GRAND TOTAL	**128423**	**3.4**	**11**	**<1**	**1**	**2**	**5**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	4	1	1	2	5	5	5	5
20-34	9	4.7	39	1	1	3	4	14	21	21
35-49	101	3.2	8	<1	1	2	4	6	8	16
50-64	175	2.5	5	<1	1	2	3	4	7	12
65+	57	2.9	7	1	1	2	4	6	6	17
B. *Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	61	2.5	5	<1	<1	2	2	5	9	11
35-49	1981	2.0	10	<1	<1	2	2	3	3	8
50-64	6876	2.0	5	<1	<1	2	2	3	3	8
65+	1425	2.4	5	<1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	4.3	10	1	1	3	6	8	11	12
35-49	219	4.6	9	1	1	4	6	8	10	15
50-64	374	4.1	16	<1	1	3	5	9	11	19
65+	262	5.5	27	1	1	4	7	11	16	24
B. *Operated*										
0-19 YRS	5	3.4	10	<1	<1	2	4	9	9	9
20-34	70	4.3	8	1	1	4	6	7	9	14
35-49	2159	3.5	13	<1	1	2	4	8	10	17
50-64	8593	3.4	12	<1	1	2	3	8	10	16
65+	2968	4.4	29	1	1	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	2.9	7	<1	1	2	3	5	8	18
B. *Operated*	10351	2.1	6	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	869	4.6	18	1	1	3	6	10	12	21
B. *Operated*	13795	3.6	16	1	1	2	4	8	10	18
1. SINGLE DX	10699	2.1	6	<1	<1	2	2	3	4	9
2. MULTIPLE DX	14664	3.7	16	1	1	2	4	8	11	19
A. NOT OPERATED	1217	4.1	15	<1	1	3	5	9	11	19
B. OPERATED	24146	3.0	12	<1	1	2	3	6	9	16
TOTAL 0-19 YRS	19	2.5	4	<1	1	2	3	5	7	9
20-34	154	3.6	9	<1	1	2	5	7	9	15
35-49	4460	2.9	12	<1	1	2	3	6	8	14
50-64	16018	2.8	10	<1	1	2	3	6	8	14
65+	4712	3.9	22	1	1	2	4	8	12	21
GRAND TOTAL	**25363**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**7**	**9**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	2.6	4	<1	1	2	3	5	6	11
20-34	715	2.8	6	<1	1	2	4	5	7	14
35-49	286	2.9	7	<1	1	2	3	6	9	14
50-64	138	3.2	14	<1	1	2	4	6	8	23
65+	69	3.3	6	1	1	2	4	7	9	12
B. *Operated*										
0-19 YRS	1110	2.8	6	<1	1	2	3	5	7	12
20-34	10488	3.1	9	<1	1	2	3	6	8	13
35-49	7579	3.2	10	<1	1	2	3	7	9	16
50-64	5214	3.0	10	<1	1	2	3	7	8	15
65+	1360	3.6	13	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.4	11	<1	1	3	4	7	9	18
20-34	887	3.4	10	<1	1	2	4	7	8	15
35-49	500	4.2	20	<1	1	3	6	9	11	34
50-64	298	5.9	55	1	1	4	7	12	17	32
65+	325	7.6	47	1	2	6	9	15	24	41
B. *Operated*										
0-19 YRS	980	3.9	9	1	1	3	5	7	9	13
20-34	12698	4.5	14	1	1	3	6	8	10	18
35-49	15425	5.1	18	1	1	4	7	9	11	19
50-64	9453	5.3	26	1	1	3	7	10	13	24
65+	3092	7.1	66	1	2	4	9	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1508	2.9	7	<1	1	2	3	5	7	13
B. *Operated*	25751	3.1	9	<1	1	2	3	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2252	4.5	26	<1	1	3	6	9	13	29
B. *Operated*	41648	5.1	22	1	1	4	7	9	12	22
1. SINGLE DX	27259	3.1	9	<1	1	2	3	7	8	14
2. MULTIPLE DX	43900	5.1	23	1	1	4	7	9	12	23
A. NOT OPERATED	3760	3.8	19	<1	1	3	5	8	11	24
B. OPERATED	67399	4.3	18	<1	1	3	6	9	11	20
TOTAL 0-19 YRS	2632	3.2	7	<1	1	2	4	6	8	12
20-34	24788	3.8	12	<1	1	3	5	8	9	16
35-49	23790	4.4	16	<1	1	3	7	9	11	18
50-64	15103	4.5	22	<1	1	2	7	9	12	22
65+	4846	6.1	52	1	2	3	8	13	18	37
GRAND TOTAL	**71159**	**4.3**	**18**	**<1**	**1**	**3**	**6**	**9**	**11**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1295	2.3	8	1	1	2	3	4	5	10
20-34	1633	2.4	4	<1	1	2	3	5	6	10
35-49	326	3.0	5	<1	1	2	4	6	8	11
50-64	89	4.2	15	<1	<1	3	6	10	12	68
65+	42	4.4	15	<1	1	3	6	10	13	17
B. *Operated*										
0-19 YRS	825	2.8	6	<1	1	2	3	5	7	12
20-34	8006	3.2	9	<1	<1	2	5	7	8	12
35-49	2783	6.6	20	1	2	7	9	11	13	18
50-64	1626	8.5	19	2	3	8	10	13	15	21
65+	687	9.7	26	2	3	9	12	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	651	3.0	5	1	1	2	4	6	7	12
20-34	1721	3.3	15	<1	1	2	4	6	8	17
35-49	494	4.0	10	<1	1	3	5	8	9	16
50-64	215	5.5	24	<1	1	4	7	10	14	21
65+	147	8.3	92	1	2	6	9	17	22	62
B. *Operated*										
0-19 YRS	859	3.8	10	1	1	3	5	8	10	14
20-34	15566	4.9	14	1	1	5	7	9	10	16
35-49	7551	7.4	18	1	2	7	9	12	14	21
50-64	3008	9.4	23	2	4	9	11	15	18	27
65+	1314	11.2	44	3	5	10	14	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3385	2.5	6	<1	1	2	3	5	6	11
B. *Operated*	13927	4.8	18	<1	1	3	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	3228	3.7	18	<1	1	3	5	7	10	19
B. *Operated*	28298	6.3	21	1	1	6	8	11	14	22
1. SINGLE DX	17312	4.3	17	<1	1	3	7	9	11	17
2. MULTIPLE DX	31526	6.0	21	1	1	6	8	11	14	22
A. NOT OPERATED	6613	3.1	12	<1	1	2	4	6	8	15
B. OPERATED	42225	5.8	20	1	1	6	8	11	13	21
TOTAL 0-19 YRS	3630	2.9	8	1	1	2	3	6	7	12
20-34	26926	4.1	13	<1	1	3	6	8	9	15
35-49	11154	6.9	19	1	2	7	9	11	14	20
50-64	4938	8.8	23	2	3	8	11	14	17	24
65+	2190	10.4	42	2	3	9	13	17	22	34
GRAND TOTAL	**48838**	**5.4**	**20**	**1**	**1**	**5**	**8**	**10**	**13**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	2	1	1	2	3	5	5	6
20-34	152	3.8	10	1	1	3	5	7	9	14
35-49	16	5.0	7	<1	1	5	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	512	5.4	3	3	3	5	6	7	8	12
20-34	6238	5.7	7	3	4	5	7	8	9	13
35-49	540	6.3	6	3	4	6	7	9	10	16
50-64	5	5.4	4	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	3	<1	1	3	4	5	7	8
20-34	70	4.6	13	<1	<1	4	6	8	11	22
35-49	7	7.4	12	3	3	9	10	12	12	12
50-64										
B. *Operated*										
0-19 YRS	406	6.0	11	3	4	5	7	8	10	24
20-34	5043	6.2	7	3	4	6	7	9	10	17
35-49	703	7.1	11	4	4	6	8	10	14	20
50-64	4	6.5	4	5	5	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.7	8	1	1	3	5	7	8	13
B. *Operated*	7295	5.7	6	3	4	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	97	4.5	12	<1	1	4	6	8	10	19
B. *Operated*	6156	6.3	8	3	4	6	7	9	11	17
1. SINGLE DX	7496	5.7	7	3	4	5	7	8	9	13
2. MULTIPLE DX	6253	6.2	8	3	4	6	7	9	11	17
A. NOT OPERATED	298	3.9	10	<1	1	3	5	7	9	14
B. OPERATED	13451	6.0	7	3	4	6	7	8	10	15
TOTAL 0-19 YRS	971	5.5	7	2	3	5	6	8	9	13
20-34	11503	5.9	7	3	4	6	7	8	10	15
35-49	1266	6.7	9	3	4	6	8	10	12	18
50-64	9	5.9	4	2	3	6	7	8	9	9
GRAND TOTAL	**13749**	**5.9**	**7**	**3**	**4**	**6**	**7**	**8**	**10**	**15**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	1.4	1	<1	<1	1	2	2	3	6
20-34	786	1.4	2	<1	<1	1	1	2	3	5
35-49	116	1.5	3	<1	<1	<1	1	2	4	12
50-64										
B. *Operated*										
0-19 YRS	8762	1.4	1	<1	<1	1	2	2	3	5
20-34	19823	1.4	2	<1	<1	<1	1	2	3	5
35-49	2354	1.4	3	<1	<1	<1	1	2	3	7
50-64	17	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	1.7	2	<1	<1	1	2	4	6	58
20-34	213	1.9	2	<1	<1	1	2	4	4	8
35-49	60	2.1	6	<1	<1	1	2	4	6	15
50-64										
B. *Operated*										
0-19 YRS	2856	1.8	5	<1	<1	1	2	3	5	9
20-34	10164	2.1	7	<1	<1	1	2	4	6	11
35-49	2751	2.4	7	<1	<1	2	3	5	7	11
50-64	8	2.0	1	<1	<1	1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1321	1.4	2	<1	<1	1	1	2	3	6
B. *Operated*	30956	1.4	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	368	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	15779	2.1	6	<1	<1	1	2	4	6	10
1. SINGLE DX	32277	1.4	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX	16147	2.1	6	<1	<1	1	2	4	6	10
A. NOT OPERATED	1689	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	46735	1.6	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	12132	1.5	2	<1	<1	1	2	2	3	7
20-34	30986	1.6	4	<1	<1	1	2	3	4	8
35-49	5281	1.9	6	<1	<1	1	2	4	6	10
50-64	25	1.5	1	<1	<1	1	2	3	3	4
GRAND TOTAL	**48424**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	5	3.0	6	1	1	2	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	18	2.4	2	<1	<1	2	3	5	6	6
20-34	30	2.5	4	<1	<1	2	3	5	6	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.4	5	1	1	3	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	18	5.4	29	<1	<1	4	8	9	18	24
35-49	6	5.7	11	2	2	5	8	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.7	3	1	1	2	4	5	6	6
B. *Operated*	49	2.4	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	4	1	1	2	4	6	7	7
B. *Operated*	25	5.8	26	<1	<1	5	8	11	16	24
1. SINGLE DX	59	2.5	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX	32	5.2	23	<1	1	4	7	10	14	24
A. NOT OPERATED	17	2.8	3	1	1	2	4	5	7	7
B. OPERATED	74	3.6	13	<1	<1	2	4	8	10	22
TOTAL 0-19 YRS	23	2.9	8	<1	<1	2	3	5	9	14
20-34	58	3.5	13	<1	<1	2	4	8	9	23
35-49	9	4.4	11	1	1	4	6	10	11	11
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**91**	**3.4**	**11**	**<1**	**<1**	**2**	**4**	**7**	**10**	**20**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1533	1.9	5	<1	1	1	2	3	4	7
20-34	4836	1.8	4	<1	<1	1	2	3	4	6
35-49	437	1.8	1	<1	<1	1	2	3	4	7
50-64	5	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	10278	1.8	3	<1	1	1	2	3	4	7
20-34	48884	1.7	3	<1	<1	1	2	3	4	7
35-49	5705	1.7	3	<1	<1	1	2	3	4	7
50-64	35	2.5	13	1	1	2	2	4	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	2.6	4	1	1	2	3	5	6	11
20-34	834	2.6	6	<1	1	2	3	5	6	12
35-49	99	2.6	6	<1	1	2	3	5	7	14
50-64										
B. *Operated*										
0-19 YRS	1452	2.6	5	1	1	2	3	5	7	11
20-34	7554	2.7	12	<1	1	2	3	5	7	12
35-49	1537	2.6	9	1	1	2	3	5	7	13
50-64	10	2.0	1	<1	<1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6811	1.8	4	<1	<1	1	2	3	4	7
B. *Operated*	64902	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1179	2.6	6	1	1	2	3	5	6	12
B. *Operated*	10553	2.7	10	<1	1	2	3	5	7	12
1. SINGLE DX	71713	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	11732	2.7	10	<1	1	2	3	5	7	12
A. NOT OPERATED	7990	1.9	4	<1	1	1	2	3	4	8
B. OPERATED	75455	1.8	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	13509	1.9	4	<1	1	1	2	3	4	8
20-34	62108	1.8	4	<1	<1	1	2	3	4	8
35-49	7778	1.9	5	<1	1	1	2	3	5	9
50-64	50	2.4	9	<1	1	2	2	4	4	21
GRAND TOTAL	**83445**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	3.0	4	<1	1	2	4	5	7	12
20-34	961	2.5	4	<1	1	2	3	5	6	9
35-49	90	2.9	8	<1	<1	2	4	6	9	15
50-64										
B. *Operated*										
0-19 YRS	794	2.3	4	<1	1	2	3	4	6	8
20-34	6894	1.9	4	<1	<1	2	2	3	4	8
35-49	651	2.0	4	<1	<1	2	2	3	4	10
50-64	7	3.0	8	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	3.9	10	1	1	3	5	7	9	17
20-34	313	3.4	11	1	1	3	4	7	9	19
35-49	38	4.0	27	<1	<1	2	5	8	18	24
50-64										
B. *Operated*										
0-19 YRS	279	4.5	58	1	1	3	5	8	11	28
20-34	1671	3.2	11	<1	1	2	4	7	9	16
35-49	309	3.5	13	<1	1	2	4	7	9	20
50-64	5	4.0	17	1	1	2	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1366	2.6	4	<1	1	2	3	5	6	11
B. *Operated*	8346	2.0	4	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	461	3.6	12	1	1	3	4	7	9	20
B. *Operated*	2264	3.4	17	<1	1	2	4	7	9	18
1. SINGLE DX	9712	2.1	4	<1	<1	2	2	4	5	9
2. MULTIPLE DX	2725	3.5	17	1	1	2	4	7	9	18
A. NOT OPERATED	1827	2.9	6	<1	1	2	4	5	7	13
B. OPERATED	10610	2.3	7	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	1498	3.0	15	<1	1	2	4	6	7	14
20-34	9839	2.3	5	<1	<1	2	2	4	6	11
35-49	1088	2.6	8	<1	<1	2	3	5	7	18
50-64	12	3.4	10	1	1	2	4	10	11	11
GRAND TOTAL	**12437**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1581	2.5	4	<1	1	2	3	4	6	9
20-34	7437	2.6	5	1	1	2	3	5	6	10
35-49	429	2.9	22	1	1	2	3	5	6	10
50-64	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	57	2.3	3	<1	1	2	3	4	6	9
20-34	257	2.6	4	<1	1	2	3	5	6	12
35-49	22	2.2	1	1	1	2	3	4	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	3.2	5	1	1	3	4	6	8	12
20-34	1272	3.8	16	1	1	3	4	7	9	15
35-49	81	3.5	5	1	1	3	4	6	8	12
50-64										
B. *Operated*										
0-19 YRS	33	3.7	9	1	1	2	5	7	10	14
20-34	170	4.6	45	1	1	3	5	9	10	32
35-49	17	4.1	7	<1	1	3	6	7	9	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9449	2.6	5	1	1	2	3	5	6	9
B. *Operated*	336	2.5	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1630	3.7	13	1	1	3	4	7	9	15
B. *Operated*	220	4.4	37	1	1	3	6	8	10	31
1. SINGLE DX	9785	2.6	5	1	1	2	3	5	6	9
2. MULTIPLE DX	1850	3.8	16	1	1	3	4	7	9	15
A. NOT OPERATED	11079	2.8	7	1	1	2	3	5	6	11
B. OPERATED	556	3.3	18	<1	1	2	4	6	8	14
TOTAL 0-19 YRS	1948	2.6	4	<1	1	2	3	5	6	9
20-34	9136	2.8	7	1	1	2	3	5	6	11
35-49	549	3.0	18	1	1	2	4	5	6	10
50-64	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**11635**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.3	6	<1	<1	2	2	4	7	14
20-34	497	2.6	6	<1	1	2	3	5	7	12
35-49	23	1.9	2	<1	<1	1	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	6	2.7	4	<1	<1	2	4	6	6	6
20-34	25	2.4	2	<1	1	2	3	5	5	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.3	2	<1	<1	2	3	4	5	6
20-34	146	2.8	5	<1	1	2	4	6	8	10
35-49	8	3.6	5	<1	<1	3	5	7	7	7
50-64										
B. *Operated*										
0-19 YRS	7	4.1	10	<1	<1	5	5	9	10	10
20-34	40	3.8	10	1	1	3	6	9	10	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	2.5	6	<1	1	2	3	5	7	13
B. *Operated*	32	2.5	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	184	2.8	4	<1	1	2	4	6	7	10
B. *Operated*	49	3.8	9	1	1	3	5	9	10	13
1. SINGLE DX	657	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	233	3.0	5	<1	1	2	4	6	8	10
A. NOT OPERATED	809	2.6	5	<1	1	2	3	5	7	11
B. OPERATED	81	3.3	7	<1	1	2	4	7	9	12
TOTAL 0-19 YRS	148	2.4	5	<1	<1	2	3	5	6	14
20-34	708	2.7	6	<1	1	2	3	6	8	11
35-49	34	2.4	3	<1	1	2	3	5	6	7
50-64										
GRAND TOTAL	**890**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5th (5)**	**10th (6)**	**50th (7)**	**75th (8)**	**90th (9)**	**95th (10)**	**99th (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1140	3.7	14	1	1	3	4	6	9	14
20-34	4426	3.7	11	1	1	3	4	6	8	14
35-49	392	4.1	10	1	1	3	5	7	9	18
50-64	5	3.6	2	3	3	3	4	6	6	6
B. *Operated*										
0-19 YRS	122	4.9	46	<1	1	3	5	8	13	35
20-34	469	4.0	18	<1	<1	3	5	8	11	25
35-49	47	4.7	10	<1	<1	4	7	8	11	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.3	11	1	1	3	5	9	12	20
20-34	1403	4.2	12	1	1	3	5	8	10	18
35-49	187	5.0	13	1	2	4	6	9	12	20
50-64	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	75	5.1	12	1	2	4	6	11	12	19
20-34	328	4.9	16	<1	1	4	7	10	12	20
35-49	37	5.8	26	<1	1	4	7	10	13	30
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5963	3.7	12	1	1	3	4	7	8	15
B. *Operated*	638	4.2	23	<1	<1	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	1887	4.3	12	1	1	3	5	8	11	19
B. *Operated*	440	5.0	16	<1	1	4	7	10	12	20
1. SINGLE DX	6601	3.8	13	1	1	3	4	7	8	16
2. MULTIPLE DX	2327	4.5	13	1	1	4	5	9	11	19
A. NOT OPERATED	7850	3.9	12	1	1	3	5	7	9	16
B. OPERATED	1078	4.5	20	<1	<1	3	6	9	12	23
TOTAL 0-19 YRS	1633	4.0	16	1	1	3	5	7	9	16
20-34	6626	3.9	12	1	1	3	5	7	9	17
35-49	663	4.5	12	1	1	4	6	8	10	19
50-64	6	7.7	101	3	3	3	6	26	28	28
GRAND TOTAL	**8928**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5th (5)**	**10th (6)**	**50th (7)**	**75th (8)**	**90th (9)**	**95th (10)**	**99th (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1250	3.4	8	1	2	3	4	6	7	12
20-34	5034	4.0	8	1	2	3	5	7	8	14
35-49	119	4.2	6	1	2	4	5	8	10	12
50-64	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	38	3.0	7	<1	1	2	4	6	10	12
20-34	164	2.3	6	<1	1	1	3	5	8	13
35-49	17	2.2	2	<1	<1	2	3	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	3.9	11	1	1	3	5	7	9	19
20-34	1691	4.4	13	1	2	4	5	8	10	19
35-49	54	5.7	23	1	1	5	7	11	14	28
50-64										
B. *Operated*										
0-19 YRS	23	6.4	55	2	2	5	6	9	22	38
20-34	137	7.0	57	1	1	5	8	13	20	44
35-49	7	5.7	9	1	1	7	8	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6405	3.9	8	1	2	3	5	6	8	13
B. *Operated*	219	2.4	6	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2233	4.3	13	1	2	3	5	8	10	19
B. *Operated*	168	6.8	54	1	1	5	8	12	20	43
1. SINGLE DX	6624	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX	2401	4.5	16	1	2	4	5	8	10	22
A. NOT OPERATED	8638	4.0	9	1	2	3	5	7	9	15
B. OPERATED	387	4.3	31	1	1	2	6	9	12	37
TOTAL 0-19 YRS	1799	3.6	9	1	2	3	4	6	8	14
20-34	7026	4.1	10	1	2	3	5	7	9	16
35-49	197	4.5	11	1	1	4	6	9	11	15
50-64	3	5.0	19	2	2	3	8	10	10	10
GRAND TOTAL	**9025**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9689	1.3	3	<1	<1	1	1	2	2	6
20-34	33683	1.3	4	<1	<1	<1	1	1	2	6
35-49	1684	1.3	2	<1	<1	1	1	2	2	6
50-64	20	2.6	36	<1	<1	1	1	3	15	28
B. *Operated*										
0-19 YRS	623	1.3	2	<1	<1	1	1	2	3	7
20-34	2556	1.4	3	<1	<1	1	1	2	3	7
35-49	123	1.3	1	<1	<1	1	1	2	3	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	811	1.7	2	<1	<1	1	2	4	4	8
20-34	2735	1.8	4	<1	<1	1	2	4	5	11
35-49	183	1.8	3	<1	<1	1	2	4	5	12
50-64	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	91	2.1	3	<1	<1	1	3	4	6	8
20-34	422	2.5	10	<1	<1	1	3	5	8	18
35-49	21	2.0	3	<1	<1	1	2	5	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45076	1.3	3	<1	<1	1	1	2	2	6
B. *Operated*	3302	1.4	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	3732	1.8	4	<1	<1	1	2	4	5	11
B. *Operated*	534	2.5	8	<1	<1	1	3	5	8	18
1. SINGLE DX	48378	1.3	3	<1	<1	1	1	2	2	6
2. MULTIPLE DX	4266	1.9	4	<1	<1	1	2	4	5	11
A. NOT OPERATED	48808	1.3	4	<1	<1	1	1	2	3	6
B. OPERATED	3836	1.5	3	<1	<1	1	1	2	4	9
TOTAL 0-19 YRS	11214	1.3	3	<1	<1	1	1	2	3	6
20-34	39396	1.3	4	<1	<1	1	1	2	3	7
35-49	2011	1.3	2	<1	<1	1	1	2	3	6
50-64	23	2.3	32	<1	<1	1	1	2	12	28
GRAND TOTAL	**52644**	**1.3**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	3.3	20	<1	1	2	4	6	8	22
20-34	2068	3.4	12	<1	1	3	4	6	8	20
35-49	195	4.0	25	1	1	3	4	7	14	23
50-64	3	4.7	6	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	15	4.4	35	1	1	3	4	7	20	25
20-34	181	4.7	37	<1	1	3	5	9	18	47
35-49	18	4.2	11	1	1	4	4	9	12	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.6	7	1	1	3	5	7	9	16
20-34	476	4.4	38	<1	1	3	5	8	12	22
35-49	43	4.5	15	1	1	3	5	9	12	22
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	8	4.8	21	1	1	3	6	13	15	15
20-34	69	5.7	23	<1	1	4	7	12	17	23
35-49	10	5.3	12	1	1	5	8	10	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2508	3.4	14	<1	1	3	4	6	8	20
B. *Operated*	214	4.7	35	<1	1	3	5	9	16	38
2. MULTIPLE DX										
A. *Not Operated*	576	4.3	33	<1	1	3	5	8	11	22
B. *Operated*	87	5.6	21	1	1	4	7	12	16	22
1. SINGLE DX	2722	3.5	16	<1	1	3	4	6	9	22
2. MULTIPLE DX	663	4.5	32	<1	1	3	5	9	12	22
A. NOT OPERATED	3084	3.6	18	<1	1	3	4	7	9	21
B. OPERATED	301	4.9	31	<1	1	3	5	11	16	28
TOTAL 0-19 YRS	321	3.4	18	<1	1	2	4	6	9	22
20-34	2794	3.7	19	<1	1	3	4	7	10	21
35-49	266	4.2	22	1	1	3	5	8	13	23
50-64	4	4.0	6	2	2	4	6	7	7	7
GRAND TOTAL	**3385**	**3.7**	**19**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	670	2.1	3	<1	<1	2	3	4	5	9
20-34	2611	2.5	14	<1	<1	2	3	4	6	13
35-49	139	2.4	5	<1	1	2	3	5	7	12
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	53	3.6	16	1	1	2	4	8	13	22
20-34	266	3.1	13	<1	1	2	4	6	7	14
35-49	12	3.7	35	<1	<1	2	3	10	20	22
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.4	4	<1	<1	2	3	4	6	13
20-34	608	2.9	6	<1	1	2	4	5	8	16
35-49	42	2.8	3	<1	1	2	4	5	6	8
50-64										
B. *Operated*										
0-19 YRS	18	3.4	4	<1	1	3	4	7	8	8
20-34	130	3.9	15	<1	<1	3	5	7	9	24
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3421	2.4	11	<1	<1	2	3	4	6	12
B. *Operated*	332	3.2	14	<1	1	2	4	6	8	22
2. MULTIPLE DX										
A. *Not Operated*	828	2.8	6	<1	1	2	4	5	7	15
B. *Operated*	152	3.8	13	<1	<1	3	5	7	8	22
1. SINGLE DX	3753	2.5	12	<1	<1	2	3	4	6	13
2. MULTIPLE DX	980	2.9	7	<1	1	2	4	6	8	16
A. NOT OPERATED	4249	2.5	10	<1	<1	2	3	4	6	13
B. OPERATED	484	3.4	14	<1	1	2	4	6	8	22
TOTAL 0-19 YRS	919	2.2	4	<1	<1	2	3	4	5	10
20-34	3615	2.6	13	<1	<1	2	3	5	7	15
35-49	197	2.6	6	<1	1	2	3	5	7	13
50-64	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	**4733**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1249	3.3	4	<1	1	3	4	6	7	10
20-34	2415	3.2	7	<1	1	3	4	5	7	10
35-49	70	3.7	5	<1	1	4	5	7	7	12
50-64	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	162	2.9	4	<1	<1	2	4	6	6	8
20-34	302	3.5	9	<1	<1	3	5	7	8	13
35-49	10	2.1	1	<1	<1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1029	3.8	6	1	1	3	5	7	8	12
20-34	2063	3.8	7	<1	1	3	5	6	8	12
35-49	89	4.5	11	1	1	4	6	7	10	19
50-64	2	7.5	41	3	3	7	12	12	12	12
B. *Operated*										
0-19 YRS	143	4.7	11	1	1	4	6	9	12	16
20-34	454	5.5	15	1	1	5	7	9	11	19
35-49	32	6.3	17	2	3	5	8	13	17	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3736	3.3	6	<1	1	3	4	6	7	10
B. *Operated*	474	3.3	7	<1	<1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	3183	3.8	7	1	1	3	5	7	8	13
B. *Operated*	629	5.3	14	1	1	5	7	9	12	18
1. SINGLE DX	4210	3.3	6	<1	1	3	4	6	7	10
2. MULTIPLE DX	3812	4.1	8	1	1	4	5	7	9	14
A. NOT OPERATED	6919	3.5	6	<1	1	3	5	6	7	11
B. OPERATED	1103	4.5	12	<1	1	4	6	8	10	17
TOTAL 0-19 YRS	2583	3.6	5	<1	1	3	5	6	8	12
20-34	5234	3.7	8	<1	1	3	5	6	8	13
35-49	201	4.4	11	<1	1	4	6	7	10	18
50-64	4	4.5	26	1	1	2	7	12	12	12
GRAND TOTAL	**8022**	**3.6**	**7**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	4.4	17	<1	1	3	6	8	12	23
20-34	1572	4.5	15	<1	1	3	5	9	11	21
35-49	162	5.0	39	1	1	4	6	9	12	28
50-64	3	7.3	12	4	4	7	10	11	11	11
B. *Operated*										
0-19 YRS	35	4.0	7	<1	<1	4	5	7	9	12
20-34	213	3.5	18	<1	<1	2	4	8	13	22
35-49	29	5.0	143	<1	<1	2	5	7	13	66
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	644	4.3	38	1	1	3	5	7	10	23
20-34	3124	4.6	21	<1	1	3	6	9	12	21
35-49	269	5.4	17	1	2	4	6	11	14	21
50-64										
B. *Operated*										
0-19 YRS	82	6.4	49	1	1	4	7	15	23	33
20-34	413	5.6	30	<1	<1	4	7	12	18	25
35-49	49	4.7	15	<1	<1	4	7	10	12	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2027	4.5	17	<1	1	3	6	9	11	21
B. *Operated*	277	3.7	30	<1	<1	2	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	4037	4.6	24	<1	1	3	6	9	12	21
B. *Operated*	544	5.6	31	<1	1	4	7	12	18	28
1. SINGLE DX	2304	4.4	19	<1	1	3	5	8	11	21
2. MULTIPLE DX	4581	4.7	25	<1	1	3	6	9	13	22
A. NOT OPERATED	6064	4.6	21	<1	1	3	6	9	12	21
B. OPERATED	821	5.0	32	<1	<1	3	6	11	15	27
TOTAL 0-19 YRS	1051	4.5	32	<1	1	3	5	8	12	26
20-34	5322	4.6	20	<1	1	3	6	9	12	21
35-49	509	5.2	30	<1	1	4	6	10	13	21
50-64	3	7.3	12	4	4	7	10	11	11	11
GRAND TOTAL	**6885**	**4.6**	**23**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1908	2.5	9	<1	<1	1	3	5	7	15
20-34	6822	2.7	13	<1	<1	2	3	5	8	18
35-49	336	2.8	8	<1	<1	2	3	6	9	13
50-64	4	3.8	8	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	500	2.9	8	<1	<1	2	4	6	7	17
20-34	4217	3.1	7	<1	<1	3	4	6	7	12
35-49	287	3.2	7	<1	<1	3	4	6	8	13
50-64	4	2.8	6	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	883	3.3	11	<1	<1	2	4	6	8	19
20-34	3310	3.6	20	<1	<1	2	4	7	10	23
35-49	223	4.2	25	<1	<1	3	5	9	11	19
50-64	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	267	5.1	20	<1	1	4	6	10	12	23
20-34	1866	4.5	26	<1	1	3	6	8	10	23
35-49	186	5.2	25	<1	<1	4	7	9	13	27
50-64	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9070	2.7	12	<1	<1	2	3	5	8	17
B. *Operated*	5008	3.1	7	<1	<1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	4419	3.5	19	<1	<1	2	4	7	10	22
B. *Operated*	2321	4.6	25	<1	1	4	6	8	11	24
1. SINGLE DX	14078	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX	6740	3.9	21	<1	<1	3	5	7	10	23
A. NOT OPERATED	13489	2.9	15	<1	<1	2	3	6	8	19
B. OPERATED	7329	3.6	13	<1	<1	3	4	7	8	17
TOTAL 0-19 YRS	3558	2.9	11	<1	<1	2	4	6	8	17
20-34	16215	3.2	15	<1	<1	2	4	6	8	18
35-49	1032	3.6	15	<1	<1	3	5	8	10	20
50-64	13	2.8	4	1	1	2	3	6	8	8
GRAND TOTAL	**20818**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**6**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	3.6	30	2	2	3	4	4	6	21
20-34	1007	3.6	13	2	2	3	4	5	6	14
35-49	63	4.3	15	2	2	3	4	7	9	28
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	111	5.2	42	2	2	3	5	8	18	42
20-34	605	5.4	32	2	2	4	6	9	14	31
35-49	40	4.8	12	1	2	4	6	9	11	20
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	3.8	10	1	2	3	4	5	9	20
20-34	1429	3.8	8	2	2	3	4	6	8	18
35-49	91	4.9	22	1	2	3	5	9	13	28
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	378	7.1	92	2	2	4	7	14	24	71
20-34	2515	7.4	61	2	3	5	8	15	23	41
35-49	303	8.7	78	2	3	6	9	20	28	42
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1321	3.7	17	2	2	3	4	5	6	16
B. *Operated*	756	5.3	32	2	2	4	5	9	14	32
2. MULTIPLE DX										
A. *Not Operated*	1839	3.9	9	2	2	3	4	6	8	18
B. *Operated*	3196	7.5	66	2	3	5	8	16	24	43
1. SINGLE DX	2077	4.3	23	2	2	3	4	6	9	24
2. MULTIPLE DX	5035	6.2	48	2	2	4	6	12	20	39
A. NOT OPERATED	3160	3.8	12	2	2	3	4	5	8	18
B. OPERATED	3952	7.1	60	2	2	5	7	15	23	42
TOTAL 0-19 YRS	1057	5.1	50	2	2	3	5	8	15	49
20-34	5556	5.6	39	2	2	4	6	10	17	35
35-49	497	7.1	58	2	2	4	8	16	23	40
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**7112**	**5.6**	**42**	**2**	**2**	**4**	**6**	**10**	**17**	**36**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48256	3.0	4	1	2	3	3	4	5	6
20-34	242600	3.1	4	1	2	3	4	4	5	6
35-49	10218	3.1	3	1	2	3	4	4	5	6
50-64	121	2.9	1	1	2	3	3	4	4	7
B. *Operated*										
0-19 YRS	10438	3.0	2	2	2	3	3	4	5	6
20-34	54773	3.2	4	2	2	3	4	4	5	7
35-49	2419	3.4	3	2	2	3	4	5	5	7
50-64	31	3.5	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2715	3.5	3	2	2	3	4	5	6	10
20-34	12046	3.5	5	2	2	3	4	5	6	11
35-49	680	3.7	5	2	2	3	4	5	7	13
50-64	10	5.5	41	2	2	3	5	15	23	23
B. *Operated*										
0-19 YRS	1454	3.7	7	2	2	3	4	5	7	12
20-34	33010	3.9	4	2	2	4	4	5	6	9
35-49	3820	4.2	7	2	3	4	5	6	6	10
50-64	18	4.1	1	2	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301195	3.1	4	1	2	3	4	4	5	6
B. *Operated*	67661	3.2	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	15451	3.5	5	2	2	3	4	5	6	11
B. *Operated*	38302	3.9	5	2	2	4	4	5	6	9
1. SINGLE DX	368856	3.1	4	1	2	3	4	4	5	6
2. MULTIPLE DX	53753	3.8	5	2	2	4	4	5	6	10
A. NOT OPERATED	316646	3.1	4	1	2	3	4	4	5	7
B. OPERATED	105963	3.5	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	62863	3.0	4	1	2	3	3	4	5	7
20-34	342429	3.2	4	1	2	3	4	4	5	7
35-49	17137	3.4	4	1	2	3	4	5	5	8
50-64	180	3.3	3	2	2	3	4	5	5	8
GRAND TOTAL	**422609**	**3.2**	**4**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.9	16	1	1	3	4	6	14	21
20-34	271	3.6	16	1	1	3	4	5	7	22
35-49	25	4.2	14	<1	1	4	5	7	13	18
50-64										
B. *Operated*										
0-19 YRS	94	6.1	9	2	3	5	7	9	14	16
20-34	1109	7.4	49	3	4	6	7	11	19	39
35-49	113	8.2	65	3	4	6	7	12	26	45
50-64	2	24.5	761	5	5	24	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	2	1	1	3	4	6	6	7
20-34	183	5.1	42	1	2	4	5	9	14	54
35-49	12	3.8	2	1	2	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	153	7.5	49	3	3	6	8	14	20	51
20-34	1944	8.2	60	3	4	6	8	14	22	41
35-49	317	9.5	85	4	4	7	9	17	33	49
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.6	15	1	1	3	4	5	7	21
B. *Operated*	1318	7.4	48	3	4	6	7	11	19	41
2. MULTIPLE DX										
A. *Not Operated*	215	4.9	37	1	2	3	5	8	13	42
B. *Operated*	2415	8.3	63	3	4	6	8	14	23	44
1. SINGLE DX	1645	6.6	44	2	3	5	7	10	17	40
2. MULTIPLE DX	2630	8.0	62	3	3	6	8	14	23	44
A. NOT OPERATED	542	4.1	25	1	1	3	4	6	10	28
B. OPERATED	3733	8.0	58	3	4	6	8	13	22	42
TOTAL 0-19 YRS	298	6.4	32	2	3	5	7	11	15	28
20-34	3507	7.4	54	2	3	6	7	12	20	39
35-49	467	8.7	76	3	4	6	8	14	28	48
50-64	3	18.7	482	5	5	7	35	44	44	44
GRAND TOTAL	**4275**	**7.5**	**55**	**2**	**3**	**6**	**7**	**12**	**21**	**42**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	3.1	4	1	1	3	4	5	5	9
20-34	1091	3.1	3	1	1	3	4	5	6	10
35-49	57	3.0	4	<1	1	3	4	4	6	14
50-64	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	239	4.8	6	2	2	4	6	7	9	15
20-34	1188	4.8	7	2	2	5	6	7	8	12
35-49	69	5.5	18	2	2	5	6	8	9	31
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.1	3	1	1	3	4	5	6	11
20-34	724	3.6	12	1	1	3	4	5	7	15
35-49	53	3.5	8	1	1	3	4	6	8	20
50-64										
B. *Operated*										
0-19 YRS	511	5.2	11	2	2	4	6	8	10	20
20-34	2626	5.4	18	2	2	5	6	8	10	21
35-49	232	6.6	25	3	3	6	7	10	14	33
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1385	3.1	3	1	1	3	4	5	6	10
B. *Operated*	1496	4.8	7	2	2	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	978	3.5	10	1	1	3	4	5	7	14
B. *Operated*	3370	5.5	17	2	3	5	6	8	10	21
1. SINGLE DX	2881	4.0	6	1	2	4	5	7	7	11
2. MULTIPLE DX	4348	5.0	16	2	2	4	6	8	10	21
A. NOT OPERATED	2363	3.3	6	1	1	3	4	5	6	12
B. OPERATED	4866	5.3	14	2	2	5	6	8	10	19
TOTAL 0-19 YRS	1186	4.3	8	1	2	4	5	7	9	16
20-34	5629	4.6	13	2	2	4	6	7	9	16
35-49	411	5.5	21	1	2	5	6	9	11	28
50-64	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**7229**	**4.6**	**12**	**1**	**2**	**4**	**6**	**7**	**9**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.8	1	2	2	3	3	4	5	6
20-34	226	3.2	5	1	1	3	4	5	5	10
35-49	14	3.1	2	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	398	3.0	2	1	2	3	4	4	5	6
20-34	2633	3.1	7	1	1	3	4	4	5	8
35-49	158	3.3	2	1	1	3	4	5	6	9
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	2	1	2	3	4	5	5	5
20-34	107	3.3	2	1	2	3	4	5	6	8
35-49	5	2.2	1	<1	<1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	212	3.4	4	1	2	3	4	5	6	14
20-34	1591	3.9	10	1	2	3	4	6	8	13
35-49	132	4.3	8	2	2	3	5	8	10	15
50-64	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	3.2	4	1	1	3	4	5	5	9
B. *Operated*	3190	3.1	6	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	128	3.3	2	1	2	3	4	5	5	8
B. *Operated*	1937	3.9	9	1	2	3	4	6	8	13
1. SINGLE DX	3462	3.1	6	1	1	3	4	4	5	7
2. MULTIPLE DX	2065	3.9	8	1	2	3	4	6	7	13
A. NOT OPERATED	400	3.2	3	1	1	3	4	5	5	8
B. OPERATED	5127	3.4	7	1	2	3	4	5	6	11
TOTAL 0-19 YRS	658	3.1	3	1	2	3	4	4	5	9
20-34	4557	3.4	8	1	2	3	4	5	6	10
35-49	309	3.7	5	1	2	3	4	6	8	12
50-64	3	3.0	7	1	1	2	5	6	6	6
GRAND TOTAL	**5527**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.1	1	1	2	3	4	4	5	6
20-34	770	3.2	13	1	2	3	4	4	5	6
35-49	32	3.4	1	2	2	3	4	5	5	6
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	115	3.1	1	1	2	3	4	5	5	7
20-34	575	3.3	2	1	2	3	4	5	6	9
35-49	25	3.0	2	1	1	3	4	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	3.1	1	1	2	3	4	5	5	7
20-34	443	3.4	2	2	2	3	4	5	6	9
35-49	21	4.1	7	2	2	3	5	9	10	11
50-64										
B. *Operated*										
0-19 YRS	139	3.8	7	2	2	3	4	5	7	18
20-34	794	4.0	9	2	2	4	4	6	7	12
35-49	55	4.5	9	1	2	4	5	6	12	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	967	3.2	10	1	2	3	4	4	5	6
B. *Operated*	715	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	561	3.4	2	2	2	3	4	5	6	9
B. *Operated*	988	4.0	9	2	2	4	4	6	7	14
1. SINGLE DX	1682	3.2	7	1	2	3	4	5	5	7
2. MULTIPLE DX	1549	3.8	7	2	2	3	4	5	7	12
A. NOT OPERATED	1528	3.2	7	1	2	3	4	5	5	8
B. OPERATED	1703	3.7	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	515	3.3	3	1	2	3	4	5	5	8
20-34	2582	3.5	8	1	2	3	4	5	6	9
35-49	133	3.9	6	1	2	3	5	6	8	16
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**3231**	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.4	3	1	2	3	4	5	6	61
20-34	729	3.9	16	2	2	3	4	5	6	11
35-49	45	3.6	2	1	2	3	5	5	6	8
50-64										
B. *Operated*										
0-19 YRS	63	4.2	11	2	2	3	4	6	8	24
20-34	531	4.7	11	2	2	4	5	7	8	21
35-49	33	5.3	21	3	3	4	6	7	8	30
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.4	19	1	2	3	4	7	13	29
20-34	645	4.1	7	2	2	4	5	6	8	15
35-49	33	4.2	6	1	2	4	5	7	9	13
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	375	5.3	25	2	2	4	6	9	12	34
20-34	3161	5.5	20	2	3	5	6	8	11	24
35-49	228	5.7	19	2	3	5	6	8	12	27
50-64	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	870	3.8	14	2	2	3	4	5	6	11
B. *Operated*	627	4.7	12	2	2	4	5	7	8	24
2. MULTIPLE DX										
A. *Not Operated*	782	4.2	8	2	2	4	5	6	9	16
B. *Operated*	3766	5.5	20	2	3	5	6	8	11	26
1. SINGLE DX	1497	4.2	13	2	2	4	5	6	7	16
2. MULTIPLE DX	4548	5.3	18	2	3	4	6	8	10	24
A. NOT OPERATED	1652	4.0	11	2	2	3	4	6	7	15
B. OPERATED	4393	5.4	19	2	3	5	6	8	10	26
TOTAL 0-19 YRS	637	4.8	20	2	2	4	5	8	11	28
20-34	5066	5.0	17	2	2	4	6	8	9	22
35-49	339	5.2	16	2	3	4	6	8	10	27
50-64	3	4.7	2	3	3	5	6	6	6	6
GRAND TOTAL	**6045**	**5.0**	**17**	**2**	**2**	**4**	**6**	**8**	**10**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	3.0	2	1	2	3	4	5	5	8
20-34	1642	3.2	3	1	2	3	4	5	5	7
35-49	104	3.1	2	1	2	3	4	5	5	6
50-64	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	1445	4.9	11	2	3	5	6	7	8	11
20-34	8887	4.8	7	2	3	5	6	7	7	9
35-49	373	4.6	3	2	2	4	6	7	8	9
50-64	3	5.0	7	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	3	1	1	3	3	5	7	10
20-34	617	3.4	7	1	1	3	4	5	7	11
35-49	48	3.9	5	2	2	3	5	7	7	15
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1492	5.8	15	2	3	5	7	9	11	17
20-34	10241	5.5	11	2	3	5	6	8	9	16
35-49	880	5.8	11	2	3	5	7	8	10	20
50-64	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1974	3.2	3	1	2	3	4	5	5	7
B. *Operated*	10708	4.8	7	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	780	3.4	6	1	1	3	4	5	7	10
B. *Operated*	12615	5.6	11	2	3	5	7	8	9	17
1. SINGLE DX	12682	4.5	7	2	2	4	6	7	7	9
2. MULTIPLE DX	13395	5.5	11	2	3	5	6	8	9	17
A. NOT OPERATED	2754	3.2	4	1	2	3	4	5	6	9
B. OPERATED	23323	5.2	9	2	3	5	6	7	8	14
TOTAL 0-19 YRS	3277	5.1	13	2	2	5	6	8	9	15
20-34	21387	5.0	9	2	3	5	6	7	8	14
35-49	1405	5.2	8	2	3	5	6	8	9	15
50-64	8	4.0	4	2	2	4	5	7	7	7
GRAND TOTAL	**26077**	**5.0**	**9**	**2**	**3**	**5**	**6**	**7**	**8**	**14**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.3	7	2	2	3	4	4	5	10
20-34	2522	3.2	4	1	2	3	4	4	5	7
35-49	118	3.4	3	1	2	3	4	5	6	10
50-64										
B. *Operated*										
0-19 YRS	1428	3.9	6	2	2	3	5	6	7	10
20-34	7841	4.0	5	2	2	4	5	6	7	9
35-49	399	4.3	5	2	2	4	5	7	8	12
50-64	3	4.7	9	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.3	2	1	2	3	4	5	6	9
20-34	1267	3.5	3	1	2	3	4	5	6	10
35-49	73	3.7	3	1	2	3	4	6	7	10
50-64										
B. *Operated*										
0-19 YRS	2651	4.5	7	2	2	4	6	7	8	13
20-34	14850	4.8	9	2	2	4	6	7	8	14
35-49	1094	5.6	16	2	3	5	7	8	9	20
50-64	6	5.7	6	3	3	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2996	3.2	4	1	2	3	4	4	5	7
B. *Operated*	9671	4.0	6	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1541	3.4	3	1	2	3	4	5	6	10
B. *Operated*	18601	4.8	9	2	2	4	6	7	8	14
1. SINGLE DX	12667	3.8	5	2	2	3	4	6	7	9
2. MULTIPLE DX	20142	4.7	9	2	2	4	6	7	8	14
A. NOT OPERATED	4537	3.3	4	1	2	3	4	5	6	8
B. OPERATED	28272	4.5	8	2	2	4	5	7	8	13
TOTAL 0-19 YRS	4636	4.2	7	2	2	4	5	7	8	12
20-34	26480	4.3	8	2	2	4	5	7	8	12
35-49	1684	5.1	12	2	3	4	6	8	9	16
50-64	9	5.3	6	2	2	5	7	9	10	10
GRAND TOTAL	**32809**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.2	6	2	2	3	5	7	9	14
20-34	674	3.9	9	2	2	3	4	6	7	10
35-49	34	3.8	3	1	2	3	5	7	7	8
50-64										
B. *Operated*										
0-19 YRS	3623	5.8	6	3	4	6	7	8	8	12
20-34	14335	5.7	4	3	4	6	7	7	8	10
35-49	466	6.1	3	3	4	6	7	8	9	11
50-64	3	8.7	32	4	4	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.9	6	2	2	5	6	8	9	15
20-34	366	4.6	5	2	2	4	6	7	8	13
35-49	16	5.3	5	2	3	5	6	9	10	10
50-64										
B. *Operated*										
0-19 YRS	4959	6.6	9	4	4	6	7	9	11	17
20-34	20796	6.2	7	4	4	6	7	8	10	15
35-49	1188	6.5	8	4	4	6	7	9	11	18
50-64	12	6.5	7	4	4	6	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	4.0	9	2	2	3	5	6	7	11
B. *Operated*	18427	5.8	5	3	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	446	4.7	5	2	2	4	6	7	8	13
B. *Operated*	26955	6.3	7	4	4	6	7	8	10	16
1. SINGLE DX	19232	5.7	5	3	4	6	7	7	8	11
2. MULTIPLE DX	27401	6.2	7	3	4	6	7	8	10	16
A. NOT OPERATED	1251	4.2	7	2	2	4	5	7	8	12
B. OPERATED	45382	6.1	6	4	4	6	7	8	9	14
TOTAL 0-19 YRS	8743	6.2	8	3	4	6	7	8	10	16
20-34	36171	5.9	6	3	4	6	7	8	9	13
35-49	1704	6.3	7	3	4	6	7	8	10	15
50-64	15	6.9	11	4	4	6	9	12	14	15
GRAND TOTAL	**46633**	**6.0**	**6**	**3**	**4**	**6**	**7**	**8**	**9**	**14**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	562	3.3	1	1	2	3	4	5	5	7
20-34	2694	3.3	3	1	2	3	4	5	5	7
35-49	92	3.3	2	1	2	3	4	5	5	8
50-64										
B. *Operated*										
0-19 YRS	869	4.1	3	2	2	4	5	7	7	9
20-34	4425	4.3	5	2	2	4	5	7	7	10
35-49	171	4.6	4	2	2	4	6	7	8	11
50-64	5	5.0	22	2	2	3	7	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	3.6	3	2	2	3	4	5	6	12
20-34	1370	3.7	10	1	2	3	4	5	6	10
35-49	71	3.8	4	2	2	3	4	6	9	10
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1666	4.9	7	2	2	4	6	8	9	15
20-34	8744	4.9	8	2	3	4	6	7	8	13
35-49	595	5.8	22	3	3	5	7	8	9	19
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3348	3.3	2	1	2	3	4	5	5	7
B. *Operated*	5470	4.3	5	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	1779	3.7	8	2	2	3	4	5	6	11
B. *Operated*	11006	4.9	8	2	3	4	6	7	9	14
1. SINGLE DX	8818	3.9	4	2	2	4	5	6	7	9
2. MULTIPLE DX	12785	4.8	9	2	2	4	6	7	8	13
A. NOT OPERATED	5127	3.4	4	1	2	3	4	5	6	8
B. OPERATED	16476	4.7	7	2	2	4	6	7	8	13
TOTAL 0-19 YRS	3434	4.3	5	2	2	4	5	7	8	12
20-34	17233	4.4	7	2	2	4	5	7	8	12
35-49	929	5.2	16	2	3	5	6	8	9	15
50-64	7	4.9	15	2	2	3	6	12	13	13
GRAND TOTAL	**21603**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.3	3	1	1	3	4	5	7	11
20-34	454	3.4	6	1	2	3	4	5	6	13
35-49	39	2.9	1	1	2	3	3	4	5	6
50-64										
B. *Operated*										
0-19 YRS	202	4.5	7	2	2	4	5	7	8	22
20-34	1647	4.9	9	2	2	5	6	7	8	12
35-49	114	4.9	5	1	2	5	6	8	8	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.6	5	2	2	4	6	8	9	11
20-34	301	4.0	18	1	2	3	4	6	7	17
35-49	25	5.0	20	1	2	4	6	7	13	24
50-64										
B. *Operated*										
0-19 YRS	404	5.8	8	2	3	5	7	9	11	17
20-34	3235	5.9	15	2	3	6	7	8	10	19
35-49	376	6.3	13	3	3	6	7	9	11	17
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	3.4	6	1	2	3	4	5	6	13
B. *Operated*	1963	4.8	8	2	2	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	366	4.1	17	1	2	3	5	6	7	20
B. *Operated*	4017	5.9	14	2	3	6	7	8	10	18
1. SINGLE DX	2521	4.5	8	2	2	4	6	7	8	13
2. MULTIPLE DX	4383	5.8	15	2	3	5	7	8	10	18
A. NOT OPERATED	924	3.7	10	1	2	3	4	6	7	13
B. OPERATED	5980	5.6	13	2	3	5	7	8	9	17
TOTAL 0-19 YRS	711	5.1	8	2	2	5	6	8	10	17
20-34	5637	5.3	13	2	3	5	6	8	9	17
35-49	554	5.7	12	2	3	5	7	8	10	17
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**6904**	**5.3**	**13**	**2**	**3**	**5**	**6**	**8**	**9**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.1	3	2	2	5	6	8	8	8
20-34	331	5.3	5	2	2	6	7	8	8	11
35-49	17	6.1	9	1	1	6	8	10	11	11
50-64										
B. *Operated*										
0-19 YRS	1916	5.9	3	4	4	6	7	8	8	11
20-34	24295	6.0	4	4	4	6	7	8	8	10
35-49	1111	6.3	5	4	4	6	7	8	9	10
50-64	7	6.3	1	5	5	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	3	3	3	5	6	8	8	8
20-34	196	5.6	5	2	3	5	7	8	9	14
35-49	21	6.3	4	3	3	7	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	1406	6.3	12	4	4	6	7	8	10	15
20-34	25058	6.4	9	4	4	6	7	8	9	17
35-49	2223	6.9	13	4	5	6	8	9	10	20
50-64	19	7.9	15	3	5	7	8	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	5.3	5	2	2	6	7	8	8	11
B. *Operated*	27329	6.0	4	4	4	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	226	5.7	5	2	3	5	7	8	9	14
B. *Operated*	28706	6.5	10	4	4	6	7	8	9	17
1. SINGLE DX	27704	6.0	4	4	4	6	7	8	8	10
2. MULTIPLE DX	28932	6.5	10	4	4	6	7	8	9	17
A. NOT OPERATED	601	5.5	5	2	3	6	7	8	9	12
B. OPERATED	56035	6.3	7	4	4	6	7	8	9	14
TOTAL 0-19 YRS	3358	6.1	7	4	4	6	7	8	9	14
20-34	49880	6.2	7	4	4	6	7	8	9	14
35-49	3372	6.7	10	4	5	6	7	8	9	17
50-64	26	7.5	12	4	5	7	8	10	17	19
GRAND TOTAL	**56636**	**6.3**	**7**	**4**	**4**	**6**	**7**	**8**	**9**	**14**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1427	3.3	4	1	1	3	4	5	6	10
20-34	7218	3.4	7	1	1	3	4	5	6	10
35-49	352	3.5	6	1	1	3	4	5	6	14
50-64	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1156	3.9	5	2	2	3	4	6	7	12
20-34	6139	3.8	6	2	2	3	4	6	7	9
35-49	357	4.1	3	2	2	4	5	7	7	9
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	753	3.7	10	1	2	3	4	6	7	13
20-34	3214	3.8	7	1	2	3	4	6	7	14
35-49	221	4.0	9	1	2	3	5	7	8	19
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2177	4.7	13	2	2	4	5	7	9	16
20-34	12656	4.7	8	2	3	4	6	7	9	14
35-49	996	5.1	8	2	3	5	6	8	10	15
50-64	9	7.8	98	3	3	5	6	23	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8999	3.4	6	1	1	3	4	5	6	10
B. *Operated*	7653	3.9	5	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	4189	3.8	8	1	2	3	4	6	7	14
B. *Operated*	15838	4.8	9	2	3	4	6	7	9	15
1. SINGLE DX	16652	3.6	6	1	2	3	4	5	6	10
2. MULTIPLE DX	20027	4.6	9	2	2	4	5	7	8	14
A. NOT OPERATED	13188	3.5	7	1	1	3	4	5	6	12
B. OPERATED	23491	4.5	8	2	2	4	5	7	8	13
TOTAL 0-19 YRS	5513	4.0	9	1	2	3	5	6	8	14
20-34	29227	4.1	7	1	2	4	5	6	8	13
35-49	1926	4.5	7	2	2	4	6	7	8	15
50-64	13	6.4	71	1	2	4	5	12	30	34
GRAND TOTAL	**36679**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3227	3.0	5	2	2	3	3	4	5	6
20-34	19311	3.1	3	1	2	3	4	4	5	6
35-49	880	3.1	1	1	2	3	4	4	5	7
50-64	12	3.1	1	2	2	3	3	4	5	5
B. *Operated*										
0-19 YRS	1785	3.2	2	2	2	3	4	4	5	7
20-34	10207	3.3	3	2	2	3	4	5	5	7
35-49	482	3.5	2	2	2	3	4	5	6	7
50-64	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	3.3	7	2	2	3	4	5	5	9
20-34	3845	3.3	3	1	2	3	4	5	6	8
35-49	250	3.4	2	1	2	3	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	1750	3.6	9	2	2	3	4	5	7	12
20-34	12264	3.7	5	2	2	3	4	5	6	10
35-49	896	4.2	4	2	2	4	5	6	7	12
50-64	4	3.3		3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23430	3.1	3	1	2	3	4	4	5	6
B. *Operated*	12478	3.3	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	4828	3.3	3	1	2	3	4	5	6	8
B. *Operated*	14914	3.8	5	2	2	3	4	5	7	10
1. SINGLE DX	35908	3.2	3	1	2	3	4	4	5	7
2. MULTIPLE DX	19742	3.6	5	2	2	3	4	5	6	10
A. NOT OPERATED	28258	3.1	3	1	2	3	4	4	5	7
B. OPERATED	27392	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	7495	3.2	6	2	2	3	4	4	5	8
20-34	45627	3.3	3	2	2	3	4	5	5	8
35-49	2508	3.6	3	2	2	3	4	5	6	9
50-64	20	3.1		2	2	3	3	4	5	5
GRAND TOTAL	**55650**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	677	2.8	1	1	1	3	3	4	5	6
20-34	3225	2.8	4	1	1	3	3	4	5	7
35-49	189	3.0	4	1	1	3	4	5	5	10
50-64	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	4922	3.0	10	1	2	3	3	4	4	6
20-34	28990	2.9	3	1	2	3	3	4	5	6
35-49	1832	3.1	2	1	2	3	4	4	5	7
50-64	10	3.3	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	3.3	3	1	2	3	4	5	6	12
20-34	831	3.1	10	1	1	3	4	5	5	10
35-49	58	3.3	3	1	1	3	4	5	6	12
50-64										
B. *Operated*										
0-19 YRS	1849	3.3	3	2	2	3	4	5	6	10
20-34	13483	3.5	5	1	2	3	4	5	6	10
35-49	1299	3.8	4	2	2	3	4	5	7	13
50-64	12	4.0	11	1	1	3	5	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4094	2.8	4	1	[illegible]	3	3	4	5	7
B. *Operated*	35754	2.9	4	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1057	3.1	9	1	1	3	4	5	5	10
B. *Operated*	16643	3.5	5	2	2	3	4	5	6	10
1. SINGLE DX	39848	2.9	4	1	2	3	3	4	5	6
2. MULTIPLE DX	17700	3.5	5	1	2	3	4	5	6	10
A. NOT OPERATED	5151	2.9	5	1	1	3	3	4	5	7
B. OPERATED	52397	3.1	5	1	2	3	4	4	5	8
TOTAL 0-19 YRS	7616	3.1	7	1	2	3	3	4	5	8
20-34	46529	3.1	4	1	2	3	4	4	5	8
35-49	3378	3.3	3	1	2	3	4	5	6	10
50-64	25	3.6	6	1	1	3	4	7	9	13
GRAND TOTAL	**57548**	**3.1**	**5**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	3.2	3	2	2	3	4	4	5	7
20-34	2302	3.2	4	1	2	3	4	4	5	7
35-49	64	3.2	3	1	2	3	3	5	5	12
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	5593	3.1	4	2	2	3	4	4	5	7
20-34	19319	3.3	2	2	2	3	4	5	5	7
35-49	425	3.4	1	2	2	3	4	5	5	7
50-64	8	3.1	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	3.5	5	1	2	3	4	5	6	15
20-34	579	3.3	2	1	2	3	4	5	6	9
35-49	18	3.8	3	1	2	4	4	5	8	9
50-64										
B. *Operated*										
0-19 YRS	3152	3.6	4	2	2	3	4	5	6	10
20-34	11134	3.7	6	2	2	3	4	5	6	10
35-49	397	3.9	3	2	2	4	4	6	6	11
50-64	5	4.4	1	3	3	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3019	3.2	4	1	2	3	4	4	5	7
B. *Operated*	25345	3.3	3	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	773	3.4	3	1	2	3	4	5	6	9
B. *Operated*	14688	3.7	5	2	2	3	4	5	6	10
1. SINGLE DX	28364	3.3	3	2	2	3	4	4	5	7
2. MULTIPLE DX	15461	3.6	5	2	2	3	4	5	6	10
A. NOT OPERATED	3792	3.2	4	1	2	3	4	4	5	8
B. OPERATED	40033	3.4	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	9572	3.3	4	2	2	3	4	4	5	8
20-34	33334	3.4	4	2	2	3	4	5	5	8
35-49	904	3.6	2	2	2	3	4	5	6	9
50-64	15	3.7	2	1	2	3	5	5	6	6
GRAND TOTAL	**43825**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	3.2	4	1	2	3	4	4	5	11
20-34	1190	3.1	3	1	2	3	4	4	5	9
35-49	36	2.9	1	1	2	3	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2133	3.1	2	2	2	3	4	4	5	7
20-34	8035	3.3	4	2	2	3	4	5	5	8
35-49	238	3.4	2	2	2	3	4	5	5	10
50-64	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.4	2	2	2	3	4	5	5	9
20-34	392	3.5	9	1	2	3	4	5	6	13
35-49	25	4.0	3	1	2	4	4	5	9	9
50-64										
B. *Operated*										
0-19 YRS	1503	3.5	4	2	2	3	4	5	6	11
20-34	5960	3.8	6	2	2	3	4	5	6	11
35-49	285	4.2	4	2	2	4	5	6	7	11
50-64	5	5.6	6	3	3	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1593	3.1	3	1	2	3	4	4	5	9
B. *Operated*	10409	3.3	3	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	534	3.5	7	1	2	3	4	5	6	12
B. *Operated*	7753	3.8	6	2	2	3	4	5	6	11
1. SINGLE DX	12002	3.3	3	1	2	3	4	5	5	8
2. MULTIPLE DX	8287	3.7	6	2	2	3	4	5	6	11
A. NOT OPERATED	2127	3.2	4	1	2	3	4	5	5	10
B. OPERATED	18162	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4119	3.3	3	2	2	3	4	5	5	9
20-34	15577	3.5	5	2	2	3	4	5	6	9
35-49	584	3.8	3	2	2	3	4	5	7	11
50-64	9	4.2	6	2	2	3	5	8	9	9
GRAND TOTAL	**20289**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5641	3.2	9	1	1	3	4	5	6	11
20-34	22224	3.1	5	1	1	3	4	5	5	9
35-49	1153	3.3	4	1	1	3	4	5	7	11
50-64	13	3.4	4	1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	21596	3.4	5	2	2	3	4	5	6	10
20-34	91422	3.6	4	2	2	3	4	5	6	9
35-49	3736	3.8	4	2	2	3	4	6	7	10
50-64	38	3.5	2	1	2	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2771	3.5	6	1	2	3	4	6	7	12
20-34	10392	3.6	12	1	1	3	4	6	7	15
35-49	754	3.8	10	1	1	3	4	7	8	16
50-64	14	4.7	7	1	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	13051	4.5	12	2	2	4	5	8	10	17
20-34	65250	4.7	12	2	2	4	5	7	9	18
35-49	5347	5.4	18	2	3	4	6	8	12	22
50-64	33	4.8	10	2	2	4	5	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29031	3.1	6	1	1	3	4	5	6	10
B. *Operated*	116792	3.6	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	13931	3.6	11	1	1	3	4	6	7	14
B. *Operated*	83681	4.7	13	2	2	4	5	7	9	18
1. SINGLE DX	145823	3.5	4	1	2	3	4	5	6	9
2. MULTIPLE DX	97612	4.5	13	2	2	4	5	7	9	18
A. NOT OPERATED	42962	3.3	7	1	1	3	4	5	6	12
B. OPERATED	200473	4.0	8	2	2	3	4	6	8	14
TOTAL 0-19 YRS	43059	3.7	8	2	2	3	4	6	7	14
20-34	189288	3.9	8	2	2	3	4	6	7	13
35-49	10990	4.5	12	2	2	4	5	7	9	18
50-64	98	4.1	6	1	2	3	4	7	10	14
GRAND TOTAL	**243435**	**3.9**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	4.3	4	2	2	4	5	7	8	13
20-34	667	4.3	5	2	2	4	5	7	9	13
35-49	35	4.5	3	2	2	5	6	6	7	9
50-64										
B. *Operated*										
0-19 YRS	52	4.7	12	1	2	4	6	9	12	17
20-34	116	4.7	12	1	1	4	6	8	11	18
35-49	7	3.3	4	1	1	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	4.6	7	2	2	4	6	7	9	16
20-34	294	5.3	15	2	2	4	6	8	12	26
35-49	9	5.8	9	3	3	5	7	10	12	12
50-64										
B. *Operated*										
0-19 YRS	33	7.0	27	2	3	5	8	12	19	27
20-34	171	6.5	28	2	2	5	7	12	19	31
35-49	7	7.7	27	3	3	7	9	16	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	4.3	5	2	2	4	5	7	8	13
B. *Operated*	176	4.6	11	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	403	5.1	13	2	2	4	6	8	11	23
B. *Operated*	211	6.6	28	2	2	5	7	12	19	29
1. SINGLE DX	1152	4.3	6	2	2	4	5	7	9	14
2. MULTIPLE DX	614	5.6	18	2	2	5	6	10	14	26
A. NOT OPERATED	1379	4.5	7	2	2	4	5	7	9	14
B. OPERATED	387	5.7	21	1	2	5	7	11	16	25
TOTAL 0-19 YRS	459	4.6	8	2	2	4	5	7	9	18
20-34	1248	4.9	12	2	2	4	6	8	11	20
35-49	58	4.9	8	1	2	5	6	7	10	18
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**1766**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**11**	**19**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	1.8	3	<1	<1	1	2	3	4	10
20-34	595	2.0	5	<1	1	2	2	3	4	10
35-49	28	2.0	1	1	1	2	3	3	3	4
50-64										
B. *Operated*										
0-19 YRS	327	2.0	2	<1	1	2	2	4	4	8
20-34	1969	2.0	2	<1	1	2	2	4	5	8
35-49	104	2.2	2	<1	1	2	3	5	5	8
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	3	1	1	3	4	6	7	9
20-34	231	2.6	2	1	1	2	3	5	5	8
35-49	15	2.9	3	<1	1	3	4	5	6	6
50-64										
B. *Operated*										
0-19 YRS	171	3.2	4	1	1	2	4	6	7	12
20-34	1015	3.0	8	1	1	2	4	6	8	13
35-49	58	3.9	23	1	1	3	4	7	11	32
50-64	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.0	4	<1	1	2	2	3	4	9
B. *Operated*	2401	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	304	2.7	3	1	1	2	3	5	6	8
B. *Operated*	1247	3.1	8	1	1	2	4	6	8	13
1. SINGLE DX	3127	2.0	3	<1	1	2	2	3	4	8
2. MULTIPLE DX	1551	3.0	7	1	1	2	4	6	7	12
A. NOT OPERATED	1030	2.2	4	<1	1	2	3	4	5	8
B. OPERATED	3648	2.4	5	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	659	2.4	3	<1	1	2	3	4	6	9
20-34	3810	2.3	4	<1	1	2	3	4	6	10
35-49	205	2.7	8	<1	1	2	3	5	6	13
50-64	4	2.5		2	2	2	3	3	3	3
GRAND TOTAL	**4678**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	36	1	1	3	5	8	12	31
20-34	579	4.3	11	1	1	3	5	9	11	16
35-49	35	6.3	26	1	2	4	9	11	15	26
50-64										
B. *Operated*										
0-19 YRS	154	3.1	4	<1	1	3	4	5	6	11
20-34	802	3.3	17	1	1	3	4	6	8	13
35-49	51	2.7	6	<1	1	2	3	4	5	15
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.5	26	1	1	4	7	11	17	26
20-34	312	5.2	23	1	1	4	6	11	15	25
35-49	28	6.3	28	1	2	5	7	15	19	21
50-64										
B. *Operated*										
0-19 YRS	100	5.0	24	1	1	3	5	11	17	24
20-34	592	4.3	16	1	1	3	5	8	12	22
35-49	39	5.5	27	1	1	4	6	13	15	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	4.4	16	1	1	3	5	9	12	18
B. *Operated*	1008	3.3	14	<1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	409	5.3	24	1	1	4	6	11	17	25
B. *Operated*	731	4.5	17	1	1	3	5	9	12	24
1. SINGLE DX	1746	3.7	15	1	1	3	4	7	10	15
2. MULTIPLE DX	1140	4.8	20	1	1	3	6	10	14	24
A. NOT OPERATED	1147	4.7	19	1	1	4	6	10	13	21
B. OPERATED	1739	3.8	16	1	1	3	4	7	10	19
TOTAL 0-19 YRS	447	4.3	21	1	1	3	4	8	12	21
20-34	2285	4.1	16	1	1	3	5	8	11	19
35-49	153	4.9	22	1	1	3	6	11	15	26
50-64	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**2886**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3350	4.5	10	2	2	4	5	7	9	14
20-34	2785	4.8	12	2	2	4	6	8	10	17
35-49	1889	5.4	12	2	2	5	7	9	12	20
50-64	1639	6.4	19	2	3	5	8	11	15	24
65+	1415	7.7	28	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	1950	5.1	18	1	1	4	6	10	12	23
20-34	1891	5.6	26	1	2	4	7	11	14	28
35-49	1136	6.5	34	1	2	5	8	13	16	28
50-64	907	8.4	60	2	2	6	10	16	22	43
65+	578	9.5	72	2	2	7	12	19	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2693	5.2	19	2	2	4	6	9	12	20
20-34	3177	5.9	21	2	2	5	7	11	14	24
35-49	3468	7.4	28	2	3	6	9	13	17	29
50-64	4906	8.9	43	3	3	7	11	16	20	35
65+	7353	10.9	65	3	4	9	14	20	26	44
B. *Operated*										
0-19 YRS	1207	7.3	52	1	2	5	9	14	19	41
20-34	1891	9.2	89	2	2	6	11	19	26	53
35-49	1907	11.6	127	2	3	8	14	24	33	67
50-64	2477	14.9	163	3	4	11	20	31	41	76
65+	2645	17.7	203	4	5	14	23	37	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11078	5.4	15	2	2	4	7	10	12	21
B. *Operated*	6462	6.3	36	1	2	5	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	21597	8.5	46	2	3	7	11	16	21	36
B. *Operated*	10127	13.0	153	2	3	9	16	28	39	74
1. SINGLE DX	17540	5.8	23	2	2	5	7	11	14	24
2. MULTIPLE DX	31724	9.9	85	2	3	7	12	20	27	53
A. NOT OPERATED	32675	7.4	38	2	3	6	9	14	19	32
B. OPERATED	16589	10.4	118	2	2	7	13	23	32	60
TOTAL 0-19 YRS	9200	5.2	20	1	2	4	6	9	12	22
20-34	9744	6.2	35	2	2	5	7	12	16	31
35-49	8400	7.8	52	2	2	6	9	15	20	41
50-64	9929	9.9	79	2	3	7	12	20	27	50
65+	11991	12.0	102	3	4	9	15	23	31	59
GRAND TOTAL	**49264**	**8.4**	**67**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1240	4.5	10	1	2	4	5	8	9	14
20-34	654	4.7	16	1	2	4	5	8	10	19
35-49	385	5.2	13	2	2	4	6	9	13	19
50-64	279	6.1	20	2	2	5	8	12	14	24
65+	198	7.6	40	2	3	6	9	14	19	37
B. *Operated*										
0-19 YRS	1037	4.0	24	<1	1	2	5	8	11	20
20-34	965	4.9	31	1	1	3	6	10	14	27
35-49	614	4.9	27	<1	1	3	6	10	14	35
50-64	491	6.2	63	1	1	4	7	13	20	42
65+	327	7.3	52	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1384	5.2	12	2	2	4	6	9	11	19
20-34	700	5.8	31	2	2	4	7	11	14	34
35-49	659	7.0	34	2	2	6	9	13	16	27
50-64	868	8.7	40	2	3	7	11	16	21	35
65+	1239	10.9	85	3	4	8	13	21	27	60
B. *Operated*										
0-19 YRS	641	5.7	23	1	1	4	8	11	14	25
20-34	772	7.5	73	1	2	5	9	15	23	53
35-49	683	10.4	121	2	2	7	13	24	31	53
50-64	1010	11.9	131	2	2	8	15	26	36	69
65+	1052	15.3	193	2	3	11	21	32	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2756	5.0	15	2	2	4	6	9	12	20
B. *Operated*	3434	5.0	36	1	1	3	6	10	14	32
2. MULTIPLE DX										
A. *Not Operated*	4850	7.6	47	2	2	6	9	15	20	37
B. *Operated*	4158	10.7	129	2	2	7	13	24	33	64
1. SINGLE DX	6190	5.0	27	1	1	4	6	9	13	26
2. MULTIPLE DX	9008	9.1	87	2	2	6	11	19	26	53
A. NOT OPERATED	7606	6.7	37	2	2	5	8	13	17	33
B. OPERATED	7592	8.1	95	1	1	5	10	18	27	53
TOTAL 0-19 YRS	4302	4.8	16	1	1	4	6	9	11	19
20-34	3091	5.7	39	1	2	4	7	11	15	34
35-49	2341	7.1	59	1	2	5	9	14	20	39
50-64	2648	9.2	82	2	2	6	11	19	27	52
65+	2816	11.9	127	2	3	8	15	25	34	68
GRAND TOTAL	**15198**	**7.4**	**66**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.9	7	1	1	4	5	6	7	13
20-34	187	3.7	4	1	1	4	5	6	7	9
35-49	45	4.3	19	<1	1	4	5	8	14	25
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5325	4.2	5	2	2	4	5	7	8	12
20-34	9080	4.2	8	2	2	4	5	7	8	12
35-49	1258	4.3	5	2	2	4	5	7	8	13
50-64	307	4.7	6	2	2	4	6	8	9	13
65+	63	4.7	11	1	2	4	6	8	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.2	6	<1	<1	2	4	7	8	11
20-34	95	3.1	5	<1	<1	3	4	6	8	10
35-49	15	4.1	8	<1	1	4	6	8	9	9
50-64	14	6.2	18	1	2	5	9	12	15	16
65+	9	7.7	50	2	2	6	8	19	25	25
B. *Operated*										
0-19 YRS	590	5.1	12	2	2	4	6	8	11	22
20-34	1491	5.4	20	2	2	4	6	9	12	21
35-49	476	6.2	33	2	3	5	7	11	13	26
50-64	163	6.9	40	2	3	5	7	13	18	30
65+	66	10.3	83	2	3	7	14	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	3.8	7	1	1	3	5	6	7	15
B. *Operated*	16033	4.2	7	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	183	3.7	10	<1	1	3	5	8	9	14
B. *Operated*	2786	5.7	24	2	2	4	6	10	13	24
1. SINGLE DX	16390	4.2	7	2	2	4	5	7	8	13
2. MULTIPLE DX	2969	5.5	23	2	2	4	6	10	13	23
A. NOT OPERATED	540	3.8	8	<1	1	3	5	7	8	15
B. OPERATED	18819	4.4	10	2	2	4	5	7	9	15
TOTAL 0-19 YRS	6087	4.2	6	2	2	4	5	7	8	13
20-34	10853	4.4	10	2	2	4	5	7	9	14
35-49	1794	4.8	14	2	2	4	6	8	10	16
50-64	487	5.5	19	2	2	5	6	9	12	21
65+	138	7.6	55	1	2	5	9	17	21	45
GRAND TOTAL	**19359**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.9	3	<1	<1	1	2	3	6	10
20-34	51	2.2	2	<1	<1	2	3	5	5	8
35-49	30	2.4	3	<1	<1	2	3	5	6	7
50-64	33	2.7	19	<1	<1	2	3	4	6	26
65+	8	1.9	2	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	1310	1.7	1	<1	<1	1	2	3	3	6
20-34	1710	2.1	3	<1	<1	2	2	3	4	8
35-49	1245	2.2	4	<1	<1	2	2	4	5	9
50-64	1047	2.1	3	<1	<1	2	2	4	5	9
65+	434	2.7	12	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	3	<1	<1	2	3	4	6	7
20-34	22	4.5	40	<1	1	3	5	8	20	30
35-49	29	3.8	12	<1	<1	2	6	9	11	14
50-64	40	4.3	10	<1	1	3	5	9	11	15
65+	32	5.3	13	<1	1	4	8	10	12	15
B. *Operated*										
0-19 YRS	219	2.6	8	<1	1	2	3	4	7	15
20-34	585	3.2	11	<1	1	2	4	6	8	18
35-49	680	3.6	13	<1	1	2	4	7	10	18
50-64	673	3.8	14	<1	1	3	5	8	10	21
65+	427	5.1	24	1	2	3	6	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.3	6	<1	<1	2	3	5	5	10
B. *Operated*	5746	2.1	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	16	<1	<1	3	5	9	11	17
B. *Operated*	2584	3.7	15	<1	1	2	4	8	10	20
1. SINGLE DX	5906	2.1	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX	2724	3.8	15	<1	1	2	4	8	10	20
A. NOT OPERATED	300	3.2	11	<1	<1	2	4	7	9	15
B. OPERATED	8330	2.6	8	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1584	1.8	2	<1	<1	2	2	3	4	8
20-34	2368	2.4	6	<1	<1	2	3	4	6	13
35-49	1984	2.7	8	<1	<1	2	3	5	7	14
50-64	1793	2.8	8	<1	<1	2	3	5	8	15
65+	901	3.9	19	<1	<1	2	4	9	12	23
GRAND TOTAL	**8630**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2503	4.3	17	1	1	3	5	8	11	22
20-34	1630	5.3	29	1	1	4	6	11	16	24
35-49	1174	6.0	34	1	2	4	7	13	17	28
50-64	1047	7.9	64	1	2	5	10	17	22	39
65+	1121	10.2	105	2	2	7	12	21	29	58
B. *Operated*										
0-19 YRS	5230	2.9	17	<1	1	2	3	5	8	21
20-34	5679	4.4	37	<1	1	3	4	9	15	32
35-49	3824	4.9	49	1	1	3	5	10	16	36
50-64	3952	5.0	55	<1	1	3	5	10	19	43
65+	2549	9.7	159	1	1	4	13	26	36	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2338	5.3	31	1	1	4	6	10	14	27
20-34	1986	7.9	83	1	2	5	10	17	24	54
35-49	2221	9.1	81	2	2	6	11	19	27	52
50-64	3431	10.3	83	2	3	8	13	21	28	50
65+	7074	13.4	135	3	4	10	17	27	37	74
B. *Operated*										
0-19 YRS	2160	5.4	65	1	1	2	5	13	21	47
20-34	4134	9.7	197	1	2	4	10	27	46	99
35-49	4300	9.4	175	1	2	4	10	26	41	96
50-64	6103	10.5	188	1	2	5	13	28	41	83
65+	6320	18.5	330	2	2	13	27	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7475	6.2	46	1	1	4	7	13	18	34
B. *Operated*	21234	4.9	56	<1	1	2	4	10	18	40
2. MULTIPLE DX										
A. *Not Operated*	17050	10.5	105	2	2	7	13	22	30	62
B. *Operated*	23017	11.9	233	1	2	5	15	33	49	96
1. SINGLE DX	28709	5.2	54	<1	1	3	5	11	18	39
2. MULTIPLE DX	40067	11.3	179	1	2	6	14	28	41	85
A. NOT OPERATED	24525	9.2	91	1	2	6	11	20	27	55
B. OPERATED	44251	8.5	160	1	1	3	9	24	37	76
TOTAL 0-19 YRS	12231	4.1	29	<1	1	2	4	8	12	29
20-34	13429	6.7	98	1	1	3	7	16	25	63
35-49	11519	7.5	105	1	1	4	8	18	28	64
50-64	14533	8.7	124	1	2	5	10	21	31	64
65+	17064	14.5	220	2	2	10	19	34	48	94
GRAND TOTAL	**68776**	**8.7**	**136**	**1**	**1**	**4**	**10**	**22**	**33**	**70**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	6.1	24	<1	1	4	8	13	16	21
20-34	320	7.1	34	1	2	5	9	14	19	29
35-49	259	7.9	39	1	2	6	10	16	20	31
50-64	224	8.9	52	2	3	7	12	18	22	38
65+	104	9.9	110	2	3	8	12	17	22	63
B. *Operated*										
0-19 YRS	72	7.3	45	1	2	5	9	16	19	31
20-34	176	10.7	131	2	2	8	13	23	28	64
35-49	135	9.4	49	2	3	8	14	19	22	35
50-64	130	10.8	103	1	2	9	14	21	32	64
65+	78	13.3	105	2	4	10	20	23	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	8.4	81	1	2	6	10	17	25	93
20-34	771	9.8	98	2	3	7	12	19	29	63
35-49	730	10.5	109	2	3	8	12	20	30	62
50-64	837	10.8	88	2	3	8	13	21	28	51
65+	656	12.1	86	3	3	9	16	25	32	46
B. *Operated*										
0-19 YRS	113	14.7	274	2	2	10	19	33	53	97
20-34	406	14.2	171	2	3	10	19	29	42	69
35-49	436	15.3	177	3	4	12	18	32	45	67
50-64	524	16.3	205	3	4	12	20	32	49	85
65+	407	18.8	197	4	5	15	25	37	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	7.9	47	1	2	6	10	16	20	32
B. *Operated*	591	10.4	94	2	2	8	14	21	28	55
2. MULTIPLE DX										
A. *Not Operated*	3206	10.6	95	2	3	8	13	21	29	55
B. *Operated*	1886	16.1	196	2	4	12	21	34	46	77
1. SINGLE DX	1615	8.8	66	2	2	7	11	18	23	41
2. MULTIPLE DX	5092	12.6	139	2	3	9	16	27	37	67
A. NOT OPERATED	4230	9.9	85	2	3	7	12	20	27	49
B. OPERATED	2477	14.7	177	2	3	11	19	31	43	75
TOTAL 0-19 YRS	514	9.1	114	1	2	6	11	19	28	83
20-34	1673	10.5	113	2	2	7	13	23	30	61
35-49	1560	11.3	118	2	3	8	14	23	32	61
50-64	1715	12.2	128	2	3	9	15	24	33	66
65+	1245	14.2	136	3	4	11	19	29	37	62
GRAND TOTAL	**6707**	**11.7**	**124**	**2**	**3**	**9**	**15**	**24**	**33**	**62**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	629	6.4	22	2	2	5	8	12	14	26
20-34	445	7.7	44	2	3	6	9	15	20	34
35-49	653	8.2	33	2	3	7	11	17	20	27
50-64	1126	9.0	39	2	3	8	12	17	21	33
65+	887	10.1	52	3	4	8	13	19	24	42
B. *Operated*										
0-19 YRS	138	7.5	68	1	2	5	10	17	22	59
20-34	329	10.2	104	2	2	7	14	21	26	49
35-49	743	9.9	75	2	3	8	13	19	25	42
50-64	1732	11.6	91	2	3	9	16	23	29	52
65+	965	14.5	118	3	3	13	19	27	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	8.0	60	2	2	6	9	16	23	49
20-34	463	7.9	34	2	3	7	10	15	18	29
35-49	1124	9.3	61	2	3	7	12	18	22	49
50-64	3052	10.2	62	2	3	3	13	19	24	41
65+	3934	11.7	76	3	4	10	15	22	28	50
B. *Operated*										
0-19 YRS	91	11.3	128	2	2	8	15	29	42	99+
20-34	332	10.7	118	2	3	7	14	23	30	88
35-49	996	12.0	142	2	3	9	15	25	34	67
50-64	2390	13.9	155	2	3	11	18	29	39	69
65+	1934	18.0	197	3	4	15	23	35	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3740	8.6	40	2	3	7	11	16	21	33
B. *Operated*	3907	11.7	98	2	3	9	16	23	29	49
2. MULTIPLE DX										
A. *Not Operated*	8887	10.5	68	3	3	9	13	20	26	46
B. *Operated*	5743	14.7	170	2	3	11	19	31	42	76
1. SINGLE DX	7647	10.2	73	2	3	8	14	20	25	43
2. MULTIPLE DX	14630	12.2	112	3	3	9	16	24	32	63
A. NOT OPERATED	12627	10.0	61	2	3	8	13	19	24	41
B. OPERATED	9650	13.5	143	2	3	10	18	28	37	68
TOTAL 0-19 YRS	1172	7.4	48	2	2	5	9	14	20	45
20-34	1569	8.9	71	2	3	6	11	18	23	47
35-49	3516	10.0	83	2	3	8	13	19	26	50
50-64	8300	11.4	95	2	3	9	15	22	30	54
65+	7720	13.4	117	3	4	11	17	26	34	63
GRAND TOTAL	**22277**	**11.5**	**100**	**2**	**3**	**9**	**15**	**23**	**30**	**57**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	5	1	2	4	5	7	8	9
20-34	96	4.8	10	1	1	4	6	9	12	14
35-49	261	6.4	30	1	2	5	8	12	14	29
50-64	750	6.2	22	1	2	5	8	12	15	21
65+	1419	7.4	31	1	2	6	10	15	18	27
B. *Operated*										
0-19 YRS	98	6.1	65	1	2	4	5	14	17	51
20-34	831	5.8	28	1	2	4	7	12	15	24
35-49	1657	8.0	45	2	2	6	12	17	21	33
50-64	5801	12.0	60	2	3	12	16	21	25	37
65+	7554	16.5	57	5	8	16	20	25	30	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	8.3	45	2	2	6	10	18	23	30
20-34	141	5.8	18	1	2	5	7	11	14	19
35-49	916	6.9	22	2	2	6	9	13	17	26
50-64	3344	7.7	33	2	3	6	10	14	18	27
65+	9565	9.4	54	2	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	66	7.3	51	2	2	5	9	19	22	38
20-34	582	7.4	64	1	2	5	9	14	20	48
35-49	1401	9.2	69	2	2	7	13	19	23	39
50-64	5294	13.5	93	2	3	12	18	25	31	48
65+	8762	19.2	121	5	8	17	24	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2546	6.8	28	1	2	5	9	14	17	24
B. *Operated*	15941	13.4	67	2	3	13	18	23	27	39
2. MULTIPLE DX										
A. *Not Operated*	13998	8.8	47	2	3	7	11	17	21	35
B. *Operated*	16105	16.0	120	3	4	15	21	29	36	58
1. SINGLE DX	18487	12.5	66	2	3	12	17	22	26	38
2. MULTIPLE DX	30103	12.6	99	2	3	10	17	24	31	51
A. NOT OPERATED	16544	8.5	45	2	3	7	11	16	20	33
B. OPERATED	32046	14.7	95	2	3	14	19	26	32	50
TOTAL 0-19 YRS	216	6.6	53	2	2	4	7	15	22	41
20-34	1650	6.3	39	1	2	4	8	13	16	33
35-49	4235	8.1	48	2	2	6	11	17	20	33
50-64	15189	11.3	69	2	3	10	16	21	26	40
65+	27300	14.4	95	3	4	13	19	26	32	50
GRAND TOTAL	**48590**	**12.6**	**87**	**2**	**3**	**11**	**17**	**24**	**29**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	640	7.4	38	2	2	6	10	15	20	30
20-34	575	6.2	20	2	2	5	8	11	14	24
35-49	435	6.4	22	1	2	5	8	12	16	24
50-64	415	6.8	41	1	2	5	9	13	16	35
65+	461	8.0	66	1	2	6	10	15	20	43
B. *Operated*										
0-19 YRS	343	11.2	83	2	2	9	16	22	28	44
20-34	946	6.1	34	1	2	4	7	13	16	30
35-49	917	7.0	40	2	2	5	9	14	19	30
50-64	1031	9.3	66	2	2	7	13	18	24	36
65+	562	14.2	81	2	3	14	19	24	28	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	9.0	57	2	2	6	12	19	25	35
20-34	617	7.0	26	2	2	6	9	13	17	29
35-49	718	7.7	42	2	3	6	9	14	19	33
50-64	1248	8.3	42	2	3	7	10	15	20	36
65+	2358	9.7	67	2	3	7	12	19	26	47
B. *Operated*										
0-19 YRS	273	14.9	130	2	3	12	21	32	40	53
20-34	625	9.4	103	2	2	6	11	21	31	61
35-49	701	10.3	98	2	2	7	13	22	29	51
50-64	1024	13.6	149	2	3	11	18	28	38	67
65+	884	20.1	248	3	5	16	26	42	56	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2526	7.0	37	2	2	5	9	14	17	30
B. *Operated*	3799	8.8	63	2	2	6	12	19	23	41
2. MULTIPLE DX										
A. *Not Operated*	5413	8.7	53	2	3	7	11	17	22	39
B. *Operated*	3507	13.9	170	2	3	10	18	30	41	70
1. SINGLE DX	6325	8.1	53	2	2	6	11	17	22	36
2. MULTIPLE DX	8920	10.8	106	2	3	8	13	23	31	56
A. NOT OPERATED	7939	8.2	49	2	2	6	10	16	21	37
B. OPERATED	7306	11.3	121	2	2	8	15	24	32	58
TOTAL 0-19 YRS	1728	9.8	73	2	2	7	13	21	27	43
20-34	2763	7.1	47	2	2	5	8	14	18	40
35-49	2771	7.9	54	2	2	6	10	16	22	40
50-64	3718	9.9	84	2	2	7	13	20	27	45
65+	4265	12.3	125	2	3	9	16	25	34	64
GRAND TOTAL	**15245**	**9.7**	**86**	**2**	**2**	**7**	**12**	**20**	**27**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	3.4	6	<1	1	3	4	7	9	11
20-34	344	3.1	8	<1	1	2	4	6	8	13
35-49	143	4.1	10	<1	1	3	6	9	11	21
50-64	93	4.3	15	<1	1	4	5	8	12	21
65+	51	6.6	30	1	1	5	8	16	18	26
B. *Operated*										
0-19 YRS	6182	4.1	6	1	2	4	5	6	8	11
20-34	11713	4.4	7	1	2	4	5	7	8	13
35-49	5390	4.7	9	2	2	4	6	7	9	15
50-64	2664	5.3	9	2	2	5	6	9	11	18
65+	466	6.3	16	2	3	5	8	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.0	7	<1	<1	2	4	7	9	12
20-34	276	3.9	18	<1	<1	2	5	9	13	22
35-49	204	4.5	21	<1	1	3	6	10	14	21
50-64	177	5.6	22	1	1	4	7	12	14	22
65+	104	8.3	36	2	3	6	11	15	20	31
B. *Operated*										
0-19 YRS	3169	4.6	7	1	2	4	6	7	9	14
20-34	7068	4.9	11	1	2	4	6	8	10	17
35-49	4128	5.5	19	2	2	5	6	9	12	21
50-64	3405	6.2	23	2	2	5	7	10	14	23
65+	895	7.8	35	2	3	6	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	3.7	10	<1	1	3	5	8	10	17
B. *Operated*	26415	4.5	8	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	902	4.7	22	<1	1	3	6	11	14	23
B. *Operated*	18665	5.4	16	2	2	5	6	9	12	21
1. SINGLE DX	27312	4.5	8	1	2	4	5	7	9	14
2. MULTIPLE DX	19567	5.4	16	1	2	5	6	9	12	21
A. NOT OPERATED	1799	4.2	16	<1	1	3	5	9	12	20
B. OPERATED	45080	4.9	11	2	2	4	6	8	10	17
TOTAL 0-19 YRS	9758	4.2	7	1	2	4	5	7	8	12
20-34	19401	4.5	9	1	2	4	5	7	9	15
35-49	9865	5.0	14	1	2	4	6	8	10	19
50-64	6339	5.8	17	2	2	5	7	10	13	21
65+	1516	7.3	30	2	3	6	9	13	17	30
GRAND TOTAL	**46879**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1156	4.2	13	1	1	4	5	7	10	18
20-34	736	4.5	14	1	1	4	6	10	12	19
35-49	446	5.2	25	1	1	4	7	11	14	26
50-64	463	5.7	27	1	1	4	7	11	15	28
65+	464	7.4	43	1	2	6	9	15	19	28
B. *Operated*										
0-19 YRS	5586	4.3	10	1	2	4	5	7	8	15
20-34	8157	4.4	12	1	2	4	5	7	9	16
35-49	2512	4.8	19	1	2	4	6	9	12	21
50-64	1401	5.6	34	1	2	4	6	11	16	27
65+	606	9.0	75	1	2	6	13	20	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	772	4.4	16	1	1	3	6	8	11	19
20-34	860	5.9	40	1	1	4	7	12	16	32
35-49	827	6.3	34	1	2	5	8	12	16	27
50-64	939	7.6	55	1	2	6	9	15	21	31
65+	1532	9.1	53	2	3	7	11	18	22	37
B. *Operated*										
0-19 YRS	1816	5.1	18	2	2	4	6	9	11	24
20-34	3525	5.5	26	2	2	4	6	10	13	26
35-49	1789	6.6	48	2	2	5	7	14	18	36
50-64	1538	8.2	77	2	2	5	10	18	26	46
65+	990	14.1	168	2	3	10	20	30	39	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3265	5.1	22	1	1	4	6	10	14	23
B. *Operated*	18262	4.7	17	1	2	4	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	4930	7.0	45	1	2	5	9	14	19	32
B. *Operated*	9658	6.9	58	2	2	5	8	14	22	41
1. SINGLE DX	21527	4.7	18	1	2	4	6	8	11	22
2. MULTIPLE DX	14588	7.0	53	1	2	5	8	14	20	38
A. NOT OPERATED	8195	6.3	37	1	1	5	8	13	17	29
B. OPERATED	27920	5.5	32	1	2	4	6	10	15	31
TOTAL 0-19 YRS	9330	4.5	13	1	2	4	5	7	9	18
20-34	13278	4.8	18	1	2	4	6	8	11	21
35-49	5574	5.6	32	1	2	4	7	11	15	29
50-64	4341	7.0	54	1	2	5	8	15	21	37
65+	3592	10.2	93	2	2	7	13	22	28	51
GRAND TOTAL	**36115**	**5.6**	**33**	**1**	**2**	**4**	**6**	**11**	**15**	**30**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.1	56	2	3	10	11	22	28	28
20-34	61	7.9	38	3	3	6	10	15	25	28
35-49	64	6.7	13	2	3	6	8	12	13	20
50-64	39	7.4	40	2	2	5	9	14	23	31
65+	21	8.1	28	3	4	7	10	16	20	24
B. *Operated*										
0-19 YRS	2	13.0	200	3	3	13	23	23	23	23
20-34	29	11.4	151	2	2	10	14	17	35	65
35-49	17	10.8	136	1	2	7	14	17	39	51
50-64	14	8.5	62	1	2	6	9	18	29	32
65+	8	10.8	19	5	6	9	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.7	5	2	2	5	8	9	9	9
20-34	49	8.0	40	2	2	6	11	16	25	29
35-49	101	7.0	22	2	3	6	9	14	18	21
50-64	101	8.3	24	2	3	7	12	15	19	61
65+	109	9.3	48	2	3	7	12	20	23	35
B. *Operated*										
0-19 YRS	4	9.0	17	4	4	9	12	14	14	14
20-34	24	15.2	147	4	5	14	18	23	37	64
35-49	36	12.2	114	2	3	9	15	26	39	48
50-64	38	18.9	275	3	3	15	22	37	52	86
65+	27	16.8	243	3	5	13	22	50	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	7.5	30	2	3	6	10	13	21	28
B. *Operated*	70	10.6	111	2	2	8	14	17	32	62
2. MULTIPLE DX										
A. *Not Operated*	374	8.1	33	2	3	7	11	16	21	28
B. *Operated*	129	15.6	195	3	4	13	19	31	48	89
1. SINGLE DX	264	8.3	53	2	3	6	10	16	22	33
2. MULTIPLE DX	503	10.0	85	2	3	8	13	20	25	62
A. NOT OPERATED	568	7.9	32	2	3	6	10	15	21	28
B. OPERATED	199	13.8	170	2	3	11	16	26	44	77
TOTAL 0-19 YRS	29	8.0	33	2	3	7	10	13	23	28
20-34	163	9.6	80	2	3	7	12	18	25	60
35-49	218	8.1	47	2	3	6	10	15	20	45
50-64	192	10.2	97	2	3	8	12	21	30	74
65+	165	10.5	83	2	3	8	13	22	24	68
GRAND TOTAL	**767**	**9.4**	**74**	**2**	**3**	**7**	**12**	**19**	**24**	**56**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	8.0	32	1	2	7	12	17	19	21
20-34	196	6.2	19	1	2	5	8	13	15	20
35-49	748	6.6	17	2	2	6	9	12	15	20
50-64	1387	7.2	23	2	2	6	9	13	16	22
65+	1236	7.7	35	2	3	6	10	14	18	27
B. *Operated*										
0-19 YRS	28	8.5	146	1	1	5	10	13	29	64
20-34	324	7.5	29	1	2	7	10	15	18	24
35-49	1410	8.3	42	2	2	7	11	16	20	31
50-64	1947	9.0	46	2	2	8	12	17	21	31
65+	645	10.8	78	2	2	9	15	22	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.1	48	1	2	5	7	17	25	31
20-34	318	6.9	22	2	2	6	9	13	16	25
35-49	2062	7.4	20	2	3	6	10	13	16	22
50-64	5545	8.0	27	2	3	7	10	14	18	26
65+	8616	9.2	42	3	3	8	12	17	21	32
B. *Operated*										
0-19 YRS	18	11.8	99	2	3	8	18	35	72	99+
20-34	266	10.3	88	2	2	8	12	20	25	41
35-49	1570	10.5	65	2	3	9	14	19	24	40
50-64	2942	11.7	83	2	3	10	15	22	28	50
65+	2147	15.5	156	3	4	12	20	30	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3594	7.2	26	2	2	6	9	13	16	24
B. *Operated*	4354	8.9	50	2	2	8	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	16575	8.6	34	2	3	7	11	15	19	30
B. *Operated*	6943	12.6	106	2	3	10	16	24	32	58
1. SINGLE DX	7948	8.1	40	2	2	7	11	16	19	30
2. MULTIPLE DX	23518	9.7	59	2	3	8	12	18	23	41
A. NOT OPERATED	20169	8.3	33	2	3	7	11	15	19	29
B. OPERATED	11297	11.2	87	2	2	9	15	22	28	50
TOTAL 0-19 YRS	107	8.5	79	1	2	6	11	18	26	79
20-34	1104	7.8	41	1	2	6	10	15	19	30
35-49	5790	8.3	40	2	2	7	11	15	19	31
50-64	11821	9.0	46	2	3	8	11	17	21	36
65+	12644	10.2	68	2	3	8	13	19	25	44
GRAND TOTAL	**31466**	**9.3**	**54**	**2**	**3**	**8**	**12**	**18**	**22**	**39**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	8.5	40	1	3	7	11	15	20	33
20-34	4297	7.8	25	2	3	7	10	14	16	25
35-49	6577	8.1	25	2	3	7	10	14	17	24
50-64	3893	8.7	28	2	3	8	11	15	18	26
65+	1097	9.2	31	2	3	8	12	17	20	28
B. *Operated*										
0-19 YRS	762	9.2	37	2	2	8	12	16	21	31
20-34	14439	9.5	40	2	2	8	12	17	21	30
35-49	21602	10.2	42	2	3	9	13	18	22	31
50-64	10850	11.0	49	2	3	10	14	20	24	34
65+	1957	13.1	75	2	3	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	9.3	48	2	3	8	12	15	20	42
20-34	1733	8.9	36	2	3	8	11	15	19	32
35-49	3746	9.3	38	2	3	8	12	17	20	32
50-64	4308	9.7	35	3	4	9	12	17	21	31
65+	3117	10.4	44	3	4	9	13	18	22	35
B. *Operated*										
0-19 YRS	104	11.9	81	2	3	10	15	24	33	42
20-34	3517	12.1	66	2	3	10	15	22	27	38
35-49	7546	12.8	72	2	4	11	16	23	29	44
50-64	6569	14.0	83	2	4	12	18	25	31	45
65+	2372	17.1	126	3	6	15	22	31	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16103	8.3	26	2	3	7	11	15	17	25
B. *Operated*	49610	10.3	45	2	2	9	13	19	23	32
2. MULTIPLE DX										
A. *Not Operated*	12985	9.6	38	3	4	8	12	17	21	32
B. *Operated*	20108	13.6	83	2	4	12	17	25	31	46
1. SINGLE DX	65713	9.8	41	2	3	9	13	18	22	31
2. MULTIPLE DX	33093	12.0	69	2	4	10	15	22	28	43
A. NOT OPERATED	29088	8.9	32	2	3	8	11	16	19	29
B. OPERATED	69718	11.2	58	2	3	10	15	21	25	37
TOTAL 0-19 YRS	1186	9.3	43	2	2	8	12	17	22	35
20-34	23986	9.5	42	2	2	8	12	17	21	31
35-49	39471	10.3	47	2	3	9	13	19	23	34
50-64	25620	11.2	55	2	3	10	14	20	25	37
65+	8543	12.7	81	3	4	11	16	23	29	47
GRAND TOTAL	**98806**	**10.5**	**52**	**2**	**3**	**9**	**14**	**19**	**24**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	6.8	32	1	2	5	8	14	18	31
20-34	1294	7.6	21	2	3	7	10	13	16	24
35-49	2335	7.9	22	2	3	7	10	14	16	24
50-64	1493	8.3	25	2	3	8	11	14	17	25
65+	388	8.7	31	3	3	8	11	15	19	25
B. *Operated*										
0-19 YRS	88	9.0	50	1	2	7	12	18	25	31
20-34	2082	9.0	42	2	2	8	12	17	20	30
35-49	5152	9.3	37	2	3	8	12	17	20	30
50-64	2944	10.0	46	2	3	9	13	19	23	32
65+	367	11.6	56	2	3	10	16	22	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.3	25	1	2	6	10	14	16	20
20-34	656	8.7	41	2	3	7	11	15	19	32
35-49	1795	8.6	33	2	3	8	11	15	19	28
50-64	2203	9.0	31	3	3	8	11	16	20	28
65+	1479	9.7	42	3	3	8	12	18	21	31
B. *Operated*										
0-19 YRS	27	10.7	50	1	2	10	14	22	24	28
20 34	683	11.2	65	2	3	10	15	21	26	38
35-49	2235	11.6	66	2	3	10	15	21	27	40
50-64	2168	12.4	75	2	3	11	16	23	28	47
65+	533	15.6	151	3	4	12	20	30	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5596	8.0	24	2	3	7	10	14	17	24
B. *Operated*	10633	9.5	42	2	2	8	12	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	6181	9.0	35	2	3	8	11	16	20	29
B. *Operated*	5646	12.2	79	2	3	10	16	23	28	47
1. SINGLE DX	16229	9.0	36	2	3	8	12	16	20	30
2. MULTIPLE DX	11827	10.5	59	2	3	9	13	20	25	39
A. NOT OPERATED	11777	8.5	30	2	3	8	11	15	18	27
B. OPERATED	16279	10.5	56	2	3	9	14	19	24	36
TOTAL 0-19 YRS	249	8.1	40	1	2	6	11	16	21	29
20-34	4715	8.9	41	2	2	8	11	16	20	30
35-49	11517	9.4	41	2	3	8	12	17	21	31
50-64	8808	10.0	48	2	3	9	13	19	23	34
65+	2767	10.9	69	3	4	9	14	20	25	45
GRAND TOTAL	**28056**	**9.6**	**46**	**2**	**3**	**8**	**12**	**18**	**22**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	7.0	26	1	2	6	9	14	18	26
20-34	1621	7.4	24	2	3	7	9	12	15	23
35-49	1659	8.0	23	2	3	7	10	14	16	24
50-64	876	7.6	26	2	2	7	10	13	16	24
65+	205	7.2	27	1	2	6	9	14	17	26
B. *Operated*										
0-19 YRS	56	7.0	34	1	2	5	10	16	20	24
20-34	985	7.4	39	1	2	6	10	15	18	26
35-49	1050	8.5	52	2	2	7	11	17	21	34
50-64	338	9.2	59	2	2	7	12	19	24	33
65+	29	8.6	46	1	1	7	12	18	23	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	7.2	37	2	2	6	10	13	14	38
20-34	1176	8.5	29	2	3	7	10	15	18	28
35-49	1707	8.9	28	2	4	8	11	15	19	27
50-64	1251	9.2	30	2	3	8	12	16	19	28
65+	634	9.7	48	2	3	8	12	18	22	32
B. *Operated*										
0-19 YRS	35	9.1	54	2	2	7	12	17	26	34
20-34	585	10.4	57	2	3	9	14	19	23	39
35-49	814	10.6	49	2	3	9	14	20	24	32
50-64	445	11.7	64	2	3	11	16	22	27	38
65+	77	14.9	128	2	3	11	19	35	41	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4458	7.6	24	2	2	7	10	13	16	24
B. *Operated*	2458	8.1	47	1	2	6	11	16	20	33
2. MULTIPLE DX										
A. *Not Operated*	4862	8.9	32	2	3	8	11	16	19	28
B. *Operated*	1956	11.0	59	2	3	10	14	21	25	39
1. SINGLE DX	6916	7.8	33	2	2	7	10	14	18	27
2. MULTIPLE DX	6818	9.5	40	2	3	8	12	17	21	32
A. NOT OPERATED	9320	8.3	29	2	3	7	11	14	18	26
B. OPERATED	4414	9.4	54	2	2	8	13	18	23	34
TOTAL 0-19 YRS	282	7.4	35	1	2	6	10	15	18	27
20-34	4367	8.1	34	2	2	7	10	15	18	28
35-49	5230	8.8	35	2	3	8	11	16	20	29
50-64	2910	9.1	39	2	2	8	12	17	21	31
65+	945	9.6	53	2	3	8	12	18	22	41
GRAND TOTAL	**13734**	**8.7**	**37**	**2**	**3**	**8**	**11**	**16**	**20**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	7.8	17	1	3	8	10	14	16	17
20-34	474	7.5	23	2	2	7	10	14	16	23
35-49	725	8.2	22	2	3	7	11	15	17	23
50-64	555	8.5	26	2	3	8	11	15	18	27
65+	287	9.1	37	2	3	8	12	17	19	31
B. *Operated*										
0-19 YRS	22	6.0	19	1	1	5	9	12	13	14
20-34	277	8.4	42	1	2	8	11	18	21	29
35-49	400	7.9	44	1	2	6	11	17	22	29
50-64	212	9.0	52	1	2	7	13	20	25	28
65+	55	9.7	49	1	2	8	16	20	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.9	24	2	2	7	8	12	14	26
20-34	418	8.1	28	2	3	7	10	14	17	28
35-49	769	9.0	31	3	4	8	11	16	18	27
50-64	1078	9.7	33	3	4	9	12	17	21	27
65+	1200	10.6	44	3	4	9	13	19	23	33
B. *Operated*										
0-19 YRS	8	9.5	34	1	2	10	13	17	19	19
20-34	195	11.1	57	2	3	10	15	21	26	35
35-49	357	11.8	68	2	3	10	16	22	27	37
50-64	354	13.4	88	2	3	11	18	25	32	45
65+	193	15.5	108	4	6	14	19	26	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2076	8.2	26	2	3	7	11	15	18	25
B. *Operated*	966	8.3	45	1	2	7	12	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	3494	9.6	36	3	4	8	12	17	21	30
B. *Operated*	1107	12.8	81	2	3	11	17	24	30	46
1. SINGLE DX	3042	8.3	32	2	2	7	11	16	19	27
2. MULTIPLE DX	4601	10.4	49	3	4	9	13	19	24	35
A. NOT OPERATED	5570	9.1	33	2	3	8	12	16	20	28
B. OPERATED	2073	10.7	69	2	2	9	15	22	26	39
TOTAL 0-19 YRS	94	7.3	21	1	2	7	10	13	14	23
20-34	1364	8.3	34	2	2	7	11	15	19	29
35-49	2251	9.0	38	2	3	8	12	17	21	29
50-64	2199	9.9	45	2	3	9	13	18	23	32
65+	1735	10.8	53	3	4	9	14	20	24	38
GRAND TOTAL	**7643**	**9.5**	**43**	**2**	**3**	**8**	**12**	**18**	**22**	**32**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	864	4.8	14	1	1	4	6	10	12	18
20-34	6355	6.9	23	1	2	6	9	12	15	24
35-49	7577	7.6	31	2	2	6	10	14	17	26
50-64	4245	7.8	31	2	2	7	10	14	17	27
65+	1505	7.9	30	2	2	7	10	15	18	27
B. *Operated*										
0-19 YRS	399	5.6	25	1	2	4	8	13	16	25
20-34	4770	6.8	37	1	2	5	9	14	18	27
35-49	6189	7.5	40	1	2	6	10	16	19	29
50-64	3527	8.4	47	1	2	7	12	17	21	32
65+	1073	11.4	91	1	2	10	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	712	5.4	21	1	1	4	7	10	14	23
20-34	5635	7.8	33	2	2	7	10	15	18	26
35-49	8314	8.8	40	2	3	7	11	17	20	31
50-64	7443	9.0	40	2	3	8	11	17	20	33
65+	5608	9.5	46	2	3	8	12	18	22	34
B. *Operated*										
0-19 YRS	258	7.6	51	1	2	5	10	15	21	39
20-34	3489	9.2	57	2	2	7	12	18	24	35
35-49	5454	10.3	70	2	2	9	14	20	25	41
50-64	4524	11.7	83	2	3	10	15	22	29	46
65+	2186	15.7	141	2	4	13	20	30	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20546	7.3	28	2	2	6	9	13	17	25
B. *Operated*	15958	7.7	45	1	2	6	11	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	27712	8.7	40	2	3	7	11	16	20	32
B. *Operated*	15911	11.2	84	2	2	9	15	22	28	46
1. SINGLE DX	36504	7.5	36	1	2	6	10	15	18	28
2. MULTIPLE DX	43623	9.6	57	2	3	8	12	18	24	38
A. NOT OPERATED	48258	8.1	35	2	3	7	10	15	19	29
B. OPERATED	31869	9.4	68	2	2	8	13	19	25	40
TOTAL 0-19 YRS	2233	5.5	23	1	1	4	7	11	15	24
20-34	20249	7.5	36	1	2	6	10	15	18	29
35-49	27534	8.5	45	2	2	7	11	16	21	32
50-64	19739	9.3	51	2	2	8	12	18	22	36
65+	10372	10.8	75	2	3	9	14	21	27	44
GRAND TOTAL	**80127**	**8.6**	**49**	**2**	**2**	**7**	**11**	**17**	**21**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	910	4.5	15	1	2	4	6	8	11	18
20-34	702	4.7	11	1	1	4	6	9	11	17
35-49	870	5.2	19	1	2	4	7	10	12	23
50-64	962	5.3	14	1	2	4	7	10	13	18
65+	479	5.6	14	1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	1611	3.0	6	<1	1	2	4	5	7	14
20-34	4391	3.2	9	<1	1	3	4	6	7	13
35-49	5886	3.4	7	1	1	3	4	6	8	14
50-64	6535	3.5	11	<1	1	3	4	6	9	16
65+	1550	3.8	15	<1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	4.8	12	1	2	4	6	8	10	20
20-34	597	5.9	22	1	2	5	7	11	14	25
35-49	1206	6.5	28	1	2	5	8	12	16	23
50-64	1918	6.9	26	1	2	6	9	13	16	25
65+	1742	8.3	34	2	3	7	11	16	19	29
B. *Operated*										
0-19 YRS	553	4.0	15	1	1	3	4	7	10	21
20-34	2040	4.2	19	1	2	3	5	7	10	22
35-49	3224	5.1	24	1	2	4	6	10	14	24
50-64	4067	5.3	29	1	2	4	6	10	14	27
65+	1565	7.0	45	1	2	5	9	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3923	5.0	15	1	2	4	6	10	12	19
B. *Operated*	19973	3.4	9	<1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	5843	7.0	29	1	2	6	9	13	17	26
B. *Operated*	11449	5.2	28	1	2	4	6	10	15	26
1. SINGLE DX	23896	3.7	11	1	1	3	4	7	9	16
2. MULTIPLE DX	17292	5.8	29	1	2	4	7	11	16	26
A. NOT OPERATED	9766	6.2	24	1	2	5	8	12	15	24
B. OPERATED	31422	4.1	17	1	1	3	5	8	11	21
TOTAL 0-19 YRS	3454	3.8	11	1	1	3	4	7	9	18
20-34	7730	3.8	13	1	1	3	4	7	10	17
35-49	11186	4.4	16	1	2	3	5	8	11	20
50-64	13482	4.7	20	1	1	3	6	9	12	22
65+	5336	6.4	33	1	2	5	8	13	18	28
GRAND TOTAL	**41188**	**4.6**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	3	<1	<1	2	4	5	6	7
20-34	69	2.9	4	<1	<1	3	4	6	7	9
35-49	53	4.0	11	<1	1	3	5	8	11	16
50-64	65	3.2	4	<1	<1	3	5	6	7	11
65+	42	3.5	6	<1	1	3	5	6	8	13
B. *Operated*										
0-19 YRS	1351	4.0	11	2	2	4	5	6	7	12
20-34	3287	3.8	4	1	2	3	5	6	7	11
35-49	2842	4.2	5	2	2	4	5	7	8	12
50-64	3839	4.5	6	2	2	4	6	7	9	13
65+	1705	4.6	9	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.3	8	<1	<1	1	2	5	9	14
20-34	99	2.5	6	<1	<1	1	4	5	6	14
35-49	116	3.7	9	<1	<1	3	5	8	10	14
50-64	202	4.4	20	<1	<1	4	6	9	11	28
65+	148	6.6	72	1	1	4	8	14	22	46
B. *Operated*										
0-19 YRS	1113	4.3	5	2	2	4	5	6	8	13
20-34	4814	4.3	8	2	2	4	5	7	8	13
35-49	5149	4.8	10	2	2	4	6	8	9	15
50-64	8723	5.4	11	2	3	5	6	8	10	17
65+	4542	6.1	21	2	3	5	7	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	3.3	6	<1	<1	3	4	6	7	13
B. *Operated*	13024	4.3	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	606	4.4	29	<1	<1	3	6	9	12	29
B. *Operated*	24341	5.1	12	2	2	4	6	8	10	17
1. SINGLE DX	13276	4.2	6	2	2	4	5	7	8	13
2. MULTIPLE DX	24947	5.1	12	2	2	4	6	8	10	17
A. NOT OPERATED	858	4.0	23	<1	<1	3	5	8	11	25
B. OPERATED	37365	4.8	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	2528	4.1	8	2	2	4	5	6	7	12
20-34	8269	4.1	7	2	2	4	5	6	8	12
35-49	8160	4.6	8	2	2	4	5	7	9	14
50-64	12829	5.1	10	2	2	5	6	8	10	16
65+	6437	5.7	19	2	2	5	7	9	12	23
GRAND TOTAL	**38223**	**4.8**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	1.9	2	<1	<1	1	2	4	5	9
20-34	192	2.1	8	<1	<1	1	2	3	5	17
35-49	97	2.3	2	<1	<1	2	3	5	6	56
50-64	70	2.8	6	<1	1	2	3	5	8	12
65+	27	4.8	20	<1	1	4	6	9	14	22
B. *Operated*										
0-19 YRS	4144	2.1	6	<1	1	2	2	3	4	7
20-34	7155	2.2	4	<1	1	2	2	3	4	7
35-49	3736	2.5	7	<1	1	2	3	4	5	9
50-64	2385	2.8	7	<1	1	2	3	5	6	12
65+	758	3.2	9	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.6	3	<1	<1	1	2	2	3	11
20-34	62	2.7	9	<1	<1	1	3	6	10	16
35-49	54	3.5	12	<1	1	2	5	9	11	15
50-64	90	4.7	15	<1	1	3	7	9	13	19
65+	44	7.2	58	1	2	6	8	11	22	42
B. *Operated*										
0-19 YRS	461	2.7	5	<1	1	2	3	5	6	10
20-34	1431	3.1	8	<1	1	2	4	5	7	14
35-49	1278	3.8	11	1	1	3	4	7	10	17
50-64	1298	4.4	15	1	2	3	5	9	12	22
65+	592	5.8	47	1	2	4	7	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	2.3	6	<1	<1	2	3	5	6	13
B. *Operated*	18178	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	302	3.9	20	<1	<1	2	5	9	11	19
B. *Operated*	5060	3.9	16	1	1	3	4	7	10	20
1. SINGLE DX	18673	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX	5362	3.9	16	1	1	3	4	7	11	20
A. NOT OPERATED	797	2.9	12	<1	<1	2	3	7	9	18
B. OPERATED	23238	2.7	8	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	4766	2.2	5	<1	1	2	2	3	4	7
20-34	8840	2.3	5	<1	1	2	3	4	5	9
35-49	5165	2.8	8	<1	1	2	3	5	6	13
50-64	3843	3.4	10	<1	1	2	4	6	9	17
65+	1421	4.4	28	1	1	3	5	8	12	24
GRAND TOTAL	**24035**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	451	14.1	83	2	3	13	20	27	29	42
20-34	196	10.1	82	1	2	7	13	24	30	42
35-49	169	10.5	91	2	3	7	13	22	30	48
50-64	206	11.7	97	2	3	9	15	25	34	44
65+	121	13.8	134	3	4	10	16	28	36	66
B. *Operated*										
0-19 YRS	576	15.5	136	2	2	13	23	30	37	54
20-34	579	12.4	140	2	2	9	17	28	42	66
35-49	431	15.1	225	2	3	10	19	34	45	75
50-64	492	13.8	146	2	2	9	19	32	40	51
65+	307	15.3	182	2	3	11	20	35	45	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	17.8	95	3	5	18	25	30	35	42
20-34	192	12.3	119	1	3	8	16	29	35	54
35-49	241	12.9	160	1	2	9	17	29	41	66
50-64	394	14.8	160	3	3	11	19	33	43	61
65+	455	17.0	187	3	4	13	23	38	46	69
B. *Operated*										
0-19 YRS	336	20.3	230	3	4	17	29	43	53	99+
20-34	525	18.6	264	2	3	13	28	45	55	99+
35-49	600	18.9	275	2	4	15	26	43	55	95
50-64	1023	20.7	280	3	4	16	29	45	56	97
65+	851	23.8	322	4	5	19	33	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1143	12.4	95	2	3	10	17	26	31	45
B. *Operated*	2385	14.3	162	2	2	10	20	31	41	60
2. MULTIPLE DX										
A. *Not Operated*	1514	15.3	157	2	3	12	21	32	42	63
B. *Operated*	3335	20.8	286	3	4	16	29	46	58	99+
1. SINGLE DX	3528	13.7	141	2	3	10	19	29	38	58
2. MULTIPLE DX	4849	19.1	252	3	4	15	27	42	53	96
A. NOT OPERATED	2657	14.1	132	2	3	11	20	29	38	55
B. OPERATED	5720	18.1	244	2	3	14	25	41	52	91
TOTAL 0-19 YRS	1595	16.4	140	2	3	15	23	30	39	60
20-34	1492	14.3	184	2	3	10	19	34	46	86
35-49	1441	15.8	228	2	3	11	21	37	47	83
50-64	2115	17.1	221	2	3	13	23	39	49	80
65+	1734	19.8	264	3	4	15	28	44	54	94
GRAND TOTAL	**8377**	**16.8**	**212**	**2**	**3**	**13**	**23**	**37**	**47**	**82**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	688	5.7	43	1	1	4	7	12	15	34
20-34	737	4.3	18	1	1	3	5	8	11	18
35-49	891	4.5	12	1	1	4	6	9	11	17
50-64	827	5.7	25	1	2	4	7	12	16	24
65+	1281	9.0	43	2	3	7	12	17	21	30
B. *Operated*										
0-19 YRS	4779	5.2	20	1	2	4	6	10	13	22
20-34	4947	5.2	22	2	2	4	6	9	13	24
35-49	2479	6.7	39	2	2	5	9	14	17	31
50-64	1955	8.3	52	2	2	6	12	17	21	34
65+	1264	13.1	107	2	3	11	18	25	31	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	418	7.1	83	<1	1	4	8	15	25	50
20-34	1019	5.2	20	1	2	4	7	10	13	22
35-49	1760	6.2	26	2	2	5	7	12	16	29
50-64	3186	8.4	61	2	2	6	10	17	22	42
65+	10596	11.3	70	3	4	9	14	21	27	45
B. *Operated*										
0-19 YRS	1619	6.3	47	1	2	4	7	13	18	37
20-34	2926	6.9	67	2	2	4	7	14	21	49
35-49	2287	9.0	95	2	2	6	11	19	26	56
50-64	2748	13.1	145	2	3	10	17	27	37	69
65+	3618	19.1	184	4	5	16	25	36	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4424	6.2	33	1	1	4	8	13	17	26
B. *Operated*	15424	6.5	40	2	2	4	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	16979	9.7	66	2	3	8	12	19	25	43
B. *Operated*	13198	11.8	144	2	2	8	16	26	36	66
1. SINGLE DX	19848	6.4	38	1	2	4	8	14	18	30
2. MULTIPLE DX	30177	10.6	101	2	3	8	14	22	29	54
A. NOT OPERATED	21403	9.0	61	2	2	7	12	18	24	40
B. OPERATED	28622	8.9	95	2	2	5	11	20	27	52
TOTAL 0-19 YRS	7504	5.6	32	1	2	4	6	11	15	30
20-34	9629	5.6	36	1	2	4	6	11	15	32
35-49	7417	7.0	52	2	2	5	8	14	19	35
50-64	8716	9.6	88	2	2	7	13	20	26	50
65+	16759	12.9	107	3	4	10	17	25	32	56
GRAND TOTAL	**50025**	**9.0**	**80**	**2**	**2**	**6**	**11**	**19**	**25**	**47**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.4	18	<1	1	2	4	7	9	27
20-34	38	3.3	8	<1	<1	3	4	8	11	99+
35-49	38	3.7	17	<1	<1	2	4	12	14	17
50-64	17	4.4	13	1	1	3	6	9	13	15
65+	17	5.5	17	<1	<1	5	10	11	11	11
B. *Operated*										
0-19 YRS	1162	4.3	12	1	2	3	5	8	10	16
20-34	1225	3.6	9	1	1	3	4	7	9	16
35-49	653	4.0	14	1	2	3	4	8	11	19
50-64	496	4.9	20	1	2	3	6	10	14	22
65+	172	6.7	35	1	2	5	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.3	11	<1	<1	2	5	8	10	15
20-34	71	5.3	52	<1	<1	3	6	10	16	39
35-49	58	7.8	71	1	1	5	9	18	29	39
50-64	73	13.6	283	1	1	8	17	30	63	99
65+	109	14.2	229	1	2	9	18	37	55	99+
B. *Operated*										
0-19 YRS	830	5.0	14	1	2	4	6	9	11	23
20-34	1413	4.4	18	2	2	3	5	8	10	17
35-49	907	5.1	18	2	2	4	6	9	12	22
50-64	849	6.9	49	2	2	5	8	14	19	41
65+	377	11.5	124	2	3	8	15	24	35	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.8	15	<1	<1	3	4	9	12	26
B. *Operated*	3708	4.2	14	1	2	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	362	9.8	167	<1	1	5	11	27	39	93
B. *Operated*	4376	5.8	36	2	2	4	7	11	16	32
1. SINGLE DX	3882	4.2	14	1	1	3	5	8	11	19
2. MULTIPLE DX	4738	6.1	47	2	2	4	7	12	17	39
A. NOT OPERATED	536	7.8	126	<1	1	4	9	18	30	82
B. OPERATED	8084	5.0	27	1	2	4	6	10	14	25
TOTAL 0-19 YRS	2107	4.5	13	1	2	4	6	8	10	19
20-34	2747	4.0	15	1	2	3	5	7	10	17
35-49	1656	4.7	19	1	2	3	6	9	12	23
50-64	1435	6.5	54	2	2	4	8	14	19	40
65+	675	10.6	122	2	2	7	14	23	33	72
GRAND TOTAL	**8620**	**5.2**	**33**	**1**	**2**	**4**	**6**	**10**	**14**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.1	21	1	1	5	8	12	17	20
20-34	244	6.1	19	1	1	5	9	12	15	20
35-49	333	6.7	21	2	2	6	9	12	16	24
50-64	245	7.6	33	1	2	6	11	16	19	25
65+	109	8.3	46	2	2	6	11	15	20	37
B. *Operated*										
0-19 YRS	14	5.6	23	1	1	3	8	13	15	16
20-34	156	6.6	30	1	2	5	9	15	20	24
35-49	265	8.3	62	1	2	6	11	17	21	44
50-64	169	8.3	56	1	2	6	11	16	21	43
65+	49	11.4	123	1	2	6	17	27	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.5	14	1	1	3	5	12	13	13
20-34	217	6.4	18	1	2	5	9	13	15	19
35-49	398	7.7	39	1	2	6	10	15	19	38
50-64	481	8.5	38	2	3	7	11	16	21	32
65+	539	9.7	59	2	3	8	12	19	25	38
B. *Operated*										
0-19 YRS	10	6.8	43	2	2	4	8	18	22	22
20-34	102	10.2	67	1	2	8	13	24	27	71
35-49	214	10.3	46	2	3	10	14	19	22	40
50-64	257	11.5	87	2	3	9	15	22	34	46
65+	127	15.0	99	4	4	14	18	28	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	7.0	27	1	2	6	9	14	17	26
B. *Operated*	653	8.1	58	1	2	6	11	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	1651	8.4	44	2	2	7	11	16	20	33
B. *Operated*	710	11.5	76	2	3	10	15	22	30	47
1. SINGLE DX	1605	7.4	40	1	2	6	10	15	19	32
2. MULTIPLE DX	2361	9.3	55	2	2	8	12	18	24	40
A. NOT OPERATED	2603	7.9	38	1	2	6	10	15	19	32
B. OPERATED	1363	9.8	70	2	2	8	13	20	26	46
TOTAL 0-19 YRS	61	5.7	22	1	1	4	8	13	15	22
20-34	719	6.9	30	1	2	6	9	14	18	26
35-49	1210	8.0	42	2	2	6	11	16	20	33
50-64	1152	8.9	52	2	2	7	12	18	22	37
65+	824	10.4	71	2	3	8	13	20	27	46
GRAND TOTAL	**3966**	**8.5**	**50**	**2**	**2**	**7**	**11**	**17**	**21**	**37**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1059	3.6	10	1	1	3	5	7	9	15
20-34	2363	5.2	20	1	1	4	7	10	12	21
35-49	2311	5.6	21	1	2	4	7	11	13	21
50-64	1418	5.6	18	1	2	4	7	11	15	22
65+	773	6.4	25	1	2	5	8	13	16	21
B. *Operated*										
0-19 YRS	2883	5.4	37	1	1	3	6	14	18	28
20-34	4238	4.5	28	1	1	3	5	10	14	24
35-49	3023	4.8	27	1	1	3	6	10	14	25
50-64	3455	4.1	18	1	2	3	4	8	12	24
65+	1613	4.5	32	1	2	3	5	9	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	891	4.4	18	1	1	3	6	8	11	19
20-34	3190	6.1	26	1	2	5	8	11	14	23
35-49	4207	7.1	35	2	2	6	9	13	16	32
50-64	3949	7.1	30	2	2	6	9	13	17	28
65+	3606	8.3	49	2	3	7	10	16	20	35
B. *Operated*										
0-19 YRS	2057	5.2	39	1	2	3	5	11	18	34
20-34	4184	5.2	35	1	2	3	6	11	16	28
35-49	3337	6.7	44	1	2	4	8	15	20	32
50-64	3377	7.4	68	2	2	5	9	16	22	43
65+	2035	9.7	113	2	2	6	12	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7924	5.3	20	1	1	4	7	10	13	21
B. *Operated*	15212	4.6	28	1	1	3	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	15843	7.0	35	2	2	6	9	13	17	30
B. *Operated*	14990	6.6	58	1	2	4	8	15	21	38
1. SINGLE DX	23136	4.9	25	1	1	3	6	10	14	24
2. MULTIPLE DX	30833	6.8	46	1	2	5	8	14	19	34
A. NOT OPERATED	23767	6.4	31	1	2	5	8	12	16	27
B. OPERATED	30202	5.6	44	1	2	3	6	13	18	32
TOTAL 0-19 YRS	6890	4.9	31	1	1	3	5	11	17	28
20-34	13975	5.2	29	1	1	4	6	10	14	25
35-49	12878	6.2	34	1	2	4	8	12	16	29
50-64	12199	6.1	38	1	2	4	8	12	17	30
65+	8027	7.7	63	2	2	5	10	16	21	40
GRAND TOTAL	**53969**	**6.0**	**38**	**1**	**2**	**4**	**7**	**12**	**17**	**30**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.1	4	1	1	4	5	7	7	7
20-34	135	6.0	12	2	2	5	7	11	13	18
35-49	119	6.4	13	2	2	6	8	10	13	20
50-64	53	6.4	21	2	2	5	8	11	18	23
65+	7	7.0	3	4	4	7	8	9	9	9
B. *Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	30	8.1	16	2	3	7	11	13	14	17
35-49	37	8.8	20	3	3	9	12	14	18	19
50-64	12	7.0	20	<1	1	7	9	13	16	16
65+	9	10.2	76	1	1	10	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.5	26	1	2	4	7	10	11	34
20-34	316	7.2	26	2	3	6	9	13	17	28
35-49	378	7.0	17	2	3	6	9	12	15	22
50-64	190	8.2	28	3	3	7	10	15	17	28
65+	74	9.4	32	4	4	8	13	19	20	26
B. *Operated*										
0-19 YRS	6	7.2	15	3	3	7	9	13	13	13
20-34	60	9.4	41	3	3	7	13	17	21	34
35-49	81	10.7	49	3	4	9	14	21	25	36
50-64	53	10.3	38	3	4	9	14	17	26	31
65+	18	15.4	129	4	6	11	17	34	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	6.2	13	2	2	5	8	11	13	21
B. *Operated*	96	8.0	24	2	2	7	11	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	1009	7.4	24	2	3	6	9	13	17	26
B. *Operated*	218	10.5	51	3	4	9	14	18	26	36
1. SINGLE DX	423	6.6	16	2	2	6	8	12	14	21
2. MULTIPLE DX	1227	8.0	30	2	3	7	10	15	18	30
A. NOT OPERATED	1336	7.1	22	2	3	6	9	13	16	24
B. OPERATED	314	9.7	44	2	3	8	13	17	23	35
TOTAL 0-19 YRS	78	5.2	20	1	2	4	6	10	11	29
20-34	541	7.2	24	2	3	6	9	13	16	26
35-49	615	7.5	22	2	3	7	9	13	17	25
50-64	308	8.2	30	2	3	7	10	16	18	29
65+	108	10.3	54	2	4	8	14	19	24	38
GRAND TOTAL	**1650**	**7.6**	**27**	**2**	**3**	**6**	**9**	**14**	**17**	**28**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	4.1	39	<1	<1	2	4	9	15	36
20-34	22	4.6	13	<1	1	3	7	10	11	12
35-49	15	6.5	37	<1	1	4	9	18	20	21
50-64	11	4.5	27	1	1	3	5	12	18	19
65+	12	4.9	25	<1	<1	3	6	11	18	19
B. *Operated*										
0-19 YRS	310	8.5	44	2	2	7	11	17	22	35
20-34	64	9.4	131	1	1	8	11	18	28	97
35-49	51	12.3	102	2	2	13	18	24	27	53
50-64	32	11.7	93	2	3	8	18	24	34	38
65+	6	13.8	146	3	3	12	22	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	6.5	74	1	1	4	7	13	21	68
20-34	73	6.8	34	1	2	5	9	14	20	85
35-49	50	6.6	29	1	2	6	8	12	16	32
50-64	27	8.4	36	2	3	7	11	17	22	25
65+	42	9.6	100	1	2	7	10	24	30	50
B. *Operated*										
0-19 YRS	513	12.2	153	2	2	9	15	28	36	83
20-34	86	13.1	133	2	3	11	15	27	34	63
35-49	66	15.0	216	3	3	11	19	31	40	90
50-64	45	20.8	307	3	3	17	27	38	78	99+
65+	23	15.4	172	3	4	12	17	29	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.4	36	<1	<1	2	4	10	17	32
B. *Operated*	463	9.3	68	2	2	7	13	20	23	40
2. MULTIPLE DX										
A. *Not Operated*	675	6.8	67	1	1	4	8	14	21	59
B. *Operated*	733	13.2	170	2	3	10	17	30	39	83
1. SINGLE DX	720	7.6	62	1	1	5	10	18	22	39
2. MULTIPLE DX	1408	10.1	131	1	2	7	13	22	33	77
A. NOT OPERATED	932	6.1	59	<1	1	4	7	13	20	42
B. OPERATED	1196	11.7	134	2	2	9	15	24	34	79
TOTAL 0-19 YRS	1503	8.5	99	1	1	5	11	19	28	61
20-34	245	9.5	100	1	2	7	12	21	28	83
35-49	182	11.2	129	2	2	8	15	23	31	51
50-64	115	13.8	190	2	3	10	19	32	37	87
65+	83	10.9	121	1	2	7	14	25	31	60
GRAND TOTAL	**2128**	**9.3**	**109**	**1**	**2**	**6**	**12**	**20**	**30**	**68**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	752	1.3	2	<1	<1	1	1	2	2	6
20-34	24	2.5	2	<1	<1	2	3	4	5	6
35-49	11	3.5	3	1	1	3	5	6	6	6
50-64	26	3.7	12	1	2	3	4	6	11	19
65+	35	3.0	1	1	2	3	3	4	6	7
B. *Operated*										
0-19 YRS	2858	2.4	3	<1	1	2	3	4	5	9
20-34	843	2.8	4	<1	1	2	3	5	6	11
35-49	457	3.0	4	1	1	2	4	5	6	12
50-64	670	3.2	4	1	2	3	4	5	6	11
65+	648	3.3	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	2.1	21	<1	<1	1	2	4	6	21
20-34	29	2.6	4	<1	<1	2	4	6	7	7
35-49	10	4.3	7	<1	<1	4	6	8	9	9
50-64	22	3.2	7	<1	<1	2	5	7	9	10
65+	34	3.7	7	1	1	3	4	7	11	12
B. *Operated*										
0-19 YRS	827	2.9	9	1	1	2	3	5	7	14
20-34	287	3.4	10	1	2	3	4	5	7	13
35-49	283	3.7	11	1	2	3	4	7	9	24
50-64	587	4.1	11	2	2	3	4	7	10	20
65+	654	4.2	11	2	2	3	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	1.5	2	<1	<1	1	1	3	3	7
B. *Operated*	5476	2.7	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	337	2.4	17	<1	<1	1	2	5	7	13
B. *Operated*	2638	3.6	10	1	2	3	4	6	9	17
1. SINGLE DX	6324	2.6	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	2975	3.5	11	1	1	3	4	6	9	17
A. NOT OPERATED	1185	1.8	7	<1	<1	1	2	3	5	10
B. OPERATED	8114	3.0	6	1	1	2	3	5	7	13
TOTAL 0-19 YRS	4679	2.3	5	<1	<1	2	3	4	5	11
20-34	1183	2.9	5	<1	1	2	3	5	6	12
35-49	761	3.3	7	1	1	3	4	5	7	14
50-64	1305	3.6	7	1	2	3	4	6	8	13
65+	1371	3.8	8	2	2	3	4	6	9	14
GRAND TOTAL	**9299**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	3.6	18	<1	1	2	4	7	11	26
20-34	87	4.9	60	1	1	3	6	9	15	52
35-49	47	4.7	9	1	1	4	6	10	11	12
50-64	40	5.2	31	1	1	3	6	13	15	29
65+	23	3.8	8	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	2115	5.0	25	1	1	2	8	11	13	22
20-34	529	6.8	55	1	2	4	9	14	20	38
35-49	328	6.9	53	2	2	3	10	15	19	33
50-64	239	8.2	93	2	2	5	11	18	22	61
65+	100	9.1	93	1	2	5	12	22	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	904	5.1	45	<1	1	3	6	10	14	41
20-34	303	5.7	29	1	2	4	7	11	15	30
35-49	261	7.3	60	1	2	5	8	13	20	49
50-64	251	7.2	54	2	2	5	8	14	16	36
65+	299	8.7	53	2	3	7	11	16	24	38
B. *Operated*										
0-19 YRS	2404	7.1	82	1	2	3	9	16	22	52
20-34	599	8.3	75	2	2	5	12	18	27	49
35-49	456	9.0	79	2	2	6	12	20	27	61
50-64	517	11.5	159	2	2	8	15	25	33	66
65+	284	13.4	126	2	2	11	17	27	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	4.1	26	1	1	3	5	8	12	26
B. *Operated*	3311	5.8	41	1	1	3	9	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	2018	6.3	49	1	1	4	7	12	17	37
B. *Operated*	4260	8.4	97	1	2	5	11	19	27	57
1. SINGLE DX	3766	5.6	39	1	1	3	8	12	15	30
2. MULTIPLE DX	6278	7.7	82	1	2	5	10	17	25	51
A. NOT OPERATED	2473	5.9	45	1	1	4	7	12	16	36
B. OPERATED	7571	7.3	74	1	2	4	10	16	22	46
TOTAL 0-19 YRS	5681	5.8	53	1	1	3	8	12	17	40
20-34	1518	7.1	59	1	2	4	9	15	21	41
35-49	1092	7.7	65	2	2	5	10	16	22	41
50-64	1047	9.5	118	2	2	6	13	19	28	60
65+	706	10.5	93	2	2	8	14	23	30	48
GRAND TOTAL	**10044**	**6.9**	**67**	**1**	**2**	**4**	**9**	**15**	**21**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	7	<1	<1	1	4	5	7	13
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1607	4.3	12	1	2	4	6	7	8	11
20-34	79	3.7	7	1	2	3	4	6	9	15
35-49	17	3.2	2	1	2	4	4	5	5	5
50-64	19	4.0	4	1	2	4	5	7	8	8
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.5	27	<1	<1	1	4	8	13	28
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
B. *Operated*										
0-19 YRS	920	4.3	8	1	2	4	5	7	9	14
20-34	78	4.4	25	2	2	3	5	7	9	35
35-49	26	3.8	3	1	2	3	5	6	7	8
50-64	8	6.9	23	2	2	6	9	14	16	16
65+	5	7.6	28	2	2	8	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.8	7	<1	<1	2	4	5	7	13
B. *Operated*	1724	4.3	11	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	130	3.6	29	<1	<1	1	4	9	16	28
B. *Operated*	1037	4.3	10	1	2	4	5	7	9	15
1. SINGLE DX	1756	4.3	11	1	2	4	6	7	8	11
2. MULTIPLE DX	1167	4.2	12	1	1	4	5	8	9	20
A. NOT OPERATED	162	3.4	24	<1	<1	1	4	8	12	28
B. OPERATED	2761	4.3	11	1	2	4	6	7	8	13
TOTAL 0-19 YRS	2684	4.3	11	1	2	4	6	7	8	13
20-34	161	4.0	16	1	2	3	5	6	8	16
35-49	43	3.5	2	1	2	3	5	5	7	8
50-64	28	5.4	19	1	2	4	7	10	16	21
65+	7	7.4	19	2	2	8	10	14	15	15
GRAND TOTAL	**2923**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.7	11	1	1	3	5	6	8	22
B. *Operated*										
0-19 YRS	1557	4.4	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	325	6.0	13	2	3	5	7	10	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.7	11	1	1	3	5	6	8	22
B. *Operated*	1557	4.4	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	8	1	1	3	5	8	10	14
B. *Operated*	325	6.0	13	2	3	5	7	10	12	22
1. SINGLE DX	1735	4.3	6	2	2	4	5	7	8	13
2. MULTIPLE DX	405	5.6	13	2	2	5	7	10	12	21
A. NOT OPERATED	258	3.8	10	1	1	3	5	7	9	16
B. OPERATED	1882	4.7	7	2	2	4	6	8	9	14
TOTAL 0-19 YRS	2140	4.5	8	2	2	4	5	8	9	15
GRAND TOTAL	**2140**	**4.5**	**8**	**2**	**2**	**4**	**5**	**8**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	522	2.8	14	<1	<1	2	3	6	8	18
20-34	60	3.5	7	1	1	3	4	7	9	14
35-49	38	4.8	23	<1	1	3	5	10	16	24
50-64	63	4.0	7	<1	1	3	6	8	10	12
65+	35	4.7	10	<1	1	4	7	9	11	13
B. *Operated*										
0-19 YRS	1205	4.6	40	<1	1	3	5	10	14	31
20-34	481	4.4	15	<1	1	3	6	9	12	19
35-49	200	5.0	19	<1	1	3	7	10	13	24
50-64	165	7.0	63	1	1	4	10	15	22	31
65+	93	7.7	53	<1	1	5	11	19	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	6.0	68	1	1	4	7	12	16	49
20-34	105	5.2	16	1	2	4	6	10	13	22
35-49	121	6.1	38	1	2	4	7	11	15	32
50-64	161	6.0	24	1	2	5	7	12	14	25
65+	275	7.7	50	1	2	6	9	14	20	44
B. *Operated*										
0-19 YRS	1013	8.0	101	1	2	5	9	17	29	99+
20-34	445	7.4	67	1	2	5	9	15	20	31
35-49	288	10.1	101	1	2	8	13	20	25	51
50-64	290	9.6	58	1	2	8	14	19	26	38
65+	272	13.3	129	2	3	10	18	26	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	3.2	14	<1	<1	2	4	7	9	17
B. *Operated*	2144	4.9	35	<1	1	3	6	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1084	6.4	49	1	1	5	8	13	17	39
B. *Operated*	2308	9.0	95	1	2	6	12	19	27	69
1. SINGLE DX	2862	4.5	30	<1	1	3	5	10	13	26
2. MULTIPLE DX	3392	8.1	82	1	2	6	10	17	24	55
A. NOT OPERATED	1802	5.1	37	<1	1	3	6	10	14	28
B. OPERATED	4452	7.0	71	1	1	4	9	16	22	48
TOTAL 0-19 YRS	3162	5.6	62	<1	1	3	6	12	18	50
20-34	1091	5.6	38	1	1	4	7	12	16	26
35-49	647	7.5	65	1	2	5	10	16	21	44
50-64	679	7.6	50	1	2	6	10	16	22	31
65+	675	9.8	88	1	2	7	13	21	27	47
GRAND TOTAL	**6254**	**6.5**	**62**	**1**	**1**	**4**	**8**	**14**	**20**	**45**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.0	2	<1	<1	1	3	4	5	5
20-34	8	1.3		<1	<1	1	1	2	2	2
35-49	2	12.0	242	1	1	12	23	23	23	23
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	3216	3.3	4	1	1	3	4	5	7	9
20-34	284	4.0	8	2	2	3	5	7	8	15
35-49	73	3.4	3	1	2	3	4	5	7	9
50-64	19	3.6	3	1	2	3	5	6	6	6
65+	10	4.9	8	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	1.8	2	<1	<1	1	2	4	5	8
20-34	15	4.5	14	<1	1	4	6	11	12	13
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2981	3.5	4	1	2	3	4	6	8	11
20-34	359	4.6	9	2	2	4	5	8	9	16
35-49	111	4.6	9	2	2	4	5	9	11	15
50-64	46	5.8	17	2	2	5	7	11	14	23
65+	25	5.0	10	1	2	5	7	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.2	7	<1	<1	1	3	4	5	18
B. *Operated*	3602	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	179	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*	3522	3.7	5	1	2	3	5	6	8	12
1. SINGLE DX	3682	3.3	4	1	1	3	4	5	7	9
2. MULTIPLE DX	3701	3.6	6	1	1	3	4	6	8	12
A. NOT OPERATED	259	2.1	5	<1	<1	1	3	4	5	11
B. OPERATED	7124	3.5	5	1	2	3	4	6	7	11
TOTAL 0-19 YRS	6426	3.3	4	1	1	3	4	6	7	9
20-34	666	4.3	9	1	2	4	5	7	8	15
35-49	187	4.2	9	1	2	3	5	7	10	15
50-64	68	5.2	14	2	2	4	6	10	12	22
65+	36	4.9	9	1	2	4	7	9	11	12
GRAND TOTAL	**7383**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.0	27	<1	<1	2	3	6	8	17
20-34	90	3.6	9	1	1	3	5	7	9	17
35-49	76	4.2	9	1	2	4	5	8	8	19
50-64	45	3.6	7	1	1	3	4	7	10	13
65+	38	2.9	5	1	1	2	3	7	8	10
B. *Operated*										
0-19 YRS	2786	5.0	25	<1	1	3	7	11	14	20
20-34	1220	4.4	14	<1	1	3	6	9	11	17
35-49	337	5.3	21	1	1	4	8	11	15	21
50-64	269	5.1	22	1	1	3	7	12	15	22
65+	145	5.4	26	1	2	3	7	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	3.2	9	<1	1	2	5	6	8	16
20-34	207	4.8	15	1	1	4	6	9	13	22
35-49	227	5.7	32	1	2	4	7	11	15	25
50-64	279	7.0	36	1	2	6	9	13	19	36
65+	230	7.5	23	2	2	7	10	15	17	22
B. *Operated*										
0-19 YRS	2242	5.5	31	1	1	3	8	12	16	26
20-34	1560	5.8	24	1	2	5	8	11	15	25
35-49	761	8.0	62	1	2	6	9	16	23	38
50-64	722	8.5	53	1	2	7	11	17	24	35
65+	491	9.9	87	2	2	7	13	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.4	16	<1	1	2	4	7	8	15
B. *Operated*	4757	4.9	22	<1	1	3	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1197	5.7	26	1	1	4	7	12	15	24
B. *Operated*	5776	6.7	43	1	1	5	9	14	18	34
1. SINGLE DX	5181	4.7	21	<1	1	3	7	10	13	20
2. MULTIPLE DX	6973	6.5	40	1	1	5	8	14	18	32
A. NOT OPERATED	1621	5.1	24	1	1	4	7	10	14	23
B. OPERATED	10533	5.8	34	1	1	4	8	12	16	29
TOTAL 0-19 YRS	5457	5.0	27	<1	1	3	7	11	14	23
20-34	3077	5.1	19	1	1	4	7	10	13	22
35-49	1401	6.8	46	1	2	5	8	14	18	36
50-64	1315	7.3	44	1	2	6	9	15	21	34
65+	904	8.3	62	1	2	6	11	17	23	39
GRAND TOTAL	**12154**	**5.7**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Oparated*										
0-19 YRS	102	1.7	2	<1	<1	1	2	3	5	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1586	4.2	16	1	2	4	5	7	9	15
20-34	160	5.5	12	2	2	5	6	10	12	18
35-49	76	5.4	12	2	3	5	6	8	11	23
50-64	50	5.5	12	2	3	5	6	9	16	18
65+	22	5.7	13	1	2	5	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.1	12	<1	<1	1	2	4	6	23
20-34	9	6.8	50	1	1	5	8	19	23	23
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	4	3.0	8	<1	<1	2	5	7	7	7
65+	6	4.5	12	<1	<1	4	6	10	10	10
B. *Operated*										
0-19 YRS	846	5.0	12	2	2	4	6	8	10	22
20-34	300	5.3	6	2	3	5	6	9	10	14
35-49	253	5.5	6	3	3	5	6	8	11	12
50-64	292	6.4	42	3	3	5	7	10	12	21
65+	96	7.3	26	2	3	6	10	12	18	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	1.6	2	<1	<1	1	2	3	5	7
B. *Operated*	1894	4.4	15	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	147	2.6	15	<1	<1	1	2	5	7	23
B. *Operated*	1787	5.5	16	2	3	5	6	9	11	20
1. SINGLE DX	2002	4.2	15	1	1	4	5	7	9	16
2. MULTIPLE DX	1934	5.3	17	1	2	5	6	9	11	20
A. NOT OPERATED	255	2.2	10	<1	<1	1	2	5	6	21
B. OPERATED	3681	4.9	16	2	2	4	6	8	10	18
TOTAL 0-19 YRS	2660	4.3	14	1	1	4	5	7	9	16
20-34	471	5.4	9	2	3	5	6	9	11	14
35-49	331	5.4	8	2	3	5	6	8	11	17
50-64	348	6.2	37	3	3	5	7	10	12	19
65+	126	6.8	23	2	3	6	9	12	15	52
GRAND TOTAL	**3936**	**4.7**	**16**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1049	3.3	25	<1	1	2	3	8	11	28
20-34	322	5.2	22	1	1	4	7	10	12	17
35-49	261	7.2	37	1	2	6	9	14	17	36
50-64	209	6.8	24	1	1	6	9	13	16	24
65+	110	8.2	31	1	3	7	10	15	20	28
B. *Operated*										
0-19 YRS	6019	4.6	22	1	1	3	5	10	13	23
20-34	3081	4.3	22	<1	1	3	5	10	13	22
35-49	1700	5.8	38	<1	1	3	8	13	17	28
50-64	949	7.2	46	1	2	5	10	15	19	33
65+	253	7.9	60	2	2	5	10	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1146	5.2	46	<1	1	3	6	11	17	38
20-34	574	6.9	52	1	2	5	8	13	16	41
35-49	530	8.0	38	2	3	6	10	16	19	35
50-64	650	8.0	28	2	3	7	10	15	18	28
65+	532	9.8	61	2	3	8	12	19	25	64
B. *Operated*										
0-19 YRS	2196	6.2	44	1	2	4	8	13	20	39
20-34	1645	6.5	53	1	1	4	8	14	19	34
35-49	1500	8.4	58	1	2	6	11	18	23	36
50-64	1277	10.6	95	2	2	8	14	23	29	44
65+	521	12.8	131	2	3	10	18	27	35	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1951	4.8	29	<1	1	3	7	11	14	26
B. *Operated*	12002	5.0	28	1	1	3	6	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	3432	7.2	47	1	1	5	9	15	19	37
B. *Operated*	7139	8.0	69	1	2	5	10	18	24	43
1. SINGLE DX	13953	4.9	28	1	1	3	6	11	15	26
2. MULTIPLE DX	10571	7.7	62	1	2	5	10	17	23	41
A. NOT OPERATED	5383	6.3	42	1	1	5	8	13	17	34
B. OPERATED	19141	6.1	45	1	1	4	8	14	19	34
TOTAL 0-19 YRS	10410	4.9	30	1	1	3	6	10	15	28
20-34	5622	5.3	35	<1	1	3	6	11	15	28
35-49	3991	7.2	47	1	2	5	10	15	20	32
50-64	3085	8.7	64	1	2	7	11	18	24	37
65+	1416	10.5	88	2	3	8	13	22	28	58
GRAND TOTAL	**24524**	**6.1**	**44**	**1**	**1**	**4**	**8**	**14**	**18**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6584	4.1	26	1	1	3	4	8	14	27
B. *Operated*										
0-19 YRS	218	6.3	49	1	1	4	7	17	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4032	9.5	124	1	2	5	12	25	35	99+
B. *Operated*										
0-19 YRS	432	18.3	402	1	2	16	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6584	4.1	26	1	1	3	4	8	14	27
B. *Operated*	218	6.3	49	1	1	4	7	17	21	44
2. MULTIPLE DX										
A. *Not Operated*	4032	9.5	124	1	2	5	12	25	35	99+
B. *Operated*	432	18.3	402	1	2	16	59	99+	99+	99+
1. SINGLE DX	6802	4.2	27	1	1	3	4	8	14	27
2. MULTIPLE DX	4464	10.4	158	1	2	6	14	31	56	99+
A. NOT OPERATED	10616	6.2	70	1	1	3	6	15	24	53
B. OPERATED	650	14.3	316	1	2	10	32	99+	99+	99+
TOTAL 0-19 YRS	11266	6.6	88	1	1	3	7	18	29	99+
GRAND TOTAL	**11266**	**6.6**	**88**	**1**	**1**	**3**	**7**	**18**	**29**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8147	3.3	8	1	1	3	4	6	7	13
20-34	3419	4.1	17	1	1	3	5	8	10	18
35-49	1715	4.5	19	1	1	4	5	8	11	19
50-64	1283	4.8	16	1	1	4	6	9	12	22
65+	890	5.3	23	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	135	5.4	23	1	1	4	7	11	16	22
20-34	198	5.8	26	2	2	4	6	11	16	30
35-49	134	5.8	13	2	2	5	7	10	12	21
50-64	99	7.1	31	2	2	6	9	13	22	27
65+	53	6.0	26	2	2	4	7	10	15	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9631	3.9	15	1	1	3	5	7	9	20
20-34	3849	5.7	33	1	1	4	7	11	15	32
35-49	3688	6.4	33	1	2	5	8	12	17	30
50-64	4281	7.3	47	1	2	5	9	14	19	36
65+	4572	8.3	60	2	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	292	8.2	97	1	2	6	9	16	24	53
20-34	368	8.9	63	2	2	7	11	17	22	50
35-49	418	10.9	85	2	3	8	14	22	33	44
50-64	523	13.5	125	3	4	10	17	27	33	64
65+	458	15.4	168	3	4	12	20	31	40	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15454	3.8	13	1	1	3	5	7	9	17
B. *Operated*	619	5.9	24	2	2	5	7	11	16	27
2. MULTIPLE DX										
A. *Not Operated*	26021	5.9	36	1	2	4	7	12	16	32
B. *Operated*	2059	11.8	118	2	3	9	15	24	33	61
1. SINGLE DX	16073	3.9	14	1	1	3	5	7	10	17
2. MULTIPLE DX	28080	6.3	45	1	2	4	8	13	18	35
A. NOT OPERATED	41475	5.1	29	1	1	4	6	10	14	27
B. OPERATED	2678	10.4	102	2	2	7	13	22	30	51
TOTAL 0-19 YRS	18205	3.7	14	1	1	3	4	7	9	17
20-34	7834	5.2	29	1	1	4	6	10	14	28
35-49	5955	6.2	35	1	2	5	8	12	17	32
50-64	6186	7.3	51	1	2	5	9	14	20	38
65+	5973	8.4	68	2	2	6	10	17	23	45
GRAND TOTAL	**44153**	**5.4**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**31**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3019	3.4	6	1	1	3	4	6	7	11
20-34	849	4.5	8	1	2	4	6	8	10	14
35-49	442	5.4	22	1	2	4	7	9	12	20
50-64	473	6.1	23	2	2	5	8	11	14	18
65+	492	6.2	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	90	7.5	59	2	2	6	9	14	18	47
20-34	86	11.3	74	2	3	9	15	21	26	49
35-49	64	11.0	66	2	2	9	15	20	25	40
50-64	69	12.9	89	2	3	11	17	27	30	47
65+	60	15.3	102	3	4	14	21	27	37	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4168	3.8	10	1	1	3	5	7	9	14
20-34	1386	5.7	35	2	2	4	7	10	14	22
35-49	1020	6.3	20	2	2	5	8	12	15	23
50-64	1660	7.5	47	2	3	6	9	13	17	32
65+	2879	8.7	50	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	177	9.2	113	2	3	6	10	17	26	66
20-34	253	13.4	143	2	3	10	17	29	37	70
35-49	247	12.4	88	3	4	10	15	25	31	49
50-64	436	14.5	110	4	5	12	18	27	34	52
65+	560	16.3	142	4	5	13	22	32	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5275	4.3	11	1	2	3	5	8	10	15
B. *Operated*	369	11.3	82	2	3	9	15	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	11113	6.1	34	1	2	5	7	12	15	28
B. *Operated*	1673	14.1	127	3	4	11	18	28	36	61
1. SINGLE DX	5644	4.7	19	1	2	4	6	9	12	21
2. MULTIPLE DX	12786	7.1	53	2	2	5	9	14	20	37
A. NOT OPERATED	16388	5.5	27	1	2	4	7	11	14	25
B. OPERATED	2042	13.6	120	3	4	10	17	27	35	56
TOTAL 0-19 YRS	7454	3.8	12	1	1	3	5	7	9	15
20-34	2574	6.3	45	2	2	4	7	11	16	36
35-49	1773	7.1	37	2	2	5	9	14	18	32
50-64	2638	8.5	62	2	3	6	10	16	22	40
65+	3991	9.5	68	2	3	7	12	19	25	44
GRAND TOTAL	**18430**	**6.4**	**44**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1857	3.4	12	1	1	3	4	6	7	11
20-34	3486	4.1	11	1	1	3	5	8	10	17
35-49	1916	4.6	13	1	2	4	6	9	11	18
50-64	872	4.7	15	1	2	4	6	9	12	21
65+	347	5.1	14	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	89	3.8	5	1	2	3	4	7	9	12
20-34	376	5.3	16	2	2	4	7	10	13	20
35-49	313	5.8	28	2	2	4	7	11	16	28
50-64	180	6.0	53	1	2	4	7	12	17	63
65+	60	5.6	13	2	2	5	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1678	4.0	7	1	1	3	5	7	9	14
20-34	4235	5.2	17	1	2	4	7	9	12	21
35-49	3124	6.0	23	2	2	5	8	11	15	24
50-64	2297	6.1	19	2	2	5	8	11	14	22
65+	1582	6.7	33	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	95	6.0	17	2	2	5	8	11	15	20
20-34	544	7.9	32	2	3	7	10	14	18	27
35-49	534	8.9	42	2	3	7	12	18	21	30
50-64	416	9.3	58	2	3	8	12	17	22	37
65+	242	9.6	49	2	3	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8478	4.2	12	1	1	3	5	8	10	17
B. *Operated*	1018	5.4	25	2	2	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	12916	5.6	20	1	2	4	7	10	14	23
B. *Operated*	1831	8.6	43	2	3	7	11	17	20	33
1. SINGLE DX	9496	4.3	14	1	1	3	5	8	10	18
2. MULTIPLE DX	14747	6.0	24	1	2	5	7	11	15	24
A. NOT OPERATED	21394	5.0	18	1	2	4	6	9	12	21
B. OPERATED	2849	7.5	39	2	2	6	10	15	19	30
TOTAL 0-19 YRS	3719	3.7	10	1	1	3	5	7	8	13
20-34	8641	5.0	16	1	2	4	6	9	12	21
35-49	5887	5.8	23	1	2	4	7	11	15	24
50-64	3765	6.1	25	1	2	5	8	12	15	25
65+	2231	6.7	33	2	2	5	8	13	17	28
GRAND TOTAL	**24243**	**5.3**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	2.6	6	1	1	2	3	5	7	12
20-34	339	3.7	9	1	1	3	5	6	8	12
35-49	523	3.9	7	1	1	3	5	7	8	11
50-64	1001	4.0	6	1	1	4	5	7	8	13
65+	956	3.9	11	1	1	3	5	7	8	22
B. *Operated*										
0-19 YRS	272	2.1	4	<1	<1	1	2	4	6	10
20-34	218	4.5	9	1	1	4	6	8	9	14
35-49	339	4.9	6	1	2	5	6	8	10	14
50-64	614	5.1	11	1	2	5	6	9	10	17
65+	488	4.9	24	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	3.3	18	<1	1	2	4	6	8	13
20-34	280	4.0	8	1	1	4	5	7	8	12
35-49	610	4.8	12	1	2	4	6	8	11	16
50-64	1664	5.0	13	1	2	4	6	9	11	19
65+	2699	5.5	25	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	172	3.5	12	<1	1	2	4	8	11	17
20-34	201	5.2	11	1	2	5	6	9	11	19
35-49	349	6.4	20	1	2	5	8	11	14	25
50-64	889	6.5	32	2	2	5	8	11	14	29
65+	1010	7.2	36	1	2	6	9	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3075	3.8	8	1	1	3	5	7	8	14
B. *Operated*	1931	4.5	13	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	5542	5.1	19	1	2	4	6	9	12	21
B. *Operated*	2621	6.5	30	1	2	5	8	12	16	27
1. SINGLE DX	5006	4.1	10	1	1	4	5	7	9	14
2. MULTIPLE DX	8163	5.5	23	1	2	4	7	10	13	23
A. NOT OPERATED	8617	4.6	16	1	1	4	6	8	11	20
B. OPERATED	4552	5.6	24	1	1	5	7	10	14	23
TOTAL 0-19 YRS	989	2.8	10	<1	1	2	3	6	8	13
20-34	1038	4.2	9	1	1	4	5	7	9	14
35-49	1821	4.9	12	1	2	4	6	8	11	18
50-64	4168	5.1	16	1	2	4	6	9	11	19
65+	5153	5.5	26	1	2	4	7	10	14	23
GRAND TOTAL	**13169**	**5.0**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	3.2	5	1	1	2	4	6	8	11
20-34	232	3.5	6	<1	1	3	5	7	8	12
35-49	168	3.8	12	1	1	3	5	8	10	17
50-64	171	4.0	10	1	1	3	5	8	10	17
65+	107	5.2	47	1	1	4	6	9	13	41
B. *Operated*										
0-19 YRS	1229	2.3	3	<1	1	2	2	4	5	10
20-34	1221	2.9	7	<1	1	2	3	5	8	14
35-49	588	3.4	14	1	1	2	4	6	8	18
50-64	497	3.6	11	<1	1	2	4	8	11	21
65+	251	4.6	29	1	2	3	5	9	12	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.2	10	1	1	3	5	8	11	16
20-34	439	4.4	13	1	1	4	5	8	10	16
35-49	471	5.5	36	1	2	4	7	10	13	28
50-64	703	6.3	42	1	2	4	8	12	17	34
65+	872	8.9	69	1	2	6	12	18	24	39
B. *Operated*										
0-19 YRS	313	4.0	17	1	1	2	5	9	11	28
20-34	587	6.2	42	1	2	4	8	13	17	30
35-49	428	6.6	68	1	2	4	8	13	18	45
50-64	568	7.1	69	2	2	4	8	16	24	42
65+	523	11.0	158	2	2	5	14	27	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	951	3.7	13	1	1	3	5	7	9	16
B. *Operated*	3786	3.0	9	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	2801	6.5	45	1	2	5	8	13	18	32
B. *Operated*	2419	7.2	80	1	2	4	8	16	24	48
1. SINGLE DX	4737	3.1	10	<1	1	2	3	6	8	16
2. MULTIPLE DX	5220	6.8	61	1	2	4	8	14	21	39
A. NOT OPERATED	3752	5.8	38	1	1	4	7	12	16	31
B. OPERATED	6205	4.7	41	1	1	3	5	10	15	34
TOTAL 0-19 YRS	2131	3.0	7	<1	1	2	3	6	8	14
20-34	2479	4.0	18	1	1	3	5	8	11	19
35-49	1655	4.9	36	1	1	3	5	9	13	32
50-64	1939	5.7	41	1	1	4	7	11	17	34
65+	1753	8.7	93	1	2	5	11	20	27	54
GRAND TOTAL	**9957**	**5.1**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.7	33	<1	1	5	12	14	19	20
20-34	15	4.7	8	<1	1	4	7	9	10	10
35-49	9	9.6	120	2	2	7	9	28	37	37
50-64	18	9.8	38	3	3	8	15	19	22	24
65+	90	11.0	98	2	3	9	13	22	31	56
B. *Operated*										
0-19 YRS	118	5.4	46	1	1	3	5	15	21	32
20-34	152	6.1	39	1	1	4	9	14	16	33
35-49	175	10.3	132	1	2	6	14	26	30	57
50-64	274	14.8	203	2	2	11	21	35	46	96
65+	686	19.3	213	4	5	16	25	38	53	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.8	31	<1	1	5	8	14	21	22
20-34	22	10.8	85	1	2	8	14	22	30	40
35-49	43	13.6	184	2	3	10	16	27	32	82
50-64	200	13.9	131	3	4	10	17	28	37	64
65+	766	13.5	135	2	3	11	17	27	37	94
B. *Operated*										
0-19 YRS	108	7.6	76	1	1	4	11	23	33	99+
20-34	233	12.1	213	1	2	8	16	33	51	99+
35-49	373	19.4	298	2	3	15	27	45	61	99+
50-64	1439	24.7	327	4	6	20	35	55	75	99+
65+	4029	26.7	322	6	9	22	36	55	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	9.7	80	2	2	7	12	20	28	51
B. *Operated*	1405	14.7	196	2	2	11	20	33	45	86
2. MULTIPLE DX										
A. *Not Operated*	1043	13.5	134	2	3	11	17	27	37	88
B. *Operated*	6182	24.9	328	4	7	21	34	53	71	99+
1. SINGLE DX	1551	14.3	187	2	2	11	19	32	44	84
2. MULTIPLE DX	7225	23.3	317	3	5	19	32	51	68	99+
A. NOT OPERATED	1189	13.0	129	2	3	10	16	26	36	76
B. OPERATED	7587	23.0	319	2	4	19	32	50	68	99+
TOTAL 0-19 YRS	252	6.5	58	1	1	3	8	19	28	97
20-34	422	9.6	144	1	2	6	12	23	37	98
35-49	600	16.2	255	2	2	11	24	38	53	99+
50-64	1931	22.0	307	3	5	18	31	50	68	99+
65+	5571	23.7	305	4	7	19	32	50	67	99+
GRAND TOTAL	**8776**	**21.7**	**305**	**2**	**4**	**17**	**30**	**48**	**64**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	3.0	6	1	1	2	4	5	6	12
20-34	3209	3.4	10	1	1	3	4	6	7	12
35-49	7592	3.6	8	1	1	3	4	6	8	13
50-64	6139	3.9	9	1	1	3	5	7	9	15
65+	2251	4.2	15	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	20	3.4	7	1	2	3	4	6	9	13
20-34	370	3.9	10	1	2	3	5	8	10	15
35-49	1941	3.5	8	2	2	2	4	7	9	15
50-64	2019	3.6	19	1	2	2	4	7	10	15
65+	316	4.1	11	2	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	609	3.8	7	1	1	3	5	7	9	14
20-34	4654	4.2	10	1	1	3	5	8	10	15
35-49	14353	4.7	14	1	2	4	6	8	11	17
50-64	18010	5.0	14	1	2	4	6	9	11	19
65+	11652	5.6	19	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	42	5.7	37	1	2	4	7	11	16	35
20-34	601	6.2	27	2	2	5	8	12	16	26
35-49	2971	5.8	31	2	2	4	8	12	15	26
50-64	4053	6.2	32	2	2	4	8	13	17	28
65+	1164	8.4	53	2	2	7	11	16	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19710	3.7	9	1	1	3	5	7	8	14
B. *Operated*	4666	3.6	13	1	2	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	49278	5.0	15	1	2	4	6	9	11	19
B. *Operated*	8831	6.4	35	2	2	4	8	13	17	29
1. SINGLE DX	24376	3.7	10	1	1	3	4	7	9	15
2. MULTIPLE DX	58109	5.2	18	1	2	4	6	10	12	21
A. NOT OPERATED	68988	4.6	14	1	2	4	6	8	11	18
B. OPERATED	13497	5.4	29	2	2	3	7	11	15	26
TOTAL 0-19 YRS	1190	3.5	8	1	1	3	4	6	8	13
20-34	8834	4.0	12	1	1	3	5	8	10	15
35-49	26857	4.4	14	1	2	3	5	8	11	17
50-64	30221	4.9	16	1	2	4	6	9	12	20
65+	15383	5.6	22	1	2	4	7	11	14	24
GRAND TOTAL	**82485**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	851	3.4	13	1	1	2	4	7	10	20
20-34	292	3.2	6	<1	1	3	4	6	8	14
35-49	287	3.7	10	1	1	3	5	7	9	20
50-64	382	4.4	21	<1	1	3	5	8	11	29
65+	338	5.2	21	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	109	4.1	26	1	1	2	5	8	14	30
20-34	233	4.2	17	1	1	3	5	8	12	25
35-49	401	4.2	17	1	1	3	5	9	11	21
50-64	692	4.4	17	1	1	3	6	9	11	19
65+	449	5.0	23	1	1	4	6	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1140	4.5	22	1	1	3	5	9	12	22
20-34	681	4.5	22	1	1	3	5	9	11	25
35-49	935	5.7	36	1	1	4	7	11	15	29
50-64	2040	7.0	43	1	2	5	9	14	19	32
65+	3210	8.1	46	2	2	6	10	16	21	35
B. *Operated*										
0-19 YRS	140	7.2	39	1	2	5	10	17	22	99+
20-34	301	7.0	58	1	2	5	9	14	20	45
35-49	696	7.2	54	1	2	5	9	14	20	39
50-64	1513	7.6	53	1	2	6	10	15	21	40
65+	1514	9.8	97	2	2	7	12	19	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2150	3.9	15	1	1	3	5	8	10	20
B. *Operated*	1884	4.5	19	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	8006	6.7	41	1	2	5	8	14	18	32
B. *Operated*	4164	8.3	71	1	2	6	10	16	23	47
1. SINGLE DX	4034	4.2	17	1	1	3	5	8	11	21
2. MULTIPLE DX	12170	7.3	52	1	2	5	9	15	20	37
A. NOT OPERATED	10156	6.1	37	1	1	4	8	13	17	30
B. OPERATED	6048	7.1	58	1	2	5	9	14	20	41
TOTAL 0-19 YRS	2240	4.2	21	1	1	3	5	9	12	23
20-34	1507	4.7	27	1	1	3	6	9	13	27
35-49	2319	5.6	37	1	1	4	7	11	15	30
50-64	4627	6.6	42	1	2	5	8	14	18	33
65+	5511	8.1	59	1	2	6	10	16	22	41
GRAND TOTAL	**16204**	**6.5**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	489	2.6	19	1	1	2	3	4	5	9
20-34	1496	2.6	5	1	1	2	3	5	6	11
35-49	1460	2.7	6	1	1	2	3	5	6	9
50-64	1042	2.9	5	1	1	2	4	5	7	11
65+	664	4.0	15	1	1	3	5	7	10	21
B. *Operated*										
0-19 YRS	1317	2.0	12	<1	1	1	2	3	4	13
20-34	434	4.5	13	1	1	3	6	9	11	15
35-49	470	5.6	19	1	1	5	8	11	13	23
50-64	429	6.7	25	1	2	6	9	13	15	23
65+	493	7.4	35	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	475	3.3	7	1	1	3	4	7	8	13
20-34	1253	3.7	18	1	1	3	4	7	9	19
35-49	1368	4.0	18	1	1	3	5	7	10	22
50-64	1736	4.6	16	1	1	3	6	9	12	21
65+	2830	7.1	44	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	1302	2.4	7	<1	1	2	3	4	6	15
20-34	675	6.8	39	1	2	6	9	13	16	24
35-49	838	8.0	37	2	2	7	10	15	20	31
50-64	1486	9.2	41	2	3	8	12	17	21	33
65+	3299	12.3	84	3	4	10	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5151	2.9	8	1	1	2	3	5	7	12
B. *Operated*	3143	4.4	23	<1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	7662	5.2	28	1	1	4	6	10	15	28
B. *Operated*	7600	9.0	66	1	2	7	12	18	24	39
1. SINGLE DX	8294	3.4	14	1	1	2	4	7	10	17
2. MULTIPLE DX	15262	7.1	51	1	1	5	9	15	20	34
A. NOT OPERATED	12813	4.3	22	1	1	3	5	8	12	23
B. OPERATED	10743	7.7	58	1	1	6	11	16	22	35
TOTAL 0-19 YRS	3583	2.4	11	<1	1	2	3	4	6	14
20-34	3858	3.9	18	1	1	3	5	8	11	18
35-49	4136	4.5	22	1	1	3	6	9	13	23
50-64	4693	5.9	29	1	1	4	8	12	16	26
65+	7286	9.2	67	1	2	7	12	19	24	42
GRAND TOTAL	**23556**	**5.8**	**41**	**1**	**1**	**4**	**7**	**13**	**18**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11463	2.7	6	1	1	2	3	5	6	11
20-34	10997	3.4	8	1	1	3	4	6	8	14
35-49	5769	3.9	9	1	1	3	5	7	9	15
50-64	3936	4.2	10	1	1	3	5	8	10	17
65+	2707	4.8	14	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	1324	4.4	9	1	2	4	5	8	10	18
20-34	2044	4.8	13	1	2	4	6	9	11	19
35-49	891	5.9	33	1	2	4	8	11	15	26
50-64	485	6.5	33	1	2	5	9	12	15	31
65+	259	7.7	36	1	2	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6656	3.3	10	1	1	3	4	6	8	13
20-34	10234	4.2	11	1	1	3	5	8	10	17
35-49	7459	5.2	17	1	2	4	7	10	12	20
50-64	8008	5.7	18	1	2	5	7	10	13	22
65+	9692	6.6	28	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	1042	5.4	17	1	2	4	6	10	12	19
20-34	2697	6.8	31	1	2	5	9	13	16	29
35-49	1889	8.6	46	2	3	7	11	16	21	33
50-64	1578	9.6	58	2	3	8	12	18	24	39
65+	1346	11.0	59	3	4	9	14	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34872	3.5	9	1	1	3	4	7	8	14
B. *Operated*	5003	5.2	20	1	2	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	42049	5.1	18	1	2	4	6	10	12	21
B. *Operated*	8552	8.2	45	2	2	7	10	16	21	34
1. SINGLE DX	39875	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	50601	5.6	24	1	2	4	7	11	14	25
A. NOT OPERATED	76921	4.3	15	1	1	3	5	8	11	19
B. OPERATED	13555	7.1	38	1	2	5	9	14	18	31
TOTAL 0-19 YRS	20485	3.2	8	1	1	3	4	6	8	13
20-34	25972	4.1	13	1	1	3	5	8	10	18
35-49	16008	5.2	21	1	2	4	7	10	13	23
50-64	14007	5.7	23	1	2	4	7	11	14	24
65+	14004	6.7	31	1	2	5	8	13	17	29
GRAND TOTAL	**90476**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1075	3.3	8	1	1	3	4	6	8	14
20-34	690	3.6	8	1	1	3	5	7	9	14
35-49	592	4.1	13	1	1	3	5	8	11	18
50-64	500	4.5	19	1	1	3	6	10	13	19
65+	633	5.3	21	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	118	4.8	25	<1	1	3	6	9	15	27
20-34	275	5.2	15	1	1	4	8	10	13	17
35-49	210	6.0	42	1	1	5	7	12	14	32
50-64	271	6.2	42	1	1	3	8	15	20	32
65+	210	7.9	60	1	2	6	11	16	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2237	3.8	12	1	1	3	4	7	9	19
20-34	1447	4.3	13	1	1	3	5	8	11	19
35-49	1538	5.7	28	1	2	4	7	11	14	28
50-64	2395	6.8	36	1	2	5	9	14	18	29
65+	4640	7.8	46	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	186	6.8	44	1	2	5	8	12	18	39
20-34	557	7.8	39	1	2	7	10	14	20	28
35-49	673	9.5	61	1	2	8	12	18	25	42
50-64	942	11.2	116	2	2	8	14	23	32	51
65+	1052	13.4	129	2	3	11	17	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3490	4.0	13	1	1	3	5	8	11	18
B. *Operated*	1084	6.1	38	1	1	4	8	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	12257	6.2	35	1	2	4	8	12	17	30
B. *Operated*	3410	10.7	97	2	2	8	13	22	30	50
1. SINGLE DX	4574	4.5	20	1	1	3	6	9	12	22
2. MULTIPLE DX	15667	7.2	52	1	2	5	9	15	21	37
A. NOT OPERATED	15747	5.7	31	1	1	4	7	12	16	28
B. OPERATED	4494	9.6	87	1	2	7	12	20	27	49
TOTAL 0-19 YRS	3616	3.8	13	1	1	3	5	7	10	20
20-34	2969	4.9	19	1	1	4	6	10	13	22
35-49	3013	6.2	37	1	1	5	8	13	17	32
50-64	4108	7.5	58	1	2	5	9	16	22	39
65+	6535	8.4	63	2	2	6	10	17	23	42
GRAND TOTAL	**20241**	**6.6**	**46**	**1**	**2**	**5**	**8**	**14**	**19**	**35**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8031	4.1	22	1	1	3	5	7	11	23
20-34	5694	4.5	28	1	1	3	5	8	12	26
35-49	4511	5.5	47	1	1	4	6	11	17	43
50-64	5198	5.8	48	1	1	4	7	12	17	38
65+	5447	6.8	67	1	2	4	8	14	20	47
B. *Operated*										
0-19 YRS	836	4.1	30	<1	1	2	4	8	14	37
20-34	1729	4.0	33	1	1	2	4	8	12	33
35-49	1490	4.4	30	1	1	3	5	9	12	27
50-64	1653	5.5	56	1	1	3	6	11	19	39
65+	1102	6.9	71	1	2	4	9	15	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7911	5.2	29	1	1	4	6	10	14	26
20-34	6618	4.8	16	1	1	4	6	9	12	21
35-49	7661	5.6	26	1	2	4	7	10	13	25
50-64	14157	6.5	31	1	2	5	8	13	17	29
65+	27429	7.7	45	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	674	7.3	86	1	1	4	9	18	25	99+
20-34	1840	5.7	51	1	1	3	7	12	16	41
35-49	2053	7.0	53	1	2	5	9	15	20	41
50-64	3152	9.2	100	2	2	6	11	20	28	56
65+	4143	13.1	148	2	3	10	17	28	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28881	5.2	41	1	1	3	6	10	15	35
B. *Operated*	6810	4.9	45	1	1	3	5	10	16	38
2. MULTIPLE DX										
A. *Not Operated*	63776	6.6	36	1	2	5	8	13	17	30
B. *Operated*	11862	9.5	108	1	2	6	12	21	30	60
1. SINGLE DX	35691	5.2	42	1	1	3	6	10	15	35
2. MULTIPLE DX	75638	7.0	48	1	2	5	9	14	19	36
A. NOT OPERATED	92657	6.2	38	1	2	4	7	12	17	31
B. OPERATED	18672	7.8	90	1	2	5	10	18	26	55
TOTAL 0-19 YRS	17452	4.7	29	1	1	3	5	9	13	27
20-34	15881	4.7	26	1	1	3	6	9	12	26
35-49	15715	5.6	36	1	2	4	7	11	15	32
50-64	24160	6.6	47	1	2	5	8	13	19	36
65+	38121	8.1	63	2	2	6	10	16	22	43
GRAND TOTAL	**111329**	**6.4**	**47**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2006	2.7	8	1	1	2	3	5	7	13
20-34	235	4.5	18	1	1	3	6	9	12	22
35-49	100	4.4	14	1	1	3	6	10	13	61
50-64	61	5.5	24	1	1	4	7	11	16	24
65+	46	6.8	25	1	2	6	9	16	17	18
B. *Operated*										
0-19 YRS	427	6.8	70	1	2	5	8	11	16	45
20-34	178	8.1	48	2	3	7	9	15	21	49
35-49	74	8.6	46	1	2	7	11	17	26	85
50-64	30	12.4	274	2	2	6	10	31	46	80
65+	12	20.5	636	3	4	11	25	52	88	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1645	4.2	19	1	1	3	5	8	11	23
20-34	454	6.5	36	1	2	5	8	14	20	94
35-49	216	7.9	54	1	2	6	10	16	23	38
50-64	238	9.3	102	1	2	7	11	21	27	69
65+	215	10.5	82	2	2	8	12	25	32	44
B. *Operated*										
0-19 YRS	655	12.7	223	1	2	8	15	34	52	99+
20-34	570	14.4	243	2	3	10	18	41	76	99+
35-49	229	14.7	251	2	3	10	20	37	91	99+
50-64	182	18.3	296	2	3	14	26	54	70	99+
65+	113	23.5	411	3	4	16	34	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2448	3.1	11	1	1	2	4	6	9	16
B. *Operated*	721	7.8	83	2	2	6	9	14	21	60
2. MULTIPLE DX										
A. *Not Operated*	2768	5.8	41	1	1	4	7	12	18	37
B. *Operated*	1749	14.8	260	2	3	10	19	41	67	99+
1. SINGLE DX	3169	4.2	31	1	1	3	5	8	12	26
2. MULTIPLE DX	4517	9.3	145	1	1	5	11	23	38	99+
A. NOT OPERATED	5216	4.5	29	1	1	3	5	10	14	29
B. OPERATED	2470	12.8	218	2	2	8	15	33	54	99+
TOTAL 0-19 YRS	4733	5.0	58	1	1	3	5	10	15	45
20-34	1437	9.5	133	1	2	6	12	22	39	99+
35-49	619	9.9	134	1	2	7	12	25	37	99+
50-64	511	12.2	193	1	2	8	15	30	49	99+
65+	386	14.2	227	2	2	9	18	34	48	91
GRAND TOTAL	**7686**	**7.2**	**104**	**1**	**1**	**4**	**8**	**16**	**27**	**89**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	996	3.1	10	1	1	2	4	6	9	19
20-34	268	4.5	15	1	1	3	6	9	12	20
35-49	92	4.9	19	1	1	3	7	10	15	21
50-64	68	6.2	21	1	2	5	9	14	15	18
65+	32	7.3	37	2	2	5	10	18	20	20
B. *Operated*										
0-19 YRS	117	5.7	22	1	2	4	8	11	14	26
20-34	110	5.8	36	1	1	4	7	12	16	36
35-49	42	9.2	99	1	2	6	10	17	30	50
50-64	12	5.4	16	1	1	4	8	12	12	12
65+	8	4.3	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	922	5.4	36	1	1	4	6	11	16	32
20-34	558	6.7	45	1	1	5	9	14	18	32
35-49	224	7.8	58	1	2	5	10	18	23	38
50-64	191	9.1	105	1	2	7	11	16	26	61
65+	193	11.7	118	2	3	9	15	22	33	52
B. *Operated*										
0-19 YRS	398	12.5	195	1	2	8	16	36	58	99+
20-34	507	14.4	276	2	2	9	17	43	66	99+
35-49	205	13.3	191	2	3	9	18	40	64	99+
50-64	118	17.6	208	1	2	14	23	42	50	59
65+	102	19.8	419	3	3	12	26	61	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1456	3.7	14	1	1	3	5	8	11	20
B. *Operated*	289	6.2	39	1	1	4	8	12	15	41
2. MULTIPLE DX										
A. *Not Operated*	2088	6.9	58	1	1	5	9	14	20	38
B. *Operated*	1330	14.4	247	2	2	9	18	41	62	99+
1. SINGLE DX	1745	4.1	19	1	1	3	5	9	12	20
2. MULTIPLE DX	3418	9.8	145	1	2	6	12	23	38	95
A. NOT OPERATED	3544	5.6	42	1	1	4	7	12	17	34
B. OPERATED	1619	12.9	220	1	2	8	16	35	54	99+
TOTAL 0-19 YRS	2433	5.7	61	1	1	3	6	12	19	58
20-34	1443	8.9	136	1	2	5	10	18	34	94
35-49	563	9.4	113	1	2	6	12	22	35	99+
50-64	389	11.0	138	1	2	7	13	24	37	54
65+	335	13.5	218	2	3	9	17	29	47	84
GRAND TOTAL	**5163**	**7.9**	**109**	**1**	**1**	**5**	**9**	**18**	**29**	**78**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	2.1	4	<1	<1	2	2	4	6	9
20-34	487	2.5	6	<1	<1	2	3	5	7	12
35-49	186	3.0	11	<1	1	2	4	6	10	20
50-64	89	3.0	8	<1	1	2	3	7	9	14
65+	81	4.1	27	<1	1	3	4	9	12	33
B. *Operated*										
0-19 YRS	5308	2.4	4	<1	1	2	3	4	6	10
20-34	5928	3.1	7	1	1	2	4	6	7	13
35-49	1563	3.6	11	1	1	3	4	7	9	17
50-64	629	3.7	11	1	1	3	4	7	10	16
65+	235	5.3	39	1	1	3	6	11	14	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	3.1	15	<1	1	2	3	6	8	20
20-34	909	3.3	12	<1	1	2	4	7	8	20
35-49	431	4.0	22	<1	1	3	5	8	10	22
50-64	345	5.3	39	1	1	3	6	11	16	30
65+	632	7.6	60	1	2	6	10	15	20	37
B. *Operated*										
0-19 YRS	3865	4.5	32	1	1	3	5	8	11	32
20-34	6222	5.6	42	1	1	4	6	11	15	35
35-49	2226	6.3	52	1	2	4	8	12	18	38
50-64	1111	7.3	61	1	2	5	9	15	21	54
65+	756	10.2	109	1	2	7	13	22	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1226	2.6	8	<1	<1	2	3	5	7	17
B. *Operated*	13663	2.9	7	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	2936	4.5	31	<1	1	3	5	9	13	29
B. *Operated*	14180	5.8	47	1	1	4	7	11	16	38
1. SINGLE DX	14889	2.9	7	<1	1	2	3	6	7	13
2. MULTIPLE DX	17116	5.6	45	1	1	4	6	11	16	36
A. NOT OPERATED	4162	3.9	25	<1	1	2	5	8	12	25
B. OPERATED	27843	4.4	30	1	1	3	5	9	12	28
TOTAL 0-19 YRS	10175	3.2	16	<1	1	2	4	6	9	17
20-34	13546	4.2	25	1	1	3	5	8	11	24
35-49	4406	5.0	35	1	1	3	6	10	13	30
50-64	2174	5.7	44	1	1	4	7	12	17	38
65+	1704	8.3	81	1	2	6	10	17	24	50
GRAND TOTAL	**32005**	**4.3**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1384	5.8	33	1	2	4	7	11	14	29
20-34	2306	6.0	23	1	2	5	8	11	14	24
35-49	1230	7.1	26	2	2	6	9	13	17	28
50-64	1604	8.3	32	2	3	7	11	15	19	29
65+	2300	10.2	38	3	4	9	13	18	21	32
B. *Operated*										
0-19 YRS	158	16.3	246	2	4	11	20	42	50	74
20-34	300	15.0	159	3	4	12	19	30	44	99+
35-49	134	12.8	126	3	4	10	17	21	29	59
50-64	103	17.0	199	2	4	14	21	32	45	74
65+	96	15.2	94	3	4	13	19	31	38	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1057	6.9	46	1	2	5	8	13	18	44
20-34	2103	7.4	43	2	2	6	9	14	19	39
35-49	1338	9.3	61	2	3	7	11	17	23	43
50-64	2445	10.7	60	3	4	9	14	20	25	39
65+	8710	13.0	74	4	5	11	16	23	29	46
B. *Operated*										
0-19 YRS	476	17.4	242	2	4	13	24	43	56	99+
20-34	908	16.6	228	3	3	12	22	39	53	99+
35-49	419	16.5	213	3	4	12	21	38	53	99+
50-64	522	20.2	247	4	6	16	26	42	56	89
65+	950	21.1	193	6	8	18	27	39	51	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8824	7.6	34	2	2	6	10	14	18	29
B. *Operated*	791	15.2	169	3	4	12	19	31	44	80
2. MULTIPLE DX										
A. *Not Operated*	15653	11.2	70	2	3	9	14	21	26	43
B. *Operated*	3275	18.6	225	3	5	15	25	40	53	99+
1. SINGLE DX	9615	8.3	49	2	2	6	10	16	20	39
2. MULTIPLE DX	18928	12.5	105	2	4	10	16	24	32	57
A. NOT OPERATED	24477	9.9	60	2	3	8	13	19	24	40
B. OPERATED	4066	17.9	216	3	5	14	23	39	51	97
TOTAL 0-19 YRS	3075	8.5	100	1	2	5	9	18	30	57
20-34	5617	8.7	86	2	2	5	10	18	27	55
35-49	3121	9.5	80	2	3	7	11	18	25	53
50-64	4674	11.1	87	2	3	9	14	21	27	50
65+	12056	13.1	84	3	5	11	17	24	30	49
GRAND TOTAL	**28543**	**11.0**	**90**	**2**	**3**	**9**	**14**	**21**	**29**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	7.4	70	1	1	6	10	18	43	99+
20-34	109	8.9	123	2	2	6	10	17	34	90
35-49	58	7.4	36	1	2	6	10	13	17	37
50-64	58	9.4	61	2	3	7	12	16	20	52
65+	87	9.7	80	2	3	8	12	17	21	57
B. *Operated*										
0-19 YRS	54	18.2	150	2	4	16	25	38	49	98
20-34	81	26.0	349	5	7	21	40	62	77	99+
35-49	31	20.7	281	5	7	19	30	99+	99+	99+
50-64	15	25.9	607	4	5	15	37	70	71	71
65+	21	22.0	327	4	6	19	24	55	65	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	17.0	421	1	3	10	27	75	99+	99+
20-34	123	15.1	396	2	2	8	18	53	92	99+
35-49	78	12.4	191	1	2	8	15	30	44	96
50-64	91	11.1	68	3	4	10	14	20	27	82
65+	297	14.0	92	4	5	12	18	24	29	52
B. *Operated*										
0-19 YRS	110	42.7	575	10	18	53	99+	99+	99+	99+
20-34	275	35.7	551	6	11	36	68	99+	99+	99+
35-49	75	36.9	700	5	10	34	74	99+	99+	99+
50-64	60	34.7	794	5	8	37	96	99+	99+	99+
65+	64	27.7	367	8	8	26	45	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	8.7	81	1	2	7	11	16	21	82
B. *Operated*	202	22.7	306	4	7	18	32	61	73	99+
2. MULTIPLE DX										
A. *Not Operated*	652	13.9	191	2	4	11	17	27	48	99+
B. *Operated*	584	36.2	592	7	11	38	79	99+	99+	99+
1. SINGLE DX	572	13.6	205	2	3	9	18	34	56	99+
2. MULTIPLE DX	1236	24.4	504	3	5	18	44	99	99+	99+
A. NOT OPERATED	1022	12.0	157	2	3	9	15	24	39	99+
B. OPERATED	786	32.7	553	6	9	32	64	99+	99+	99+
TOTAL 0-19 YRS	285	25.2	562	2	3	22	56	99+	99+	99+
20-34	588	25.1	532	2	4	19	45	90	99+	99+
35-49	242	19.8	466	2	3	13	31	83	99+	99+
50-64	224	17.9	409	3	4	12	26	89	99+	99+
65+	469	15.4	166	4	5	12	19	30	49	99+
GRAND TOTAL	**1808**	**21.0**	**434**	**2**	**4**	**15**	**34**	**83**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	2.8	3	<1	1	2	4	5	6	10
20-34	396	3.1	7	1	1	2	4	6	8	12
35-49	489	3.8	8	1	1	3	5	7	8	16
50-64	651	4.5	11	1	1	4	6	9	11	15
65+	762	6.1	22	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	10	5.5	9	2	2	5	8	10	10	10
20-34	[illegible]	7.4	105	1	1	4	9	17	22	62
35-49	[illegible]	9.7	58	<1	2	8	15	22	24	29
50-64	32	10.1	128	2	3	7	12	17	19	66
65+	29	7.6	31	3	3	6	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	4.3	13	1	1	3	6	9	11	18
20-34	1555	5.1	22	1	1	4	6	9	13	24
35-49	2019	6.1	28	1	2	5	8	11	15	24
50-64	3015	7.3	31	2	2	6	9	14	17	27
65+	5766	9.6	54	2	3	8	12	18	23	38
B. *Operated*										
0-19 YRS	244	9.4	93	1	2	7	11	20	26	66
20-34	736	10.8	134	2	3	8	12	21	32	64
35-49	632	11.9	119	2	3	9	14	25	34	60
50-64	761	14.5	195	3	4	10	17	30	44	84
65+	884	16.5	163	3	5	13	22	34	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2443	4.5	14	1	1	4	6	9	11	20
B. *Operated*	138	8.3	79	1	2	6	10	17	21	62
2. MULTIPLE DX										
A. *Not Operated*	12844	7.8	42	1	2	6	10	15	20	33
B. *Operated*	3257	13.3	156	2	3	10	16	28	39	71
1. SINGLE DX	2581	4.7	18	1	1	4	6	9	12	22
2. MULTIPLE DX	16101	8.9	70	2	2	7	11	18	24	46
A. NOT OPERATED	15287	7.2	39	1	2	6	9	14	19	31
B. OPERATED	3395	13.1	154	2	3	9	16	27	39	70
TOTAL 0-19 YRS	888	5.5	39	1	1	4	7	11	15	31
20-34	2729	6.4	59	1	1	4	8	12	18	47
35-49	3165	6.9	50	1	2	5	8	14	19	38
50-64	4459	8.2	66	1	2	6	10	15	21	44
65+	7441	10.0	70	2	3	8	13	20	26	45
GRAND TOTAL	**18682**	**8.3**	**65**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	605	7.3	58	1	2	5	9	14	18	46
20-34	503	9.9	106	2	3	7	11	19	31	54
35-49	254	11.4	138	2	3	9	13	21	29	55
50-64	492	11.9	95	2	4	9	15	23	31	54
65+	1799	12.9	74	3	4	11	16	24	29	42
B. *Operated*										
0-19 YRS	35	12.7	153	1	3	8	18	34	43	47
20-34	54	20.5	269	3	4	19	27	43	60	64
35-49	23	30.3	381	6	9	27	44	59	89	99+
50-64	21	30.7	313	8	9	29	48	54	57	59
65+	40	23.5	447	4	5	16	29	53	74	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	789	10.4	93	2	3	8	13	21	29	48
20-34	1007	12.5	136	2	3	9	15	26	37	63
35-49	537	15.3	156	3	4	12	20	33	42	61
50-64	1005	16.5	173	4	5	13	21	32	44	73
65+	5133	16.4	118	4	6	14	21	29	37	60
B. *Operated*										
0-19 YRS	432	21.3	292	4	5	16	30	49	65	99+
20-34	652	26.3	376	5	6	21	39	55	69	99
35-49	290	31.6	467	5	8	28	48	67	80	99+
50-64	282	35.0	511	7	9	30	53	70	84	99+
65+	639	28.7	344	7	10	24	38	56	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3653	11.3	87	2	3	9	15	22	28	48
B. *Operated*	173	22.1	337	3	4	18	33	51	58	94
2. MULTIPLE DX										
A. *Not Operated*	8471	15.3	131	3	4	13	20	29	38	61
B. *Operated*	2295	27.8	396	5	7	23	39	59	75	99+
1. SINGLE DX	3826	11.8	103	2	3	9	15	23	31	55
2. MULTIPLE DX	10766	18.0	213	3	5	14	23	38	49	82
A. NOT OPERATED	12124	14.1	121	3	4	11	18	27	35	58
B. OPERATED	2468	27.4	393	5	7	22	39	59	74	99+
TOTAL 0-19 YRS	1861	12.0	157	2	3	8	14	29	42	73
20-34	2216	16.2	248	2	3	11	20	40	51	80
35-49	1104	19.0	302	3	4	13	24	46	57	93
50-64	1800	18.3	264	3	5	13	23	41	55	87
65+	7611	16.7	144	4	5	14	21	31	39	68
GRAND TOTAL	**14592**	**16.4**	**192**	**3**	**4**	**13**	**21**	**34**	**46**	**78**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1047	4.0	29	<1	1	2	4	11	17	24
20-34	295	3.9	26	1	1	3	5	7	10	23
35-49	259	5.0	41	1	1	3	5	10	17	41
50-64	609	5.0	28	1	1	4	6	9	13	28
65+	1865	6.4	43	1	2	5	8	13	19	33
B. *Operated*										
0-19 YRS	4758	5.0	34	1	1	3	5	14	19	26
20-34	729	5.6	37	1	1	4	6	12	17	35
35-49	530	6.6	56	1	1	4	7	14	21	37
50-64	861	6.8	47	1	2	5	8	14	20	35
65+	1333	8.7	67	1	2	6	11	18	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	408	5.8	57	1	1	3	6	14	20	43
20-34	312	6.4	52	1	1	4	8	12	19	46
35-49	278	7.2	59	1	1	5	9	15	20	34
50-64	880	8.7	81	1	2	6	10	18	27	41
65+	3921	10.9	92	2	3	8	14	22	30	52
B. *Operated*										
0-19 YRS	1624	8.2	92	1	1	4	10	21	26	51
20-34	917	10.8	156	1	2	7	14	25	34	81
35-49	601	11.8	189	1	2	6	14	30	39	68
50-64	1208	11.4	150	2	2	7	14	25	36	69
65+	2545	14.5	153	2	3	11	19	30	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4075	5.3	37	1	1	3	6	11	18	29
B. *Operated*	8211	5.9	44	1	1	3	7	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	5799	9.8	87	1	2	7	12	21	28	50
B. *Operated*	6895	11.7	147	1	2	8	15	27	36	66
1. SINGLE DX	12286	5.7	42	1	1	3	7	14	19	30
2. MULTIPLE DX	12694	10.9	121	1	2	7	14	24	32	59
A. NOT OPERATED	9874	7.9	71	1	1	5	10	18	24	44
B. OPERATED	15106	8.6	100	1	1	5	11	21	27	51
TOTAL 0-19 YRS	7837	5.5	49	1	1	3	6	15	20	32
20-34	2253	7.6	93	1	1	5	9	17	26	51
35-49	1668	8.3	109	1	1	5	9	19	30	55
50-64	3558	8.5	93	1	2	6	10	18	27	49
65+	9664	10.7	103	2	2	8	14	23	31	54
GRAND TOTAL	**24980**	**8.3**	**89**	**1**	**1**	**5**	**11**	**19**	**26**	**49**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	655	2.1	13	<1	1	1	2	4	4	12
20-34	237	2.5	6	<1	<1	2	3	5	6	13
35-49	160	3.0	10	<1	1	2	3	6	9	13
50-64	245	3.1	7	1	1	2	4	6	8	13
65+	383	4.2	18	1	1	3	5	9	11	25
B. *Operated*										
0-19 YRS	10386	2.1	5	1	1	1	2	4	5	10
20-34	3099	3.6	8	1	1	3	5	7	8	14
35-49	2303	3.4	10	1	1	3	4	6	8	16
50-64	3407	3.2	9	1	1	3	4	6	8	14
65+	3084	3.9	14	1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	426	3.2	23	1	1	2	4	6	9	33
20-34	403	4.2	17	1	1	3	5	9	12	22
35-49	255	5.3	36	1	1	4	7	10	15	27
50-64	459	6.2	41	1	1	4	8	13	18	33
65+	1120	8.5	57	1	2	6	11	18	24	41
B. *Operated*										
0-19 YRS	2514	4.7	54	1	1	3	5	10	15	42
20-34	2270	7.5	87	1	2	5	8	15	23	58
35-49	1465	6.9	67	1	2	5	8	14	21	45
50-64	2282	6.9	69	1	2	4	8	14	20	46
65+	3258	8.7	82	1	2	6	11	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1680	2.9	13	<1	1	2	3	6	8	17
B. *Operated*	22279	2.9	8	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	2663	6.3	45	1	1	4	8	14	20	35
B. *Operated*	11789	7.1	75	1	1	4	8	15	22	47
1. SINGLE DX	23959	2.9	9	1	1	2	4	5	7	14
2. MULTIPLE DX	14452	6.9	69	1	1	4	8	15	22	46
A. NOT OPERATED	4343	5.0	35	1	1	3	6	11	16	31
B. OPERATED	34068	4.3	35	1	1	3	5	9	13	31
TOTAL 0-19 YRS	13981	2.6	16	1	1	2	3	5	7	18
20-34	6009	5.1	42	1	1	3	6	10	14	35
35-49	4183	4.8	34	1	1	3	5	9	13	30
50-64	6393	4.7	36	1	1	3	5	9	13	30
65+	7845	6.6	54	1	1	4	8	14	21	39
GRAND TOTAL	**38411**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	2.9	48	<1	1	2	3	5	7	11
20-34	214	3.1	15	<1	<1	2	4	6	8	22
35-49	106	2.9	4	<1	1	2	4	5	7	9
50-64	80	4.2	75	<1	1	2	4	7	11	58
65+	99	4.5	21	1	1	2	6	11	15	22
B. *Operated*										
0-19 YRS	3335	2.1	9	<1	1	2	2	3	5	9
20-34	3728	2.4	6	<1	1	2	3	4	5	10
35-49	1326	2.7	12	<1	1	2	3	4	6	13
50-64	855	2.8	6	1	1	2	3	5	7	13
65+	496	3.6	25	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.5	50	<1	1	2	4	7	9	18
20-34	310	4.6	44	1	1	3	5	8	14	45
35-49	157	4.3	13	1	1	3	6	9	11	18
50-64	193	6.9	82	1	2	5	8	12	16	48
65+	431	8.4	59	2	2	6	11	18	22	50
B. *Operated*										
0-19 YRS	1399	3.6	22	1	1	2	4	7	10	23
20-34	2275	4.3	37	1	1	3	5	8	12	31
35-49	1062	4.4	33	1	1	3	5	9	13	34
50-64	932	5.1	54	1	1	3	6	10	15	34
65+	700	7.8	85	1	1	5	10	17	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	3.3	30	<1	1	2	4	6	9	18
B. *Operated*	9740	2.5	9	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	1288	6.0	55	1	1	4	7	13	18	43
B. *Operated*	6368	4.7	42	1	1	3	5	9	14	33
1. SINGLE DX	10424	2.5	10	<1	1	2	3	4	6	12
2. MULTIPLE DX	7656	4.9	45	1	1	3	5	10	15	34
A. NOT OPERATED	1972	5.1	48	1	1	3	6	11	16	32
B. OPERATED	16108	3.3	23	1	1	2	3	6	9	23
TOTAL 0-19 YRS	5116	2.6	16	<1	1	2	3	4	7	16
20-34	6527	3.2	20	<1	1	2	3	6	8	22
35-49	2651	3.5	21	1	1	2	4	6	10	23
50-64	2060	4.3	39	1	1	3	5	8	12	30
65+	1726	6.6	62	1	1	4	8	15	20	46
GRAND TOTAL	**18080**	**3.5**	**26**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	17.1	236	1	2	16	25	40	49	71
20-34	77	16.1	347	1	2	8	21	50	56	96
35-49	89	13.3	315	1	1	7	14	45	62	94
50-64	227	12.2	121	1	2	10	16	24	32	53
65+	1345	14.0	176	1	2	11	19	28	39	86
B. *Operated*										
0-19 YRS	546	13.0	103	3	4	10	16	26	33	55
20-34	363	14.1	140	3	5	11	16	29	42	88
35-49	636	13.0	60	5	6	11	16	21	26	49
50-64	3012	15.0	69	6	7	14	18	24	29	49
65+	16587	18.4	82	8	10	17	21	28	35	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	18.7	314	1	2	14	27	38	62	78
20-34	86	17.0	450	1	1	9	16	57	79	94
35-49	88	13.8	166	1	2	10	17	46	52	99+
50-64	384	16.3	232	2	3	12	20	35	47	90
65+	3124	17.5	223	3	4	14	23	36	54	99+
B. *Operated*										
0-19 YRS	456	22.9	277	4	7	19	31	48	61	99+
20-34	660	24.0	329	6	8	19	32	56	71	99+
35-49	827	21.8	237	7	9	17	27	45	60	99+
50-64	3869	20.6	172	8	9	17	25	37	50	89
65+	32203	22.7	161	10	11	19	27	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1959	14.2	191	1	2	11	19	29	44	83
B. *Operated*	21144	17.6	84	7	9	16	21	28	34	57
2. MULTIPLE DX										
A. *Not Operated*	3808	17.3	231	2	4	14	22	37	54	99+
B. *Operated*	38015	22.5	168	9	11	19	27	39	51	89
1. SINGLE DX	23103	17.3	94	6	8	16	21	28	34	58
2. MULTIPLE DX	41823	22.0	176	8	10	19	27	39	51	92
A. NOT OPERATED	5767	16.2	219	1	3	13	21	35	50	99+
B. OPERATED	59159	20.7	144	8	10	18	24	35	46	81
TOTAL 0-19 YRS	1349	17.6	221	2	4	13	24	38	50	78
20-34	1186	19.9	301	3	5	14	25	50	63	99+
35-49	1640	17.5	188	4	6	14	21	37	51	99+
50-64	7492	17.9	140	6	8	15	21	31	42	78
65+	53259	20.8	146	8	10	18	25	35	46	82
GRAND TOTAL	**64926**	**20.3**	**152**	**7**	**9**	**17**	**24**	**35**	**46**	**82**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2235	20.3	199	1	2	20	28	38	45	64
20-34	241	24.6	523	1	2	17	43	59	72	89
35-49	121	24.1	478	2	3	14	42	59	64	75
50-64	197	26.0	504	3	4	17	42	58	73	95
65+	519	23.9	418	2	4	17	38	55	69	99+
B. *Operated*										
0-19 YRS	2284	17.2	198	2	2	15	25	35	41	65
20-34	782	19.4	260	4	5	15	23	45	56	86
35-49	281	20.3	279	3	5	16	27	49	59	99+
50-64	317	21.1	236	5	7	17	27	47	60	99+
65+	994	23.3	251	7	9	19	28	47	62	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	951	23.3	256	2	3	23	32	45	53	74
20-34	252	30.5	567	2	3	29	47	63	83	99+
35-49	164	24.6	458	3	4	18	42	62	77	99+
50-64	283	27.2	527	2	4	24	45	62	80	99+
65+	1059	26.9	507	3	6	19	41	68	83	99+
B. *Operated*										
0-19 YRS	2226	25.3	315	4	6	21	35	51	63	99
20-34	1855	28.5	404	5	8	23	42	62	79	99+
35-49	569	30.3	452	5	7	26	46	68	87	99+
50-64	726	32.1	461	7	11	26	47	71	91	99+
65+	2016	28.8	343	8	11	24	39	63	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3313	21.7	289	1	3	20	30	45	55	80
B. *Operated*	4658	19.3	233	2	4	16	26	39	50	85
2. MULTIPLE DX										
A. *Not Operated*	2709	25.9	428	2	4	22	38	59	73	99+
B. *Operated*	7392	28.1	374	5	8	23	40	60	77	99+
1. SINGLE DX	7971	20.3	257	2	3	17	28	42	53	83
2. MULTIPLE DX	10101	27.5	389	4	6	23	39	60	76	99+
A. NOT OPERATED	6022	23.6	356	2	3	20	33	51	64	97
B. OPERATED	12050	24.7	338	3	5	20	34	54	69	99+
TOTAL 0-19 YRS	7696	21.2	250	2	3	20	29	42	51	78
20-34	3130	26.1	406	3	5	20	39	59	75	99+
35-49	1135	26.4	430	3	5	21	41	61	77	99+
50-64	1523	28.1	450	4	6	22	42	64	82	99+
65+	4588	26.6	375	5	8	21	37	60	77	99+
GRAND TOTAL	**18072**	**24.3**	**344**	**3**	**4**	**20**	**34**	**53**	**68**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1857	3.2	10	1	1	2	4	6	8	19
20-34	990	4.4	20	1	1	3	5	9	12	24
35-49	618	5.6	41	1	1	4	6	10	15	32
50-64	649	7.8	71	1	2	5	9	15	23	50
65+	729	9.4	62	2	2	7	12	19	25	40
B. *Operated*										
0-19 YRS	4238	4.9	29	1	1	4	6	10	13	27
20-34	3212	7.4	55	1	2	5	9	14	19	40
35-49	1880	7.9	47	2	2	6	10	14	20	38
50-64	1607	9.9	75	2	3	8	12	19	24	52
65+	827	12.5	113	3	4	10	16	23	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	5.3	53	1	1	4	6	10	13	39
20-34	654	6.6	42	1	2	5	8	13	18	38
35-49	499	8.8	106	1	2	6	10	18	23	62
50-64	705	10.6	115	2	3	7	13	22	30	62
65+	1327	13.7	138	2	4	10	17	27	37	69
B. *Operated*										
0-19 YRS	2076	10.9	171	1	2	7	12	24	40	75
20-34	2707	14.0	206	2	3	9	17	33	47	91
35-49	1636	14.5	228	3	4	10	17	32	51	99
50-64	1565	16.3	216	3	4	12	20	36	53	99+
65+	1289	19.3	249	4	5	15	24	40	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4843	5.3	37	1	1	4	6	11	16	32
B. *Operated*	11764	7.3	56	1	2	5	9	14	19	41
2. MULTIPLE DX										
A. *Not Operated*	3803	9.9	110	1	2	7	12	21	29	59
B. *Operated*	9273	14.5	216	2	3	10	18	33	50	92
1. SINGLE DX	16607	6.7	51	1	1	5	8	14	19	38
2. MULTIPLE DX	13076	13.2	190	2	3	9	16	29	44	85
A. NOT OPERATED	8646	7.3	74	1	1	5	9	16	23	46
B. OPERATED	21037	10.5	140	1	2	7	12	23	34	72
TOTAL 0-19 YRS	8789	6.0	68	1	1	4	7	12	17	52
20-34	7563	9.3	116	1	2	6	11	19	32	64
35-49	4633	10.0	128	2	2	7	12	21	31	73
50-64	4526	11.9	140	2	3	8	14	25	37	72
65+	4172	14.4	166	3	4	11	18	29	40	78
GRAND TOTAL	**29683**	**9.6**	**123**	**1**	**2**	**6**	**11**	**21**	**31**	**66**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	3.1	9	1	1	2	4	6	7	16
20-34	1199	3.7	15	<1	1	3	4	7	9	15
35-49	925	4.4	16	1	1	3	5	9	11	24
50-64	1080	4.8	16	1	1	4	6	9	12	21
65+	1049	6.9	42	1	2	5	9	13	18	34
B. *Operated*										
0-19 YRS	4443	4.2	14	1	1	3	5	8	10	17
20-34	6202	5.3	17	1	2	4	6	9	12	19
35-49	4333	6.1	22	2	2	5	7	10	14	24
50-64	4360	7.1	25	2	3	6	9	12	15	26
65+	2518	9.2	35	3	4	8	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	600	4.4	16	1	1	3	6	9	12	23
20-34	1042	5.2	26	1	1	4	6	10	14	25
35-49	717	6.3	44	1	2	5	8	12	16	32
50-64	1708	7.7	44	1	2	6	10	15	19	35
65+	2010	10.0	73	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	2661	7.1	56	1	2	5	8	14	20	44
20-34	4941	8.0	69	2	3	6	9	15	23	50
35-49	3224	8.8	77	2	3	6	10	16	23	52
50-64	3780	10.5	95	3	3	8	12	19	26	59
65+	2963	14.0	134	3	5	11	17	26	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5277	4.6	21	1	1	3	6	9	12	24
B. *Operated*	21856	6.0	23	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	5577	7.5	53	1	2	5	10	15	21	38
B. *Operated*	17569	9.5	90	2	3	7	11	19	26	56
1. SINGLE DX	27133	5.8	23	1	2	5	7	11	14	24
2. MULTIPLE DX	23146	9.1	82	2	2	6	11	18	25	52
A. NOT OPERATED	10854	6.1	40	1	1	4	8	13	17	33
B. OPERATED	39425	7.6	56	2	2	6	9	14	20	41
TOTAL 0-19 YRS	8728	5.0	28	1	1	4	6	9	13	28
20-34	13384	6.1	39	1	2	5	7	11	15	34
35-49	9199	6.9	45	2	2	5	8	12	17	36
50-64	10428	8.2	55	2	3	6	10	15	20	40
65+	8540	10.7	85	2	3	8	13	21	27	52
GRAND TOTAL	**50279**	**7.3**	**53**	**1**	**2**	**5**	**9**	**14**	**19**	**39**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	2.5	34	<1	1	2	3	4	5	8
20-34	220	2.8	6	<1	1	2	3	5	7	12
35-49	87	3.7	18	1	1	2	5	6	12	25
50-64	84	3.8	13	1	1	3	5	8	10	19
65+	117	5.8	24	1	1	4	8	11	15	24
B. *Operated*										
0-19 YRS	289	3.1	3	1	1	3	4	5	6	10
20-34	240	3.9	9	1	1	3	5	7	8	13
35-49	62	4.6	58	<1	1	3	5	6	10	55
50-64	61	3.8	4	1	1	4	5	6	8	10
65+	19	5.1	13	1	2	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	641	3.8	32	1	1	2	4	7	11	22
20-34	827	4.5	18	1	1	3	6	9	11	21
35-49	432	6.1	35	1	1	5	8	12	17	27
50-64	497	7.3	40	1	2	6	10	14	20	33
65+	910	10.0	74	2	2	8	13	20	23	43
B. *Operated*										
0-19 YRS	331	7.0	90	1	1	4	7	14	30	55
20-34	471	8.1	107	1	2	5	9	17	23	63
35-49	215	10.1	149	1	2	7	12	20	31	94
50-64	183	10.3	102	2	3	7	14	22	34	63
65+	192	14.0	164	2	3	11	19	27	37	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	3.3	22	<1	1	2	4	6	10	21
B. *Operated*	671	3.6	11	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	3307	6.5	48	1	1	4	8	14	19	31
B. *Operated*	1392	9.2	121	1	2	6	11	20	30	66
1. SINGLE DX	1455	3.5	17	1	1	3	4	6	9	17
2. MULTIPLE DX	4699	7.3	71	1	1	5	9	16	22	45
A. NOT OPERATED	4091	5.9	44	1	1	4	7	13	18	30
B. OPERATED	2063	7.4	92	1	2	4	8	17	24	57
TOTAL 0-19 YRS	1537	4.1	42	1	1	3	4	7	12	33
20-34	1758	5.1	42	1	1	3	6	10	15	33
35-49	796	6.8	70	1	1	4	8	14	20	47
50-64	825	7.3	52	1	2	5	9	15	20	39
65+	1238	10.1	87	1	2	8	13	21	25	46
GRAND TOTAL	**6154**	**6.4**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.4	21	<1	1	2	4	7	20	82
20-34	22	5.9	27	1	1	4	11	14	15	16
35-49	11	11.2	137	3	4	8	10	29	43	44
50-64	8	9.5	135	<1	<1	5	12	29	36	36
65+	7	15.3	73	5	6	12	23	27	28	28
B. *Operated*										
0-19 YRS	38	7.1	184	1	1	4	7	10	20	84
20-34	23	6.8	26	2	2	5	9	17	46	99+
35-49	8	6.0	20	1	1	6	10	12	12	12
50-64	8	7.1	6	3	3	8	9	9	9	9
65+	4	11.0	117	1	1	8	18	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.1	43	<1	1	3	7	16	23	29
20-34	38	5.7	25	1	1	4	10	13	17	20
35-49	6	7.5	16	<1	1	9	12	82	99+	99+
50-64	21	13.5	287	1	2	9	14	31	56	76
65+	35	17.1	182	3	5	15	20	40	51	53
B. *Operated*										
0-19 YRS	51	20.3	560	1	2	11	23	78	88	99+
20-34	66	18.4	370	2	3	12	26	55	95	99+
35-49	28	19.9	430	3	3	11	26	53	69	77
50-64	19	20.1	414	2	3	18	23	56	72	73
65+	17	32.9	602	5	8	26	61	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.7	53	1	1	3	7	15	23	60
B. *Operated*	81	7.1	100	1	1	5	9	12	22	95
2. MULTIPLE DX										
A. *Not Operated*	169	9.2	117	1	1	6	12	21	30	71
B. *Operated*	181	20.7	464	2	3	13	27	68	91	99+
1. SINGLE DX	201	6.2	72	1	1	4	8	14	23	91
2. MULTIPLE DX	350	15.2	329	1	2	9	19	45	72	99+
A. NOT OPERATED	289	7.8	93	1	1	4	10	19	27	67
B. OPERATED	262	16.5	391	1	2	9	22	55	82	99+
TOTAL 0-19 YRS	230	8.6	213	1	1	3	9	22	43	99+
20-34	149	11.5	214	1	2	8	14	28	55	99+
35-49	53	14.6	289	1	3	9	16	45	65	99
50-64	56	14.2	280	1	2	9	17	34	61	76
65+	63	20.8	325	3	5	15	27	53	71	99+
GRAND TOTAL	**551**	**11.9**	**253**	**1**	**1**	**7**	**15**	**32**	**60**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.7	2	<1	<1	1	2	3	5	82
20-34	114	2.7	8	<1	1	2	3	5	8	17
35-49	33	2.7	6	<1	<1	2	3	7	9	9
50-64	41	2.4	5	<1	1	1	3	5	7	9
65+	60	2.6	6	<1	1	2	3	5	7	14
B. *Operated*										
0-19 YRS	834	3.2	4	1	1	3	4	5	6	9
20-34	2297	3.5	8	1	1	3	4	5	6	10
35-49	665	3.5	10	1	1	3	4	6	7	19
50-64	382	2.9	7	<1	1	2	4	6	8	14
65+	436	3.4	24	<1	1	2	4	7	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.4	7	1	1	3	5	7	10	12
20-34	125	3.4	33	<1	1	2	4	7	8	24
35-49	70	3.9	9	<1	1	3	5	8	11	13
50-64	80	5.9	32	1	1	4	7	14	20	26
65+	163	6.8	54	1	1	5	8	15	20	41
B. *Operated*										
0-19 YRS	161	4.8	21	1	1	3	6	11	14	34
20-34	534	5.1	33	1	1	4	6	9	12	29
35-49	260	6.0	39	1	1	4	7	13	18	27
50-64	285	6.7	107	1	1	4	8	13	22	63
65+	495	6.7	47	1	1	5	9	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	2.4	5	<1	1	2	3	5	7	14
B. *Operated*	4614	3.4	9	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	498	5.0	36	1	1	3	6	10	15	35
B. *Operated*	1735	5.9	49	1	1	4	7	12	17	34
1. SINGLE DX	4930	3.3	9	1	1	3	4	5	7	13
2. MULTIPLE DX	2233	5.7	46	1	1	4	7	12	17	34
A. NOT OPERATED	814	4.0	26	<1	1	3	5	8	12	25
B. OPERATED	6349	4.1	21	1	1	3	5	7	11	23
TOTAL 0-19 YRS	1118	3.3	7	1	1	3	4	6	7	15
20-34	3070	3.7	14	1	1	3	4	6	8	15
35-49	1028	4.2	18	1	1	3	5	7	11	22
50-64	788	4.6	48	<1	1	3	5	9	13	32
65+	1159	5.3	40	1	1	3	6	12	17	31
GRAND TOTAL	**7163**	**4.1**	**22**	**1**	**1**	**3**	**5**	**7**	**11**	**23**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	2.9	5	<1	1	2	4	5	7	12
20-34	286	3.1	5	<1	1	2	4	6	7	12
35-49	102	3.8	23	<1	1	2	4	8	12	28
50-64	55	4.5	10	1	1	4	7	8	10	15
65+	26	5.3	17	1	1	5	6	10	12	20
B. *Operated*										
0-19 YRS	5769	4.5	8	2	2	4	5	7	8	12
20-34	10382	4.7	6	2	2	4	6	7	8	12
35-49	4435	5.0	7	2	3	5	6	8	9	14
50-64	2186	5.6	9	2	3	5	7	9	11	17
65+	345	6.6	15	2	3	6	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.0	24	<1	<1	2	5	9	10	29
20-34	180	3.5	12	<1	<1	2	5	7	9	20
35-49	106	5.5	90	<1	1	4	6	11	15	53
50-64	83	5.1	16	1	1	4	7	10	13	18
65+	75	9.1	58	1	2	7	12	17	25	38
B. *Operated*										
0-19 YRS	2525	5.3	17	2	2	5	6	8	10	21
20-34	4898	5.6	19	2	2	5	6	9	11	23
35-49	2409	6.3	28	2	3	5	7	10	14	26
50-64	1976	6.8	29	2	3	5	8	11	15	31
65+	457	9.4	72	2	3	7	11	17	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	3.3	9	<1	1	3	4	6	8	13
B. *Operated*	23117	4.8	7	2	2	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	559	5.0	39	<1	1	3	6	10	15	27
B. *Operated*	12265	6.0	25	2	3	5	7	10	13	25
1. SINGLE DX	23844	4.8	7	2	2	4	6	7	9	14
2. MULTIPLE DX	12824	6.0	25	2	2	5	7	10	13	25
A. NOT OPERATED	1286	4.0	22	<1	1	3	5	8	11	22
B. OPERATED	35382	5.2	14	2	2	5	6	8	10	19
TOTAL 0-19 YRS	8667	4.7	11	1	2	4	5	7	9	15
20-34	15746	4.9	10	2	2	4	6	8	9	16
35-49	7052	5.4	16	2	2	5	6	9	11	20
50-64	4300	6.1	19	2	3	5	7	10	13	23
65+	903	8.2	49	2	3	6	9	15	20	36
GRAND TOTAL	**36668**	**5.2**	**14**	**2**	**2**	**5**	**6**	**8**	**10**	**19**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	4.9	39	<1	1	3	5	11	17	27
20-34	268	5.9	34	1	1	4	8	11	15	30
35-49	159	6.7	35	1	1	5	10	15	18	36
50-64	101	6.9	72	1	1	4	9	14	23	48
65+	50	5.2	15	1	1	4	7	12	13	17
B. *Operated*										
0-19 YRS	1348	3.9	37	<1	1	2	4	9	14	29
20-34	1332	4.9	33	<1	1	3	5	12	17	29
35-49	694	6.0	42	1	1	3	8	14	19	31
50-64	500	5.9	57	1	1	3	7	15	21	32
65+	246	8.4	117	1	1	4	9	22	31	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	6.9	107	1	1	4	7	14	24	56
20-34	339	7.9	52	1	1	7	11	16	21	45
35-49	208	8.3	57	1	2	7	10	17	23	48
50-64	203	9.1	72	1	2	7	11	18	26	53
65+	190	9.8	102	2	2	7	12	20	29	52
B. *Operated*										
0-19 YRS	744	8.6	111	1	1	5	11	21	30	58
20-34	1212	10.0	132	1	1	6	13	24	36	58
35-49	702	9.1	110	1	2	5	11	20	29	64
50-64	608	11.6	175	1	2	7	15	30	37	77
65+	381	12.6	181	1	2	7	17	31	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	803	5.8	40	1	1	4	8	12	17	31
B. *Operated*	4120	5.1	45	1	1	3	6	12	18	32
2. MULTIPLE DX										
A. *Not Operated*	1135	8.3	75	1	2	6	11	17	24	51
B. *Operated*	3647	10.1	137	1	2	6	13	24	35	61
1. SINGLE DX	4923	5.2	44	1	1	3	6	12	18	32
2. MULTIPLE DX	4782	9.7	123	1	2	6	12	22	33	59
A. NOT OPERATED	1938	7.3	62	1	1	5	9	15	21	44
B. OPERATED	7767	7.4	95	1	1	4	9	18	26	52
TOTAL 0-19 YRS	2512	5.6	69	1	1	3	6	14	21	44
20-34	3151	7.2	79	1	1	4	9	17	25	48
35-49	1763	7.6	72	1	1	5	10	17	24	50
50-64	1412	8.9	117	1	1	5	11	22	30	60
65+	867	10.4	141	1	2	6	13	25	37	57
GRAND TOTAL	**9705**	**7.4**	**88**	**1**	**1**	**4**	**9**	**18**	**26**	**51**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	377	2.8	5	<1	1	2	4	5	7	12
20-34	453	3.0	7	<1	1	2	4	6	9	12
35-49	221	4.0	9	1	1	3	5	8	10	12
50-64	183	4.8	10	1	2	4	6	9	12	15
65+	150	6.4	23	2	2	5	8	13	18	23
B. *Operated*										
0-19 YRS	1426	4.2	6	1	2	4	5	7	8	11
20-34	1875	4.5	7	1	2	4	6	8	9	14
35-49	507	5.1	12	1	2	4	6	10	12	17
50-64	234	6.2	19	1	2	5	8	11	14	24
65+	84	9.3	69	2	3	8	11	14	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.9	13	1	1	3	5	9	13	54
20-34	317	4.5	15	1	1	3	6	10	13	17
35-49	217	5.9	25	1	2	5	7	11	14	33
50-64	300	6.3	21	1	2	5	8	12	15	22
65+	557	8.1	36	2	3	6	10	15	20	29
B. *Operated*										
0-19 YRS	1186	5.4	8	2	2	5	7	9	10	16
20-34	1920	6.0	21	2	2	5	7	10	12	19
35-49	611	7.0	28	2	3	6	8	12	16	27
50-64	302	8.5	39	2	3	7	10	16	19	35
65+	162	14.2	154	3	4	11	18	30	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1384	3.7	10	1	1	3	5	8	10	16
B. *Operated*	4126	4.7	10	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1600	6.2	27	1	2	5	8	13	16	28
B. *Operated*	4181	6.5	28	2	2	5	7	11	14	27
1. SINGLE DX	5510	4.4	10	1	1	4	6	8	10	16
2. MULTIPLE DX	5781	6.4	28	1	2	5	8	11	15	28
A. NOT OPERATED	2984	5.0	21	1	1	4	6	11	14	23
B. OPERATED	8307	5.6	20	1	2	5	7	9	12	22
TOTAL 0-19 YRS	3198	4.5	8	1	1	4	6	8	9	14
20-34	4565	5.0	14	1	2	5	6	8	11	17
35-49	1556	5.8	21	1	2	5	7	10	14	24
50-64	1019	6.6	25	1	2	5	8	12	16	27
65+	953	9.0	63	2	3	7	11	17	23	46
GRAND TOTAL	**11291**	**5.4**	**20**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	855	5.4	15	1	2	4	7	10	13	20
20-34	7629	6.6	18	2	2	6	8	11	14	20
35-49	6736	7.2	19	2	3	6	9	12	15	22
50-64	3213	7.2	17	2	3	7	9	12	15	22
65+	833	7.3	21	2	3	6	10	13	16	22
B. *Operated*										
0-19 YRS	92	7.4	27	1	2	6	10	13	17	24
20-34	1345	8.3	41	2	2	7	12	16	19	27
35-49	1076	9.1	43	2	2	8	12	17	22	33
50-64	337	8.7	39	2	2	8	11	16	21	30
65+	30	9.7	50	2	2	9	13	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	665	6.2	20	1	2	5	8	12	14	21
20-34	6010	7.6	21	2	3	7	10	13	16	23
35-49	6779	8.3	25	3	3	7	10	14	17	26
50-64	5325	8.6	27	3	4	8	11	15	18	26
65+	3559	9.4	43	3	3	8	12	16	20	33
B. *Operated*										
0-19 YRS	65	8.6	29	1	3	8	12	17	18	24
20-34	1094	11.3	51	2	4	10	15	20	24	35
35-49	1255	12.1	61	3	4	10	15	22	26	40
50-64	741	12.3	57	3	4	11	16	22	25	41
65+	299	15.2	114	4	5	12	20	29	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19266	6.9	18	2	3	6	9	12	14	21
B. *Operated*	2880	8.6	41	2	2	8	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	22338	8.3	28	2	3	7	10	15	18	27
B. *Operated*	3454	12.1	62	3	4	10	16	22	26	40
1. SINGLE DX	22146	7.1	22	2	3	6	9	13	15	23
2. MULTIPLE DX	25792	8.8	34	2	3	8	11	16	19	30
A. NOT OPERATED	41604	7.6	24	2	3	7	10	13	16	24
B. OPERATED	6334	10.5	56	2	3	9	14	19	24	36
TOTAL 0-19 YRS	1677	6.0	19	1	2	5	8	11	14	22
20-34	16078	7.4	25	2	3	6	9	13	16	24
35-49	15846	8.2	28	2	3	7	10	14	18	28
50-64	9616	8.4	28	2	3	7	11	15	18	26
65+	4721	9.4	46	3	3	8	12	17	21	36
GRAND TOTAL	**47938**	**8.0**	**29**	**2**	**3**	**7**	**10**	**14**	**18**	**27**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1498	3.6	10	1	1	3	5	7	10	15
20-34	5732	6.1	17	1	2	5	8	11	14	20
35-49	4067	6.7	22	2	2	6	9	12	14	21
50-64	1784	6.7	18	1	2	6	9	12	15	22
65+	525	6.6	23	1	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	95	6.8	33	1	2	5	9	13	19	30
20-34	1116	7.0	36	1	2	5	10	15	18	24
35-49	888	7.7	33	2	2	6	11	16	19	26
50-64	273	7.7	35	2	2	6	10	16	20	28
65+	19	9.7	98	1	2	7	13	18	32	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1735	4.7	13	1	1	4	6	9	12	18
20-34	8627	6.8	22	1	2	6	9	12	15	24
35-49	6611	7.6	23	2	3	7	10	14	16	24
50-64	4304	8.1	32	2	3	7	10	14	18	29
65+	2663	8.4	33	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	127	6.1	28	1	1	5	7	12	16	26
20-34	1195	9.6	56	2	2	8	13	18	22	35
35-49	1194	10.7	51	2	3	9	14	21	24	32
50-64	598	10.8	53	2	3	10	15	20	23	35
65+	220	13.2	91	3	4	11	17	26	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13606	6.1	19	1	2	5	8	11	14	21
B. *Operated*	2391	7.3	36	1	2	6	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	23940	7.3	25	2	2	6	9	13	17	25
B. *Operated*	3334	10.3	56	2	3	9	14	20	24	36
1. SINGLE DX	15997	6.3	22	1	2	5	8	12	15	22
2. MULTIPLE DX	27274	7.6	30	2	2	6	10	14	18	27
A. NOT OPERATED	37546	6.8	23	1	2	6	9	13	16	24
B. OPERATED	5725	9.1	50	2	2	8	12	18	22	32
TOTAL 0-19 YRS	3455	4.3	13	1	1	3	6	9	11	18
20-34	16670	6.8	25	1	2	6	9	13	16	24
35-49	12760	7.6	27	2	3	7	10	14	17	25
50-64	6959	7.9	31	2	3	7	10	15	18	28
65+	3427	8.5	38	2	3	7	11	16	20	32
GRAND TOTAL	**43271**	**7.1**	**28**	**1**	**2**	**6**	**9**	**13**	**17**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	535	2.9	7	<1	1	2	4	6	7	12
20-34	746	3.2	8	1	1	2	4	6	8	12
35-49	476	3.7	9	1	1	3	5	7	9	16
50-64	345	4.3	11	1	1	3	5	8	10	16
65+	273	5.3	19	1	2	4	7	11	13	19
B. *Operated*										
0-19 YRS	1132	3.1	3	1	1	3	4	5	6	9
20-34	2388	3.5	10	1	1	3	4	6	7	11
35-49	1643	3.9	5	1	2	3	5	7	8	12
50-64	1604	5.0	12	2	2	4	6	8	11	19
65+	450	6.2	16	2	2	5	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	3.3	6	1	1	2	4	7	8	12
20-34	793	4.5	18	1	1	3	6	9	12	19
35-49	673	5.5	22	1	2	4	7	11	14	27
50-64	792	5.9	27	1	2	5	8	11	15	24
65+	1253	7.8	36	2	2	6	10	16	20	31
B. *Operated*										
0-19 YRS	388	3.7	8	1	1	3	5	7	9	12
20-34	739	4.4	13	1	1	4	5	8	11	22
35-49	557	5.8	26	1	2	5	6	11	15	34
50-64	805	6.8	29	2	3	5	8	13	18	30
65+	389	9.3	77	2	3	7	12	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2375	3.6	10	1	1	3	5	7	9	15
B. *Operated*	7217	4.0	9	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	3877	5.9	27	1	1	4	8	12	16	26
B. *Operated*	2878	5.9	31	1	2	4	7	12	16	28
1. SINGLE DX	9592	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX	6755	5.9	29	1	2	4	7	12	16	27
A. NOT OPERATED	6252	5.0	22	1	1	4	6	11	14	23
B. OPERATED	10095	4.6	16	1	2	4	5	8	11	21
TOTAL 0-19 YRS	2421	3.2	5	1	1	3	4	6	7	11
20-34	4666	3.7	12	1	1	3	5	7	9	15
35-49	3349	4.5	13	1	1	4	5	8	11	20
50-64	3546	5.6	20	1	2	4	7	10	13	23
65+	2365	7.4	38	2	2	6	9	15	19	31
GRAND TOTAL	**16347**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13836	1.8	2	1	1	1	2	3	4	8
20-34	4481	2.4	9	<1	1	2	3	5	6	11
35-49	1206	2.8	10	1	1	2	3	6	8	13
50-64	661	2.9	8	1	1	2	4	6	8	12
65+	390	3.5	24	1	1	2	4	7	10	20
B. *Operated*										
0-19 YRS	193	3.0	56	<1	1	1	3	5	8	72
20-34	111	3.7	20	<1	1	2	4	8	10	26
35-49	32	5.7	61	1	1	4	7	8	10	46
50-64	24	5.9	16	1	2	5	9	12	13	14
65+	10	6.1	20	1	1	9	11	47	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13795	2.7	11	1	1	2	3	5	7	15
20-34	10627	3.7	15	1	1	3	5	8	10	18
35-49	4112	4.8	28	1	1	3	6	10	13	24
50-64	2913	5.4	27	1	1	4	7	11	15	27
65+	2995	7.4	51	1	2	5	10	16	21	35
B. *Operated*										
0-19 YRS	3434	5.0	67	1	1	2	5	11	19	48
20-34	3722	5.7	77	<1	1	3	6	12	20	54
35-49	1325	6.9	87	1	1	4	8	15	22	53
50-64	934	7.9	101	1	1	5	10	18	27	60
65+	925	10.0	133	1	2	6	12	23	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20574	2.0	5	<1	1	1	2	4	5	10
B. *Operated*	370	3.7	43	1	1	2	4	8	11	48
2. MULTIPLE DX										
A. *Not Operated*	34442	3.9	21	1	1	2	5	8	11	23
B. *Operated*	10340	6.2	84	1	1	3	7	14	23	55
1. SINGLE DX	20944	2.1	6	<1	1	1	2	4	5	11
2. MULTIPLE DX	44782	4.4	36	1	1	3	5	9	14	31
A. NOT OPERATED	55016	3.2	16	1	1	2	4	7	10	20
B. OPERATED	10710	6.1	83	1	1	3	7	14	22	54
TOTAL 0-19 YRS	31258	2.5	14	1	1	2	3	5	7	18
20-34	18941	3.8	27	<1	1	2	4	8	11	26
35-49	6675	4.9	38	1	1	3	6	10	14	31
50-64	4532	5.6	42	1	1	4	7	12	17	33
65+	4320	7.6	69	1	1	5	10	17	23	45
GRAND TOTAL	**65726**	**3.7**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**27**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3535	2.3	17	<1	1	1	2	4	7	18
20-34	1181	3.1	18	<1	1	2	3	6	9	22
35-49	365	3.8	19	<1	1	2	4	9	12	25
50-64	243	4.5	33	<1	1	3	6	9	14	28
65+	200	6.1	73	1	1	3	7	15	23	40
B. *Operated*										
0-19 YRS	262	11.8	177	1	1	8	15	29	54	99+
20-34	225	13.0	227	1	2	8	14	31	54	98
35-49	121	12.6	152	1	2	9	14	27	43	62
50-64	196	14.4	139	3	5	11	18	28	47	83
65+	274	16.5	146	4	6	13	21	30	46	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4143	3.9	46	1	1	2	4	8	13	37
20-34	2805	5.3	62	<1	1	3	6	11	18	51
35-49	1120	5.6	54	1	1	4	7	12	17	42
50-64	922	7.1	72	1	1	4	9	17	24	55
65+	1290	9.3	93	1	2	6	12	21	27	63
B. *Operated*										
0-19 YRS	1331	15.2	368	1	1	8	24	59	99+	99+
20-34	1535	18.2	488	1	1	10	31	71	99+	99+
35-49	617	16.7	338	1	1	10	26	50	77	99+
50-64	601	19.7	411	1	2	13	30	59	90	99+
65+	822	21.9	331	2	3	17	31	52	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5524	2.8	21	<1	1	1	3	6	9	22
B. *Operated*	1078	13.8	172	1	3	10	17	30	48	87
2. MULTIPLE DX										
A. *Not Operated*	10280	5.4	62	1	1	3	6	12	20	46
B. *Operated*	4906	18.0	406	1	1	11	29	59	92	99+
1. SINGLE DX	6602	4.6	62	<1	1	2	5	11	18	47
2. MULTIPLE DX	15186	9.5	208	1	1	4	11	29	49	99+
A. NOT OPERATED	15804	4.5	49	1	1	2	5	10	17	39
B. OPERATED	5984	17.2	366	1	1	11	26	55	85	99+
TOTAL 0-19 YRS	9271	5.1	104	1	1	2	4	12	26	95
20-34	5746	8.6	210	<1	1	3	9	26	52	99+
35-49	2223	8.8	159	1	1	4	10	22	41	99+
50-64	1962	11.3	214	1	1	6	14	32	50	99+
65+	2586	13.8	209	1	2	9	19	33	47	92
GRAND TOTAL	**21788**	**8.0**	**169**	**1**	**1**	**3**	**9**	**22**	**40**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.9	9	1	1	2	3	5	6	18
20-34	237	3.9	9	1	1	3	5	7	9	18
35-49	89	4.2	9	1	1	4	5	8	11	15
50-64	64	5.2	33	1	1	4	6	8	14	36
65+	32	5.2	18	1	1	5	7	11	16	18
B. *Operated*										
0-19 YRS	160	5.6	10	2	2	5	7	10	12	14
20-34	383	6.2	25	2	3	5	7	10	13	24
35-49	133	7.7	43	2	3	6	9	13	17	65
50-64	62	7.8	38	2	3	6	9	17	23	29
65+	36	8.4	27	2	3	7	12	15	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	4.6	11	1	1	4	6	8	10	16
20-34	490	5.1	20	1	1	4	7	10	12	20
35-49	292	6.2	18	1	2	5	8	12	14	20
50-64	283	7.7	37	2	2	6	10	15	20	34
65+	268	9.7	58	2	3	8	12	19	22	43
B. *Operated*										
0-19 YRS	544	10.2	89	3	3	8	12	19	29	57
20-34	1100	11.3	122	3	4	8	12	21	31	69
35-49	471	12.6	163	3	4	9	15	27	39	98
50-64	400	14.3	166	4	5	10	17	32	47	94
65+	267	15.9	187	3	4	12	20	34	49	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	3.9	13	1	1	3	5	7	10	18
B. *Operated*	774	6.5	27	2	3	5	8	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1593	6.5	31	1	2	5	8	13	17	28
B. *Operated*	2782	12.2	138	3	4	9	14	25	37	78
1. SINGLE DX	1326	5.5	23	1	2	4	7	10	13	25
2. MULTIPLE DX	4375	10.1	106	2	3	7	12	20	30	63
A. NOT OPERATED	2145	5.8	27	1	1	4	7	12	15	25
B. OPERATED	3556	10.9	119	3	3	8	12	22	33	72
TOTAL 0-19 YRS	1094	7.3	58	1	2	5	9	14	20	44
20-34	2210	8.2	80	1	2	6	10	16	23	59
35-49	985	9.3	100	2	2	7	11	19	27	78
50-64	809	10.8	113	2	3	7	13	22	34	62
65+	603	12.1	123	2	3	9	15	25	34	63
GRAND TOTAL	**5701**	**9.0**	**91**	**1**	**2**	**6**	**10**	**18**	**26**	**60**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1331	3.7	10	1	1	3	5	6	9	15
20-34	693	3.5	9	1	1	3	4	7	9	15
35-49	174	3.6	10	1	1	3	5	7	9	19
50-64	84	4.3	15	1	1	3	6	8	9	24
65+	65	4.5	9	1	2	4	6	7	9	19
B. *Operated*										
0-19 YRS	793	7.3	23	2	4	7	8	11	14	25
20-34	853	8.0	30	3	4	7	9	12	15	28
35-49	234	9.1	33	3	4	8	11	15	18	34
50-64	120	10.2	84	2	4	8	11	18	24	60
65+	42	7.6	18	1	2	7	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1277	4.3	22	1	1	3	5	9	11	20
20-34	1076	4.4	17	1	1	3	6	8	10	21
35-49	395	5.6	34	1	2	4	7	11	14	33
50-64	257	6.2	32	1	2	5	7	12	17	28
65+	272	8.4	49	1	2	7	11	17	21	34
B. *Operated*										
0-19 YRS	1733	12.9	149	3	5	9	14	27	41	69
20-34	2762	14.5	184	4	5	10	16	31	47	87
35-49	933	15.7	196	4	5	11	18	34	44	84
50-64	505	17.2	197	4	6	13	21	37	49	99+
65+	307	19.6	249	3	6	15	27	39	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2347	3.6	10	1	1	3	5	7	9	17
B. *Operated*	2042	7.9	31	3	4	7	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3277	5.0	26	1	1	4	6	10	13	25
B. *Operated*	6240	14.7	183	4	5	10	17	32	45	84
1. SINGLE DX	4389	5.6	24	1	1	5	7	10	13	24
2. MULTIPLE DX	9517	11.4	150	1	2	8	13	25	38	74
A. NOT OPERATED	5624	4.4	20	1	1	3	6	9	11	21
B. OPERATED	8282	13.0	154	3	5	9	14	27	40	77
TOTAL 0-19 YRS	5134	7.5	78	1	1	6	9	14	22	49
20-34	5384	10.0	126	1	2	7	11	20	32	70
35-49	1736	11.3	143	1	2	8	13	24	36	69
50-64	966	12.3	151	2	2	9	15	29	39	80
65+	686	13.0	169	2	2	9	16	31	38	81
GRAND TOTAL	**13906**	**9.5**	**118**	**1**	**2**	**7**	**11**	**20**	**31**	**65**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.2	10	<1	1	2	4	6	8	42
20-34	86	3.1	7	<1	1	2	4	6	7	14
35-49	31	2.9	3	<1	1	2	5	5	5	6
50-64	16	3.3	3	<1	1	3	5	6	7	7
65+	7	5.3	6	3	3	5	6	9	10	10
B. *Operated*										
0-19 YRS	1149	3.1	7	1	1	2	4	7	8	14
20-34	673	3.6	21	1	1	3	4	6	8	15
35-49	289	3.8	10	1	1	3	5	7	10	18
50-64	148	3.4	4	1	1	3	5	6	7	11
65+	113	3.7	7	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.8	10	1	1	3	5	7	9	19
20-34	142	4.0	12	<1	1	3	5	8	11	20
35-49	73	4.4	14	<1	1	4	6	9	11	21
50-64	59	4.9	13	1	1	4	7	9	12	19
65+	60	7.4	76	1	1	5	8	14	33	41
B. *Operated*										
0-19 YRS	1102	4.4	14	1	1	3	6	9	11	19
20-34	1029	5.0	24	1	1	4	6	10	13	24
35-49	449	5.6	26	1	1	4	7	11	14	27
50-64	284	5.8	27	1	1	4	7	11	16	30
65+	212	7.1	51	1	2	5	9	15	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.2	7	<1	1	2	4	6	7	18
B. *Operated*	2372	3.4	11	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	517	4.5	20	1	1	3	5	8	11	22
B. *Operated*	3076	5.1	23	1	1	4	6	10	13	26
1. SINGLE DX	2634	3.3	11	1	1	2	4	7	8	15
2. MULTIPLE DX	3593	5.0	23	1	1	4	6	10	13	25
A. NOT OPERATED	779	4.0	16	1	1	3	5	8	11	21
B. OPERATED	5448	4.3	19	1	1	3	5	9	11	21
TOTAL 0-19 YRS	2556	3.7	11	1	1	3	5	7	10	18
20-34	1930	4.3	22	1	1	3	5	8	11	21
35-49	842	4.8	20	1	1	4	6	10	13	23
50-64	507	4.9	19	1	1	4	6	9	13	25
65+	392	6.1	43	1	1	4	7	14	18	39
GRAND TOTAL	**6227**	**4.3**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	2.5	13	<1	1	2	3	5	6	16
20-34	485	2.9	14	<1	<1	2	3	5	8	17
35-49	189	2.9	6	<1	<1	2	4	6	10	13
50-64	101	3.2	9	<1	1	2	4	7	10	15
65+	98	3.9	19	1	1	2	4	8	17	62
B. *Operated*										
0-19 YRS	2053	2.2	9	<1	1	1	2	4	6	13
20-34	1152	3.1	18	<1	1	2	3	6	8	22
35-49	456	3.5	27	<1	1	2	4	7	10	32
50-64	232	3.3	16	<1	1	2	4	6	9	20
65+	177	3.9	20	<1	1	2	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1313	2.8	10	<1	1	2	3	5	7	14
20-34	1730	3.5	25	<1	1	2	4	7	9	22
35-49	810	4.3	25	<1	1	3	6	9	12	26
50-64	704	4.9	41	1	1	3	6	10	12	25
65+	1226	7.0	53	1	1	5	9	15	19	39
B. *Operated*										
0-19 YRS	3767	3.7	30	<1	1	2	4	7	11	26
20-34	4543	4.5	39	<1	1	3	5	9	14	33
35-49	1799	5.7	70	1	1	3	6	12	17	52
50-64	1295	6.3	61	1	1	4	7	13	19	45
65+	1671	7.8	83	1	1	5	9	17	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1417	2.8	12	<1	1	2	3	5	8	20
B. *Operated*	4070	2.8	15	<1	1	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	5783	4.4	32	<1	1	3	5	9	13	26
B. *Operated*	13075	5.0	50	1	1	3	6	11	16	38
1. SINGLE DX	5487	2.8	14	<1	1	2	3	5	8	18
2. MULTIPLE DX	18858	4.8	45	1	1	3	6	10	15	34
A. NOT OPERATED	7200	4.1	28	<1	1	3	5	8	12	24
B. OPERATED	17145	4.5	43	<1	1	3	5	9	14	34
TOTAL 0-19 YRS	7677	3.1	20	<1	1	2	3	6	9	21
20-34	7910	4.0	32	<1	1	2	5	8	12	30
35-49	3254	4.9	50	<1	1	3	6	10	15	42
50-64	2332	5.4	50	1	1	3	7	11	16	39
65+	3172	7.1	67	1	1	5	9	16	22	44
GRAND TOTAL	**24345**	**4.4**	**39**	**<1**	**1**	**3**	**5**	**9**	**14**	**32**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	718	2.4	5	<1	1	2	3	4	6	11
20-34	1320	2.5	4	<1	1	2	3	5	7	10
35-49	416	3.0	9	<1	1	2	3	6	8	14
50-64	159	3.5	16	<1	1	2	4	7	12	23
65+	47	4.1	16	1	1	3	5	8	9	24
B. *Operated*										
0-19 YRS	985	3.7	19	<1	1	2	5	7	9	25
20-34	1312	5.0	22	1	1	4	7	10	12	25
35-49	412	5.8	38	1	1	5	7	11	15	33
50-64	168	5.6	29	1	1	4	7	12	17	33
65+	46	7.7	76	1	1	5	9	18	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	479	3.4	14	1	1	2	4	6	9	16
20-34	1060	4.1	20	<1	1	3	5	8	11	23
35-49	463	4.7	33	1	1	3	6	9	12	30
50-64	228	5.6	50	1	1	4	7	11	15	41
65+	154	7.6	37	1	2	6	10	15	17	28
B. *Operated*										
0-19 YRS	1094	8.0	87	1	1	6	10	15	24	53
20-34	2594	9.3	95	1	2	7	11	19	26	58
35-49	916	11.2	138	1	2	8	12	24	35	61
50-64	382	11.0	120	1	2	8	13	24	35	92
65+	179	13.1	166	2	3	10	17	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2660	2.6	6	<1	1	2	3	5	7	13
B. *Operated*	2923	4.8	25	1	1	3	6	9	12	28
2. MULTIPLE DX										
A. *Not Operated*	2384	4.5	26	1	1	3	5	9	13	26
B. *Operated*	5165	9.6	107	1	2	7	11	20	29	60
1. SINGLE DX	5583	3.8	17	<1	1	2	5	8	10	22
2. MULTIPLE DX	7549	8.0	87	1	1	5	9	16	25	55
A. NOT OPERATED	5044	3.5	17	<1	1	2	4	7	10	19
B. OPERATED	8088	7.9	83	1	1	6	9	16	24	54
TOTAL 0-19 YRS	3276	4.8	43	1	1	3	6	10	14	35
20-34	6286	6.1	56	1	1	4	7	12	18	42
35-49	2207	7.3	84	1	1	5	9	15	24	52
50-64	937	7.4	78	1	1	5	9	17	26	57
65+	426	9.5	103	1	2	7	12	19	30	72
GRAND TOTAL	**13132**	**6.2**	**62**	**1**	**1**	**4**	**8**	**13**	**19**	**46**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	2.7	6	<1	1	2	3	5	6	11
20-34	915	2.9	6	<1	1	2	4	6	7	11
35-49	344	3.2	22	<1	1	2	4	6	8	12
50-64	164	3.4	18	<1	1	2	4	6	8	14
65+	76	3.9	7	1	1	3	5	8	9	77
B. *Operated*										
0-19 YRS	5099	2.5	10	<1	1	2	3	5	6	15
20-34	6885	2.8	12	<1	1	2	3	5	8	16
35-49	2788	2.9	16	<1	1	2	3	6	8	21
50-64	1807	3.0	12	<1	1	2	3	6	8	20
65+	634	3.2	14	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	4.2	35	1	1	3	5	7	11	26
20-34	993	4.4	29	<1	1	3	5	9	12	27
35-49	404	4.2	18	1	1	3	5	7	11	21
50-64	284	5.2	23	1	1	4	6	10	14	27
65+	264	7.5	57	1	2	5	9	15	19	41
B. *Operated*										
0-19 YRS	3558	3.5	24	1	1	2	4	7	10	26
20-34	5592	4.1	32	1	1	2	5	8	12	29
35-49	2165	4.6	43	1	1	3	5	10	15	33
50-64	1587	4.7	41	1	1	3	5	10	15	37
65+	826	6.3	70	1	1	3	7	15	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2112	3.0	10	<1	1	2	4	6	7	11
B. *Operated*	17213	2.8	12	<1	1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	2437	4.7	32	1	1	3	6	9	13	27
B. *Operated*	13728	4.2	35	1	1	2	5	9	13	33
1. SINGLE DX	19325	2.8	12	<1	1	2	3	5	8	16
2. MULTIPLE DX	16165	4.3	35	1	1	3	5	9	13	32
A. NOT OPERATED	4549	3.9	22	<1	1	3	5	8	10	22
B. OPERATED	30941	3.4	23	1	1	2	4	7	10	25
TOTAL 0-19 YRS	9762	3.0	17	<1	1	2	3	6	8	20
20-34	14385	3.4	21	<1	1	2	4	7	10	22
35-49	5701	3.7	27	1	1	2	4	7	11	28
50-64	3842	3.9	26	1	1	2	4	8	12	29
65+	1800	5.3	48	1	1	3	6	12	17	39
GRAND TOTAL	**35490**	**3.5**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1030	3.1	8	<1	1	2	4	6	8	16
20-34	1050	3.5	13	1	1	3	4	6	8	18
35-49	355	4.0	14	<1	1	3	5	8	11	19
50-64	165	4.1	13	<1	1	3	5	8	12	17
65+	121	6.1	67	1	1	4	7	11	17	50
B. *Operated*										
0-19 YRS	3013	4.5	33	1	1	3	5	10	14	30
20-34	2320	5.1	32	1	1	3	6	10	14	32
35-49	753	5.7	49	1	1	4	7	12	19	35
50-64	483	7.2	86	1	1	4	8	17	24	43
65+	252	10.6	180	1	1	6	12	23	36	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.6	16	1	1	4	6	9	11	23
20-34	651	4.8	24	1	1	4	6	9	12	28
35-49	305	5.6	22	1	2	4	7	10	13	24
50-64	274	7.8	59	1	2	6	10	16	22	48
65+	297	9.2	50	2	2	7	12	19	26	45
B. *Operated*										
0-19 YRS	1530	8.6	120	1	1	5	9	20	31	60
20-34	1676	10.0	149	1	2	6	11	24	37	76
35-49	682	10.8	177	1	2	7	12	25	43	86
50-64	510	12.2	166	1	2	7	16	29	39	71
65+	475	15.4	218	2	3	11	20	35	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2721	3.6	14	<1	1	3	4	7	9	18
B. *Operated*	6821	5.3	45	1	1	3	6	11	17	35
2. MULTIPLE DX										
A. *Not Operated*	2025	5.9	33	1	1	4	7	11	17	32
B. *Operated*	4873	10.4	156	1	2	6	12	25	38	73
1. SINGLE DX	9542	4.8	37	1	1	3	5	10	15	32
2. MULTIPLE DX	6898	9.1	124	1	2	5	10	21	32	65
A. NOT OPERATED	4746	4.6	24	1	1	3	5	9	13	26
B. OPERATED	11694	7.4	98	1	1	4	8	17	26	55
TOTAL 0-19 YRS	6071	5.3	53	1	1	3	6	11	17	40
20-34	5697	6.2	68	1	1	4	7	12	21	49
35-49	2095	7.1	88	1	1	4	8	15	23	52
50-64	1432	8.7	108	1	1	5	10	21	29	54
65+	1145	11.7	161	1	2	8	15	26	38	86
GRAND TOTAL	**16440**	**6.6**	**78**	**1**	**1**	**4**	**7**	**14**	**23**	**51**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.5	9	<1	1	1	2	5	9	19
20-34	32	3.8	9	<1	1	3	6	9	10	12
35-49	18	3.6	7	1	1	3	5	8	10	10
50-64	8	3.6	4	<1	<1	4	5	6	6	6
65+	9	3.3	5	1	1	3	4	7	8	8
B. *Operated*										
0-19 YRS	76	4.9	30	1	1	3	6	10	14	33
20-34	146	4.9	20	1	1	3	7	12	14	21
35-49	55	5.3	29	1	1	3	7	11	15	26
50-64	22	4.8	11	1	1	4	7	9	11	13
65+	8	9.3	119	2	2	4	12	28	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.1	13	<1	1	2	4	5	8	23
20-34	62	4.5	21	1	1	3	5	10	12	25
35-49	35	4.9	16	1	1	4	6	13	14	15
50-64	31	8.8	105	1	2	6	9	20	28	53
65+	53	7.6	46	1	1	6	10	15	22	37
B. *Operated*										
0-19 YRS	244	10.2	192	1	1	6	12	21	39	70
20-34	394	11.1	196	1	1	7	13	29	49	84
35-49	144	11.1	160	1	1	7	15	28	54	99+
50-64	86	11.2	258	1	1	5	13	25	51	94
65+	39	20.8	320	2	4	16	28	59	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.1	9	<1	1	2	4	6	10	13
B. *Operated*	307	5.1	26	1	1	3	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	267	5.2	36	1	1	3	6	11	16	27
B. *Operated*	907	11.3	204	1	1	6	13	28	51	87
1. SINGLE DX	448	4.4	21	1	1	3	6	10	13	22
2. MULTIPLE DX	1174	9.9	172	1	1	6	12	23	41	81
A. NOT OPERATED	408	4.5	27	1	1	3	5	10	13	24
B. OPERATED	1214	9.7	166	1	1	6	12	22	40	80
TOTAL 0-19 YRS	480	6.9	117	1	1	3	7	15	23	63
20-34	634	8.7	139	1	1	5	10	19	33	72
35-49	252	8.4	110	1	1	5	10	20	30	98
50-64	147	9.3	180	1	1	5	10	23	48	85
65+	109	12.1	187	1	2	8	15	30	42	85
GRAND TOTAL	**1622**	**8.4**	**136**	**1**	**1**	**5**	**10**	**19**	**31**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	4.4	41	<1	1	3	5	9	14	84
20-34	370	6.4	39	1	1	4	8	13	19	32
35-49	216	5.5	23	1	1	4	7	11	14	21
50-64	137	8.3	63	1	2	6	10	19	27	36
65+	140	8.7	84	1	2	6	12	18	23	42
B. *Operated*										
0-19 YRS	1837	4.0	22	1	1	3	4	8	11	21
20-34	3051	4.4	26	1	1	3	5	8	12	25
35-49	1386	4.7	26	1	2	3	6	10	13	25
50-64	876	5.8	53	1	2	4	7	12	17	35
65+	318	9.6	112	1	2	6	13	23	27	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	7.8	149	1	1	4	8	22	44	99+
20-34	693	9.0	144	1	1	5	11	22	45	99+
35-49	458	8.7	80	1	2	6	11	18	25	78
50-64	398	8.6	72	1	2	7	11	17	23	69
65+	563	12.1	103	2	3	9	17	26	35	99+
B. *Operated*										
0-19 YRS	1152	5.5	53	1	2	3	6	12	19	57
20-34	2280	6.5	72	1	2	4	7	14	23	58
35-49	1190	7.7	94	1	2	4	9	18	28	68
50-64	979	8.6	105	2	2	5	11	19	28	65
65+	638	15.7	222	2	3	12	21	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	6.3	47	1	1	4	8	13	19	34
B. *Operated*	7468	4.8	33	1	1	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	2434	9.4	113	1	2	6	12	22	34	99+
B. *Operated*	6239	7.8	101	1	2	4	9	18	28	68
1. SINGLE DX	8551	5.0	35	1	1	3	6	10	14	29
2. MULTIPLE DX	8673	8.3	105	1	2	5	10	19	30	81
A. NOT OPERATED	3517	8.5	95	1	1	6	11	19	29	99+
B. OPERATED	13707	6.2	66	1	2	4	7	13	20	50
TOTAL 0-19 YRS	3531	4.9	46	1	1	3	5	10	15	45
20-34	6394	5.8	58	1	2	3	6	12	18	53
35-49	3250	6.4	61	1	2	4	7	14	20	52
50-64	2390	7.6	80	1	2	5	9	16	23	53
65+	1659	12.7	155	2	2	9	17	28	37	88
GRAND TOTAL	**17224**	**6.6**	**73**	**1**	**2**	**4**	**8**	**15**	**22**	**56**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1674	4.2	5	1	2	4	5	6	8	13
20-34	705	3.8	7	1	1	4	5	6	8	14
35-49	258	3.9	8	1	1	3	5	6	8	14
50-64	94	4.5	7	1	2	4	6	7	8	15
65+	31	5.5	24	1	2	4	7	13	15	23
B. *Operated*										
0-19 YRS	82	7.3	26	1	2	6	10	15	18	23
20-34	36	5.5	14	1	1	5	7	12	13	14
35-49	19	4.4	7	1	1	4	7	8	9	9
50-64	8	4.5	5	2	2	4	6	8	9	9
65+	8	3.5	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1004	4.5	12	1	1	4	6	7	9	16
20-34	660	4.0	9	1	1	3	5	7	10	14
35-49	286	4.7	13	1	2	4	5	8	11	17
50-64	158	4.6	15	1	1	4	5	9	11	24
65+	199	6.7	44	1	2	5	8	13	18	27
B. *Operated*										
0-19 YRS	165	5.7	15	1	2	5	7	11	14	18
20-34	141	5.2	24	1	1	4	6	10	13	30
35-49	55	6.4	31	<1	1	4	10	14	18	25
50-64	53	6.4	46	1	1	4	7	14	19	37
65+	42	11.5	332	1	2	6	13	20	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2762	4.1	6	1	2	4	5	6	8	14
B. *Operated*	153	6.2	20	1	2	5	9	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	2307	4.5	15	1	1	4	5	8	11	18
B. *Operated*	456	6.2	55	1	1	5	8	13	15	30
1. SINGLE DX	2915	4.2	7	1	2	4	5	7	9	15
2. MULTIPLE DX	2763	4.8	22	1	1	4	6	9	12	21
A. NOT OPERATED	5069	4.3	10	1	1	4	5	7	9	16
B. OPERATED	609	6.2	46	1	1	5	8	12	15	26
TOTAL 0-19 YRS	2925	4.5	9	1	2	4	5	7	9	16
20-34	1542	4.1	10	1	1	4	5	7	10	14
35-49	618	4.5	13	1	2	4	5	8	11	18
50-64	313	4.9	18	1	1	4	6	9	12	26
65+	280	7.2	87	1	2	5	8	14	19	56
GRAND TOTAL	**5678**	**4.5**	**14**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4491	2.2	4	<1	1	2	3	4	6	10
20-34	3641	2.8	7	<1	1	2	4	6	8	14
35-49	1574	3.6	11	1	1	3	4	7	10	18
50-64	1141	4.0	14	1	1	3	5	9	11	18
65+	1413	5.5	27	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	682	3.3	11	<1	1	2	4	7	9	17
20-34	654	4.3	18	1	1	3	5	9	12	22
35-49	376	5.3	28	1	1	4	6	13	16	29
50-64	261	5.8	31	1	2	4	7	13	15	24
65+	223	8.0	63	1	1	5	10	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7357	2.8	8	<1	1	2	3	5	7	13
20-34	8569	3.7	13	<1	1	3	5	8	10	17
35-49	4433	4.8	19	1	1	4	6	10	13	21
50-64	4655	5.9	28	1	1	4	8	12	15	25
65+	10510	8.2	54	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	1174	4.9	50	1	1	3	6	10	15	35
20-34	1581	6.1	60	1	1	4	7	13	18	46
35-49	831	7.6	61	1	1	5	10	16	22	39
50-64	805	9.4	84	1	2	7	13	20	27	47
65+	1283	13.6	143	2	3	10	18	28	37	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12260	3.1	11	<1	1	2	4	6	9	17
B. *Operated*	2196	4.7	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	35524	5.2	31	1	1	4	7	11	15	27
B. *Operated*	5674	8.2	90	1	1	5	10	19	26	50
1. SINGLE DX	14456	3.3	13	<1	1	2	4	7	10	18
2. MULTIPLE DX	41198	5.7	41	1	1	4	7	12	17	32
A. NOT OPERATED	47784	4.7	27	1	1	3	6	10	14	25
B. OPERATED	7870	7.2	75	1	1	4	9	16	23	45
TOTAL 0-19 YRS	13704	2.8	11	<1	1	2	3	5	8	15
20-34	14445	3.7	18	<1	1	3	5	8	10	20
35-49	7214	4.9	24	1	1	3	6	10	14	23
50-64	6862	6.0	34	1	1	4	8	13	16	29
65+	13429	8.4	63	1	2	6	11	17	22	41
GRAND TOTAL	**55654**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	2.9	7	1	1	2	3	5	8	14
20-34	286	3.5	15	1	1	2	4	7	10	25
35-49	87	3.7	11	1	1	3	5	7	10	19
50-64	57	4.5	12	1	1	3	6	9	10	20
65+	16	5.6	19	1	1	5	7	11	16	18
B. *Operated*										
0-19 YRS	200	6.7	70	1	1	4	7	17	26	53
20-34	432	6.0	69	1	1	3	6	14	25	42
35-49	210	5.7	58	1	1	3	7	12	21	43
50-64	132	6.7	74	1	1	3	8	17	22	45
65+	28	8.2	99	1	1	4	7	27	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	4.1	17	1	1	3	5	9	12	22
20-34	254	4.8	21	1	1	3	6	10	14	24
35-49	121	4.4	11	1	1	3	6	9	12	14
50-64	101	6.7	35	1	1	4	8	17	19	27
65+	47	10.3	80	1	2	8	13	19	27	51
B. *Operated*										
0-19 YRS	368	9.2	137	1	1	5	12	23	30	59
20-34	692	9.1	134	1	1	5	11	23	35	56
35-49	344	10.3	199	1	1	5	12	26	41	76
50-64	254	8.7	115	1	1	5	11	21	33	65
65+	71	13.2	256	1	1	7	16	38	53	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	3.4	12	1	1	2	4	7	10	20
B. *Operated*	1002	6.2	68	1	1	3	7	15	25	44
2. MULTIPLE DX										
A. *Not Operated*	751	5.1	26	1	1	3	7	12	15	25
B. *Operated*	1729	9.5	150	1	1	5	11	24	37	65
1. SINGLE DX	1751	5.0	46	1	1	3	5	11	19	37
2. MULTIPLE DX	2480	8.1	117	1	1	4	10	19	30	57
A. NOT OPERATED	1500	4.3	20	1	1	3	5	9	13	22
B. OPERATED	2731	8.3	123	1	1	4	10	21	31	57
TOTAL 0-19 YRS	1099	6.0	71	1	1	3	6	14	22	49
20-34	1664	6.7	84	1	1	3	7	16	25	49
35-49	762	7.4	116	1	1	4	8	16	27	61
50-64	544	7.4	81	1	1	4	9	18	24	49
65+	162	10.7	159	1	1	6	12	27	38	60
GRAND TOTAL	**4231**	**6.9**	**90**	**1**	**1**	**4**	**8**	**16**	**26**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.4	1	<1	<1	1	2	2	3	7
20-34	22	1.9	1	<1	<1	1	3	3	4	4
35-49	9	1.9	4	1	1	1	2	5	7	7
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	73	1.9	6	<1	<1	1	2	3	7	16
20-34	49	2.7	9	<1	<1	2	3	5	10	17
35-49	21	3.0	12	1	1	2	3	6	12	16
50-64	6	2.0	1	1	1	2	3	3	3	3
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.2	5	1	1	2	4	7	8	9
20-34	24	2.8	12	<1	1	2	3	5	9	18
35-49	11	2.9	4	1	1	3	4	6	7	7
50-64	5	4.2	2	2	2	4	5	6	6	6
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	30	4.4	19	1	1	3	5	10	16	18
20-34	45	4.0	9	<1	1	3	5	9	12	99+
35-49	21	3.2	5	<1	1	2	4	7	8	9
50-64	9	2.8	3	1	1	2	4	5	5	5
65+	3	3.3	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.6	1	<1	<1	1	2	3	3	7
B. *Operated*	152	2.3	8	<1	<1	1	2	4	8	17
2. MULTIPLE DX										
A. *Not Operated*	63	3.0	7	1	1	2	4	6	7	17
B. *Operated*	108	3.8	10	1	1	3	5	8	11	52
1. SINGLE DX	249	2.0	5	<1	<1	1	2	4	5	16
2. MULTIPLE DX	171	3.5	9	1	1	3	5	7	9	18
A. NOT OPERATED	160	2.1	4	<1	<1	1	2	4	6	9
B. OPERATED	260	2.9	9	<1	1	2	4	6	9	17
TOTAL 0-19 YRS	183	2.3	7	<1	<1	1	2	5	8	17
20-34	140	3.0	9	<1	<1	2	4	5	10	25
35-49	62	2.9	7	1	1	2	4	6	8	15
50-64	23	2.7	3	1	1	2	4	5	6	6
65+	12	2.4	1	<1	1	2	3	4	5	5
GRAND TOTAL	**420**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2885	1.6	4	<1	<1	1	2	3	4	8
20-34	638	1.9	4	<1	<1	1	2	3	5	10
35-49	591	1.7	3	<1	<1	1	2	3	4	11
50-64	665	1.8	4	<1	1	1	2	3	4	8
65+	625	2.0	6	<1	1	1	2	3	5	12
B. *Operated*										
0-19 YRS	697	2.3	6	<1	<1	1	3	5	7	10
20-34	191	3.6	29	<1	<1	2	5	8	9	30
35-49	113	3.8	20	<1	1	2	6	8	12	27
50-64	152	3.2	10	1	1	2	4	8	11	15
65+	140	3.9	40	<1	1	2	3	8	13	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	555	2.7	8	<1	1	2	3	5	7	15
20-34	244	3.5	30	<1	1	2	4	7	11	17
35-49	253	3.7	28	1	1	2	4	7	10	27
50-64	462	3.7	18	1	1	2	4	9	11	19
65+	859	4.6	28	1	1	3	6	10	14	29
B. *Operated*										
0-19 YRS	289	5.2	69	1	1	3	6	10	16	62
20-34	145	7.7	74	1	1	6	10	17	23	61
35-49	173	6.9	52	1	1	4	9	17	23	30
50-64	301	7.8	85	1	1	4	10	18	25	48
65+	466	8.4	82	1	1	5	11	21	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5404	1.7	4	<1	<1	1	2	3	4	9
B. *Operated*	1293	2.9	15	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	2373	3.8	22	1	1	2	4	8	11	21
B. *Operated*	1374	7.3	76	1	1	4	9	17	24	46
1. SINGLE DX	6697	1.9	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	3747	5.1	45	1	1	3	6	12	17	34
A. NOT OPERATED	7777	2.3	11	<1	<1	1	2	5	7	15
B. OPERATED	2667	5.2	52	<1	1	2	6	12	19	37
TOTAL 0-19 YRS	4426	2.1	10	<1	<1	1	2	4	6	12
20-34	1218	3.1	25	<1	<1	1	3	7	11	23
35-49	1130	3.1	21	<1	1	1	3	7	11	25
50-64	1580	3.6	29	<1	1	2	4	9	12	28
65+	2090	4.6	39	1	1	2	5	11	16	33
GRAND TOTAL	**10444**	**3.1**	**23**	**<1**	**1**	**1**	**3**	**7**	**10**	**25**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	7.7	44	1	1	6	11	17	22	29
20-34	160	8.0	62	1	1	6	11	17	24	43
35-49	80	9.8	88	1	1	7	12	24	28	46
50-64	58	12.8	104	1	2	9	18	28	33	96
65+	24	13.6	99	2	4	10	20	27	33	40
B. *Operated*										
0-19 YRS	559	14.1	212	2	2	9	19	34	43	76
20-34	467	11.1	121	2	2	8	14	26	34	57
35-49	277	13.2	182	1	2	9	18	36	46	96
50-64	177	18.1	273	2	3	12	25	44	53	71
65+	103	24.6	360	4	6	20	36	58	65	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	381	8.5	53	1	2	7	11	17	23	34
20-34	310	9.9	100	1	2	7	12	22	28	48
35-49	185	10.4	94	1	2	8	13	23	31	45
50-64	140	11.8	94	1	2	10	16	24	29	47
65+	181	16.6	200	2	4	12	22	35	44	69
B. *Operated*										
0-19 YRS	734	22.1	280	2	4	18	32	47	56	80
20-34	748	23.0	357	2	4	19	35	55	74	99+
35-49	494	26.4	387	3	5	23	38	56	73	99+
50-64	413	26.9	417	3	4	22	40	60	76	99+
65+	376	33.0	500	4	8	29	49	76	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	8.8	67	1	1	7	12	20	27	40
B. *Operated*	1583	14.2	208	2	2	9	19	35	45	76
2. MULTIPLE DX										
A. *Not Operated*	1197	10.8	105	1	2	8	14	23	30	49
B. *Operated*	2765	25.3	382	3	4	21	38	57	75	99+
1. SINGLE DX	2143	12.8	176	1	2	8	16	31	41	70
2. MULTIPLE DX	3962	20.9	343	2	3	15	31	50	66	99+
A. NOT OPERATED	1757	10.2	94	1	2	7	13	22	28	46
B. OPERATED	4348	21.3	347	2	3	16	32	50	66	99+
TOTAL 0-19 YRS	1912	15.3	220	2	2	10	22	36	48	74
20-34	1685	15.9	258	2	2	10	23	41	55	99+
35-49	1036	18.8	311	2	2	13	28	46	60	99+
50-64	788	21.2	344	2	3	16	31	50	66	99+
65+	684	26.7	440	4	5	22	41	61	84	99+
GRAND TOTAL	**6105**	**18.1**	**300**	**2**	**3**	**12**	**26**	**44**	**58**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1737	5.5	29	1	1	4	7	12	15	28
20-34	1134	5.4	32	1	1	3	7	13	17	26
35-49	528	6.3	50	1	1	4	8	15	19	39
50-64	286	7.4	48	1	1	5	10	16	21	33
65+	128	10.5	110	1	1	7	13	22	29	53
B. *Operated*										
0-19 YRS	428	10.3	112	1	2	7	13	24	35	54
20-34	269	9.9	95	1	2	7	12	20	35	53
35-49	151	10.4	79	1	2	8	14	24	30	43
50-64	98	14.3	223	1	2	9	21	30	35	81
65+	54	17.6	208	2	4	14	23	38	48	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3397	6.4	35	1	1	5	9	14	18	29
20-34	2297	6.5	50	1	1	4	9	15	19	33
35-49	1213	7.9	67	1	1	5	10	17	23	44
50-64	864	9.6	91	1	2	7	13	21	25	55
65+	665	13.7	168	2	3	10	17	31	42	67
B. *Operated*										
0-19 YRS	880	13.7	166	1	2	9	20	32	42	61
20-34	792	15.5	238	2	2	11	21	36	50	83
35-49	429	17.5	228	2	3	12	24	41	51	70
50-64	336	21.1	358	2	3	16	28	50	63	99+
65+	246	27.5	419	4	7	22	36	61	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3813	5.9	38	1	1	4	8	13	18	31
B. *Operated*	1000	11.0	122	1	2	8	15	25	35	56
2. MULTIPLE DX										
A. *Not Operated*	8436	7.6	64	1	1	5	10	17	22	41
B. *Operated*	2683	17.0	260	2	3	12	23	40	53	89
1. SINGLE DX	4813	6.9	59	1	1	4	9	16	21	40
2. MULTIPLE DX	11119	9.8	128	1	1	6	12	23	32	62
A. NOT OPERATED	12249	7.0	57	1	1	5	9	16	21	37
B. OPERATED	3683	15.4	230	2	2	10	21	36	49	84
TOTAL 0-19 YRS	6442	7.4	64	1	1	5	9	17	23	41
20-34	4492	8.0	94	1	1	5	10	18	25	52
35-49	2321	9.5	109	1	1	6	12	21	31	55
50-64	1584	11.9	173	1	2	8	16	26	38	82
65+	1093	16.6	255	2	3	11	22	39	54	89
GRAND TOTAL	**15932**	**9.0**	**109**	**1**	**1**	**6**	**11**	**21**	**29**	**58**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	3.2	11	1	1	2	4	7	9	20
20-34	265	4.8	27	1	1	3	6	10	15	27
35-49	140	5.8	54	1	1	4	7	12	17	74
50-64	88	7.8	65	1	2	5	10	20	25	40
65+	42	8.5	99	<1	1	7	10	15	30	50
B. *Operated*										
0-19 YRS	454	2.9	7	1	1	2	3	6	8	13
20-34	757	3.7	23	1	1	2	4	7	12	33
35-49	344	4.0	17	1	1	2	5	9	13	24
50-64	173	4.0	40	1	1	2	4	8	11	53
65+	37	4.8	21	<1	1	3	5	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	6.3	164	1	1	3	6	10	22	97
20-34	365	7.1	80	1	1	5	9	15	24	97
35-49	234	8.1	89	1	2	5	10	17	23	68
50-64	193	7.7	39	1	2	6	10	16	19	32
65+	240	10.7	99	2	2	8	14	22	31	48
B. *Operated*										
0-19 YRS	497	4.5	77	1	1	2	4	8	16	75
20-34	810	6.7	148	1	1	3	6	18	40	99+
35-49	359	8.1	151	1	1	3	10	22	45	99+
50-64	210	10.2	239	1	1	5	12	27	65	99+
65+	93	17.5	510	1	1	7	25	64	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	750	5.1	38	1	1	3	6	10	17	35
B. *Operated*	1765	3.6	19	1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	1247	7.9	95	1	1	5	9	16	24	78
B. *Operated*	1969	7.3	165	1	1	3	6	21	44	99+
1. SINGLE DX	2515	4.0	25	1	1	2	4	9	13	29
2. MULTIPLE DX	3216	7.5	138	1	1	4	8	18	35	99+
A. NOT OPERATED	1997	6.9	76	1	1	4	8	14	21	60
B. OPERATED	3734	5.6	99	1	1	3	5	12	25	99
TOTAL 0-19 YRS	1381	4.1	58	1	1	2	4	7	12	69
20-34	2197	5.5	81	1	1	3	6	12	22	84
35-49	1077	6.5	85	1	1	3	7	16	23	99
50-64	664	7.5	111	1	1	4	9	18	26	90
65+	412	11.4	197	1	2	7	13	25	46	78
GRAND TOTAL	**5731**	**6.0**	**92**	**1**	**1**	**3**	**6**	**14**	**23**	**82**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1346	2.6	7	1	1	2	3	5	6	12
20-34	1231	3.6	18	<1	1	2	4	7	10	18
35-49	525	4.4	20	1	1	3	5	9	11	26
50-64	315	5.2	23	1	1	4	6	11	14	25
65+	242	5.9	26	1	1	5	8	13	16	24
B. *Operated*										
0-19 YRS	496	4.8	46	1	1	2	5	9	17	40
20-34	647	5.2	34	1	1	3	6	11	16	31
35-49	316	5.3	39	1	1	3	6	12	17	34
50-64	166	6.0	59	1	1	4	6	14	21	46
65+	73	10.3	194	1	1	5	13	20	34	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1305	3.6	14	1	1	3	4	7	9	19
20-34	1845	4.4	19	1	1	3	6	9	12	23
35-49	1001	6.0	37	1	1	5	7	11	15	33
50-64	890	6.7	45	1	2	5	8	13	18	34
65+	1437	9.6	76	2	2	7	12	19	25	53
B. *Operated*										
0-19 YRS	610	9.2	149	1	1	5	10	21	35	75
20-34	1006	10.1	163	1	2	6	12	24	40	88
35-49	461	11.8	215	1	2	7	13	31	47	90
50-64	370	12.2	184	2	2	8	15	31	46	99+
65+	283	15.9	237	2	3	12	21	33	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3659	3.6	16	1	1	2	4	7	10	20
B. *Operated*	1698	5.4	48	1	1	3	6	12	18	36
2. MULTIPLE DX										
A. *Not Operated*	6478	6.0	42	1	1	4	7	12	17	34
B. *Operated*	2730	11.1	183	1	2	6	13	27	42	91
1. SINGLE DX	5357	4.2	27	1	1	3	5	9	12	26
2. MULTIPLE DX	9208	7.5	89	1	1	5	9	16	24	59
A. NOT OPERATED	10137	5.1	34	1	1	3	6	11	15	29
B. OPERATED	4428	8.9	139	1	1	5	10	21	34	77
TOTAL 0-19 YRS	3757	4.3	42	1	1	2	5	8	13	37
20-34	4729	5.5	58	1	1	3	6	11	18	44
35-49	2303	6.7	76	1	1	4	8	13	20	50
50-64	1741	7.6	78	1	2	5	9	16	23	54
65+	2035	10.0	104	2	2	7	12	20	28	69
GRAND TOTAL	**14565**	**6.3**	**69**	**1**	**1**	**4**	**7**	**13**	**20**	**48**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8220	2.0	7	<1	1	1	2	4	5	10
20-34	5224	2.4	11	<1	<1	2	3	5	6	15
35-49	1874	2.9	16	<1	1	2	3	5	8	17
50-64	842	3.8	30	<1	1	2	4	8	11	21
65+	643	5.4	25	1	1	4	7	10	14	25
B. *Operated*										
0-19 YRS	34	4.0	78	<1	1	2	3	6	8	53
20-34	97	3.2	15	1	1	2	3	5	10	24
35-49	63	3.5	36	<1	1	2	4	8	9	93
50-64	16	9.6	55	2	3	7	14	20	26	28
65+	21	10.1	67	2	2	9	14	17	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7601	4.0	36	<1	1	2	4	8	13	34
20-34	13210	4.6	41	<1	1	3	5	10	15	33
35-49	7073	5.4	46	1	1	3	6	12	17	35
50-64	4535	6.6	52	1	1	4	8	14	20	35
65+	6081	8.1	45	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	150	8.3	90	1	1	5	10	22	30	99
20-34	667	8.9	146	1	1	4	11	21	33	74
35-49	465	11.6	169	1	2	8	16	27	38	99+
50-64	373	14.1	162	2	3	10	19	30	40	79
65+	528	15.2	118	3	5	12	20	31	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16803	2.4	12	<1	1	2	3	5	7	15
B. *Operated*	231	4.5	42	1	1	2	4	10	15	48
2. MULTIPLE DX										
A. *Not Operated*	38500	5.4	45	1	1	3	6	12	17	34
B. *Operated*	2183	11.9	150	1	2	8	16	28	38	78
1. SINGLE DX	17034	2.5	12	<1	1	2	3	5	7	15
2. MULTIPLE DX	40683	5.8	52	1	1	3	7	13	19	38
A. NOT OPERATED	55303	4.5	36	<1	1	3	5	10	15	31
B. OPERATED	2414	11.1	144	1	2	7	15	27	37	77
TOTAL 0-19 YRS	16005	3.0	23	<1	1	2	3	6	9	26
20-34	19198	4.1	38	<1	1	2	4	9	14	32
35-49	9475	5.2	49	1	1	3	6	12	18	36
50-64	5766	6.7	60	1	1	4	8	15	21	38
65+	7273	8.4	53	1	2	7	10	16	22	39
GRAND TOTAL	**57717**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**16**	**34**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4294	2.0	5	<1	1	1	2	4	6	13
20-34	2025	2.0	10	<1	1	1	2	4	5	10
35-49	979	2.1	13	<1	1	1	2	4	5	11
50-64	594	2.4	6	1	1	2	3	4	7	15
65+	241	3.0	40	1	1	2	3	5	8	17
B. *Operated*										
0-19 YRS	47	5.2	27	1	2	4	6	10	15	28
20-34	64	6.6	131	<1	1	4	8	12	18	79
35-49	30	6.4	30	<1	1	5	8	15	20	20
50-64	19	6.3	66	1	2	4	6	14	28	36
65+	11	13.5	197	1	2	7	22	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2134	3.4	20	1	1	2	4	7	10	22
20-34	1876	3.6	23	<1	1	2	4	7	12	29
35-49	1265	4.1	28	1	1	2	5	9	11	30
50-64	983	4.6	32	1	1	3	6	9	14	30
65+	738	6.5	62	1	1	4	8	15	21	44
B. *Operated*										
0-19 YRS	72	12.7	265	1	2	7	15	33	61	96
20-34	113	11.4	167	1	2	7	16	29	44	99+
35-49	69	13.7	205	1	2	8	21	35	51	94
50-64	86	14.8	198	2	2	12	21	44	81	99+
65+	56	23.9	401	2	5	19	34	55	61	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8133	2.1	8	<1	1	1	2	4	6	12
B. *Operated*	171	6.6	83	1	1	4	7	12	20	39
2. MULTIPLE DX										
A. *Not Operated*	6996	4.1	29	1	1	2	5	8	13	30
B. *Operated*	396	14.6	245	1	2	9	20	38	57	99+
1. SINGLE DX	8304	2.2	10	<1	1	1	2	4	6	13
2. MULTIPLE DX	7392	4.6	46	1	1	2	5	10	15	38
A. NOT OPERATED	15129	3.0	19	<1	1	2	3	6	9	21
B. OPERATED	567	12.1	209	1	2	7	16	32	49	99+
TOTAL 0-19 YRS	6547	2.6	14	<1	1	1	3	5	7	20
20-34	4078	3.0	25	<1	1	2	3	6	10	28
35-49	2343	3.6	31	<1	1	2	4	7	11	30
50-64	1682	4.4	38	1	1	3	5	9	15	37
65+	1046	6.7	95	1	1	3	7	15	23	51
GRAND TOTAL	**15696**	**3.3**	**29**	**<1**	**1**	**2**	**3**	**7**	**11**	**30**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1967	2.9	11	1	1	2	3	6	8	16
20-34	1191	2.8	9	<1	1	2	3	6	8	15
35-49	781	3.0	10	<1	1	2	4	6	8	20
50-64	549	3.6	14	1	1	2	4	8	10	19
65+	443	4.9	34	1	1	3	6	9	13	24
B. *Operated*										
0-19 YRS	28	6.9	51	1	1	6	9	13	18	37
20-34	67	8.1	69	1	1	5	12	18	27	90
35-49	61	10.4	241	1	2	5	10	21	44	86
50-64	48	13.5	237	2	2	7	18	36	46	71
65+	41	15.6	187	2	2	13	25	34	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1806	4.5	38	1	1	3	5	9	14	28
20-34	1449	4.2	26	1	1	3	5	9	12	25
35-49	1315	4.9	30	1	1	3	6	10	13	26
50-64	1855	6.2	48	1	1	4	8	13	17	33
65+	2955	7.7	42	1	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	83	14.9	312	<1	1	7	26	43	64	99+
20-34	175	10.8	222	1	2	6	13	23	38	81
35-49	219	14.1	233	1	2	8	19	36	46	94
50-64	354	16.4	315	2	2	10	22	44	65	99+
65+	424	17.5	250	2	3	13	24	39	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4931	3.1	13	1	1	2	4	6	9	18
B. *Operated*	245	10.9	169	1	2	7	14	26	39	88
2. MULTIPLE DX										
A. *Not Operated*	9380	5.9	40	1	1	4	7	12	17	30
B. *Operated*	1255	15.5	269	1	2	10	22	39	57	99+
1. SINGLE DX	5176	3.5	23	1	1	2	4	7	10	23
2. MULTIPLE DX	10635	7.0	77	1	1	4	8	15	22	48
A. NOT OPERATED	14311	4.9	33	1	1	3	6	11	15	27
B. OPERATED	1500	14.7	256	1	2	9	20	37	52	99+
TOTAL 0-19 YRS	3884	3.9	34	1	1	2	4	8	12	31
20-34	2882	4.1	35	1	1	2	5	9	12	28
35-49	2376	5.3	57	1	1	3	6	11	17	43
50-64	2806	7.1	93	1	1	4	8	15	24	59
65+	3863	8.6	77	1	2	6	11	18	24	47
GRAND TOTAL	**15811**	**5.9**	**62**	**1**	**1**	**3**	**7**	**13**	**19**	**43**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	3.9	15	<1	1	2	5	8	11	21
20-34	329	3.8	20	<1	<1	2	5	8	12	25
35-49	190	5.9	58	1	1	3	7	13	19	47
50-64	285	6.5	56	1	1	4	8	13	21	35
65+	457	7.2	57	1	1	5	10	16	23	42
B. *Operated*										
0-19 YRS	1287	5.5	38	1	1	4	7	12	16	34
20-34	2311	4.1	23	<1	1	2	5	9	13	24
35-49	1694	6.3	58	1	1	3	8	15	21	39
50-64	2785	8.7	79	1	2	6	12	19	25	45
65+	5493	8.4	86	1	2	5	11	20	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.4	28	1	1	4	6	11	17	31
20-34	453	5.9	51	1	1	4	7	12	17	42
35-49	352	6.8	43	1	1	5	8	15	20	33
50-64	514	8.3	91	1	1	5	10	17	25	57
65+	993	8.7	69	1	2	6	11	18	26	43
B. *Operated*										
0-19 YRS	1284	9.5	100	1	2	6	12	21	32	54
20-34	2497	7.0	90	1	1	4	8	17	24	54
35-49	2523	9.0	110	1	2	5	12	21	30	58
50-64	4659	11.5	146	1	2	8	15	27	36	65
65+	9112	11.8	159	2	2	8	15	27	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1479	5.6	45	<1	1	4	7	12	18	37
B. *Operated*	13570	7.2	69	1	1	4	9	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	2566	7.5	64	1	1	5	10	16	23	42
B. *Operated*	20075	10.7	140	1	2	7	14	25	35	64
1. SINGLE DX	15049	7.0	67	1	1	4	9	17	23	41
2. MULTIPLE DX	22641	10.3	133	1	2	6	13	24	33	63
A. NOT OPERATED	4045	6.8	58	1	1	4	9	15	21	41
B. OPERATED	33645	9.3	114	1	2	5	12	22	30	57
TOTAL 0-19 YRS	3043	7.1	66	1	1	4	8	16	23	44
20-34	5590	5.5	57	<1	1	3	6	12	19	40
35-49	4759	7.8	86	1	1	4	10	18	25	49
50-64	8243	10.2	119	1	2	6	13	23	31	57
65+	16055	10.3	129	2	2	6	13	24	33	61
GRAND TOTAL	**37690**	**9.0**	**109**	**1**	**2**	**5**	**11**	**21**	**29**	**56**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1214	1.8	3	<1	1	1	2	3	4	8
20-34	1609	2.7	4	1	1	2	3	5	6	10
35-49	824	3.4	12	1	1	3	4	6	9	15
50-64	877	3.7	6	1	1	3	5	6	8	13
65+	1103	4.5	12	1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	977	2.1	17	<1	1	1	2	4	5	13
20-34	1454	2.9	7	<1	1	2	4	6	8	12
35-49	709	3.7	16	1	1	3	4	7	10	17
50-64	389	4.5	15	1	1	3	6	8	13	20
65+	358	5.6	18	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	2.8	7	<1	1	2	3	6	8	14
20-34	531	3.6	8	1	1	3	5	7	9	15
35-49	368	4.3	11	1	1	3	5	8	10	22
50-64	563	5.2	22	1	2	4	6	9	13	24
65+	1042	5.8	22	1	2	5	7	10	14	27
B. *Operated*										
0-19 YRS	158	4.2	22	<1	1	2	5	9	15	23
20-34	534	4.9	22	1	1	4	6	11	14	23
35-49	357	6.2	37	1	1	4	8	12	17	36
50-64	345	7.8	62	1	1	5	10	17	25	46
65+	458	9.5	99	2	2	6	12	19	25	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5627	3.1	8	1	1	2	4	6	8	13
B. *Operated*	3887	3.3	14	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	2725	4.8	18	1	1	4	6	9	12	23
B. *Operated*	1852	6.8	55	1	1	5	9	15	19	40
1. SINGLE DX	9514	3.2	10	1	1	2	4	6	8	14
2. MULTIPLE DX	4577	5.6	34	1	1	4	7	11	15	30
A. NOT OPERATED	8352	3.7	12	1	1	3	5	7	9	16
B. OPERATED	5739	4.4	30	1	1	3	5	9	13	25
TOTAL 0-19 YRS	2570	2.2	10	<1	1	1	2	4	5	13
20-34	4128	3.2	9	1	1	2	4	6	8	15
35-49	2258	4.1	18	1	1	3	5	8	11	21
50-64	2174	4.9	23	1	1	4	6	9	13	26
65+	2961	5.9	32	1	2	4	7	11	15	28
GRAND TOTAL	**14091**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	5.4	15	1	2	5	7	10	12	21
20-34	846	5.8	18	2	2	5	7	10	12	20
35-49	684	6.9	36	2	2	5	8	13	16	32
50-64	547	8.0	32	2	3	7	10	15	19	30
65+	377	8.6	45	2	3	7	10	16	21	38
B. *Operated*										
0-19 YRS	408	7.3	32	1	2	6	10	15	19	27
20-34	705	8.2	51	2	2	6	10	16	22	38
35-49	559	8.7	61	2	2	7	11	19	24	44
50-64	531	10.2	97	2	2	8	13	22	28	53
65+	363	12.7	160	2	3	9	16	26	38	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	6.7	30	2	2	5	8	14	16	30
20-34	548	7.1	38	2	2	5	8	14	18	35
35-49	529	7.9	38	2	3	7	10	15	19	30
50-64	686	9.5	63	2	3	8	12	17	23	48
65+	762	11.6	98	3	4	9	14	23	29	61
B. *Operated*										
0-19 YRS	183	10.5	85	2	3	7	14	22	28	44
20-34	570	11.7	120	2	3	8	14	26	34	56
35-49	544	13.6	175	2	3	10	17	30	43	78
50-64	757	15.5	190	2	3	11	20	35	43	74
65+	662	16.8	191	3	4	13	22	35	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2908	6.8	29	2	2	5	8	13	16	29
B. *Operated*	2566	9.2	78	2	2	7	12	19	25	46
2. MULTIPLE DX										
A. *Not Operated*	2760	9.1	63	2	3	7	11	17	24	41
B. *Operated*	2716	14.3	170	2	3	10	19	31	42	74
1. SINGLE DX	5474	7.9	53	2	2	6	10	16	21	39
2. MULTIPLE DX	5476	11.7	123	2	3	8	14	25	34	61
A. NOT OPERATED	5668	7.9	47	2	2	6	10	15	20	36
B. OPERATED	5282	11.8	131	2	3	9	15	25	35	63
TOTAL 0-19 YRS	1280	7.0	36	1	2	5	9	15	19	29
20-34	2669	7.9	57	2	2	6	9	15	22	42
35-49	2316	9.1	81	2	2	7	11	18	26	53
50-64	2521	11.1	110	2	3	8	14	23	32	56
65+	2164	12.9	136	2	3	10	16	27	35	71
GRAND TOTAL	**10950**	**9.8**	**92**	**2**	**2**	**7**	**12**	**20**	**28**	**52**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.1	10	<1	1	2	3	7	10	16
20-34	426	4.5	16	1	1	3	6	9	12	22
35-49	358	5.6	19	1	1	4	8	12	14	19
50-64	359	7.2	38	1	1	6	9	15	18	30
65+	298	8.1	83	1	2	6	10	16	20	39
B. *Operated*										
0-19 YRS	376	4.3	22	<1	1	3	5	10	13	23
20-34	1009	5.5	43	1	1	3	7	12	16	35
35-49	825	6.5	57	1	1	4	8	14	18	41
50-64	890	7.3	67	1	2	5	9	16	22	42
65+	777	7.8	68	1	2	5	10	18	25	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	4.8	62	1	1	3	5	10	13	37
20-34	653	5.2	27	1	1	4	7	11	15	29
35-49	660	7.1	45	1	2	5	9	14	19	39
50-64	802	8.7	72	1	2	6	11	18	22	40
65+	971	9.9	88	2	2	7	13	20	28	55
B. *Operated*										
0-19 YRS	350	7.1	72	1	1	5	9	16	22	47
20-34	965	9.0	103	1	2	6	11	20	28	62
35-49	1113	10.3	101	2	2	7	13	23	33	58
50-64	1606	12.9	190	2	2	9	16	31	42	79
65+	1797	13.7	198	2	2	9	18	30	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	5.9	36	1	1	4	8	12	16	29
B. *Operated*	3877	6.5	55	1	1	4	8	14	20	37
2. MULTIPLE DX										
A. *Not Operated*	3332	7.8	65	1	2	5	10	16	21	44
B. *Operated*	5831	11.7	158	1	2	8	15	27	38	77
1. SINGLE DX	5464	6.3	50	1	1	4	8	13	18	36
2. MULTIPLE DX	9163	10.2	128	1	2	7	13	23	33	65
A. NOT OPERATED	4919	7.2	56	1	1	5	9	15	19	40
B. OPERATED	9708	9.6	124	1	2	6	12	22	32	64
TOTAL 0-19 YRS	1118	5.2	47	1	1	3	6	11	16	31
20-34	3053	6.4	58	1	1	4	8	13	20	43
35-49	2956	8.0	70	1	2	5	10	17	24	50
50-64	3657	10.0	126	1	2	6	12	22	32	64
65+	3843	11.1	142	1	2	8	14	25	34	70
GRAND TOTAL	**14627**	**8.8**	**103**	**1**	**2**	**6**	**11**	**19**	**28**	**58**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	132	3.1	4	1	1	3	4	5	6	10
20-34	83	3.9	10	1	1	3	5	8	10	18
35-49	38	4.1	9	<1	1	4	5	8	11	12
50-64	31	4.9	26	<1	<1	4	7	10	13	25
65+	27	3.2	10	1	1	2	5	8	12	12
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	14	12.4	281	2	3	5	12	32	57	64
35-49	23	9.9	57	2	2	7	13	23	27	31
50-64	13	11.3	126	1	2	6	20	32	32	32
65+	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	132	3.3	4	1	1	3	4	6	7	11
20-34	90	4.9	18	1	1	4	7	10	11	25
35-49	94	5.9	41	1	1	4	7	11	16	40
50-64	122	6.0	57	1	1	4	8	14	22	74
65+	135	5.8	32	1	1	4	8	11	15	34
B. *Operated*										
0-19 YRS	16	6.4	21	1	2	6	10	12	15	16
20-34	35	8.3	68	1	1	5	12	22	24	38
35-49	40	8.6	51	1	2	7	11	17	24	34
50-64	49	11.0	169	2	2	7	14	21	42	69
65+	45	16.5	313	2	2	11	18	47	62	72
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	311	3.6	9	1	1	3	5	7	9	13
B. ***Operated***	57	10.0	123	2	2	6	11	25	31	62
2. MULTIPLE DX										
A. ***Not Operated***	573	5.1	31	1	1	4	7	10	14	34
B. ***Operated***	185	10.9	156	1	2	7	13	22	35	67
1. SINGLE DX	368	4.6	32	1	1	3	5	9	12	31
2. MULTIPLE DX	758	6.5	68	1	1	4	8	13	19	52
A. NOT OPERATED	884	4.6	24	1	1	3	6	9	12	25
B. OPERATED	242	10.7	148	1	2	7	13	23	32	65
TOTAL 0-19 YRS	284	3.4	5	1	1	3	4	6	8	12
20-34	222	5.5	43	1	1	4	7	11	14	34
35-49	195	6.6	42	1	1	5	8	13	18	35
50-64	215	7.3	87	1	1	5	9	16	24	66
65+	210	7.7	110	1	1	5	9	16	23	63
GRAND TOTAL	**1126**	**5.9**	**57**	**1**	**1**	**4**	**7**	**12**	**17**	**42**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	4	<1	<1	1	3	6	6	6
20-34	356	2.0	6	<1	<1	1	2	3	6	8
35-49	110	1.9	2	<1	<1	2	2	3	4	8
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	289	2.1	3	<1	<1	2	2	4	4	7
20-34	34092	1.9	3	<1	<1	2	2	3	4	6
35-49	13802	1.9	4	<1	<1	2	2	3	4	6
50-64	141	1.7	3	<1	<1	1	2	3	4	26
65+	40	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	6	<1	<1	1	2	6	7	7
20-34	524	1.6	9	<1	<1	1	1	3	4	9
35-49	192	1.8	3	<1	<1	1	2	3	6	14
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	2	14.5	365	1	1	14	28	28	28	28
B. *Operated*										
0-19 YRS	230	3.0	10	<1	<1	2	3	6	7	22
20-34	19270	2.5	6	<1	<1	2	3	5	6	9
35-49	9955	2.5	6	<1	<1	2	3	5	6	9
50-64	73	2.3	4	<1	1	2	3	4	6	12
65+	36	2.4	4	1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	1.9	5	<1	<1	1	2	3	5	8
B. *Operated*	48364	1.9	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	727	1.7	9	<1	<1	1	1	3	5	10
B. *Operated*	29564	2.5	6	<1	<1	2	3	5	6	9
1. SINGLE DX	48841	1.9	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX	30291	2.4	6	<1	<1	2	3	5	6	9
A. NOT OPERATED	1204	1.8	7	<1	<1	1	2	3	5	9
B. OPERATED	77928	2.1	4	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	533	2.5	6	<1	<1	2	3	4	6	10
20-34	54242	2.1	4	<1	<1	2	2	4	5	8
35-49	24059	2.1	4	<1	<1	2	2	4	5	8
50-64	220	1.9	4	<1	<1	1	2	3	4	14
65+	78	2.4	11	<1	1	2	2	4	5	24
GRAND TOTAL	**79132**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
A. *Not Operated*											
1-999	G	407	3.5	12	1	2	3	4	6	6	9
1000-1499		120	7.9	129	<1	<1	3	6	32	40	99+
1500-1749		129	12.0	141	<1	<1	6	21	26	32	46
1750-2499		13672	3.8	8	1	2	3	4	6	8	16
2500+		727199	3.3	2	1	2	3	4	5	6	8
B. *Operated*											
1-999	G	3	2.3	1	<1	<1	3	3	3	3	3
1000-1499		2	53.5	221	43	43	53	64	64	64	64
1500-1749		1	29.0		29	29	29	29	29	29	29
1750-2499		23	9.1	60	<1	1	6	13	21	27	28
2500+		525	3.9	5	2	2	3	5	6	7	11
2. MULTIPLE DX											
A. *Not Operated*											
1-999	G	566	22.6	991	<1	<1	5	61	85	99	99+
1000-1499		1896	33.6	414	<1	<1	35	47	59	67	88
1500-1749		2438	23.1	131	<1	6	23	29	36	40	53
1750-2499		31107	8.1	42	2	3	6	11	17	21	29
2500+		271455	4.2	5	2	2	4	5	7	8	12
B. *Operated*											
1-999	G	187	52.2	1109	<1	1	71	99	99+	99+	99+
1000-1499		854	46.2	405	1	24	47	61	77	94	99+
1500-1749		542	32.0	236	5	16	31	38	53	66	99+
1750-2499		1932	16.4	130	3	5	15	21	29	36	79
2500+		5584	7.8	63	2	3	6	9	14	20	48
SUBTOTALS:											
1. SINGLE DX											
A. *Not Operated*		741527	3.3	2	1	2	3	4	5	6	8
B. *Operated*		554	4.4	19	2	2	3	5	6	8	26
2. MULTIPLE DX											
A. *Not Operated*		307462	4.9	24	2	2	4	5	7	11	27
B. *Operated*		9099	15.6	310	2	3	8	20	44	62	99+
1. SINGLE DX		742081	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX		316561	5.2	35	2	2	4	6	8	12	34
A. NOT OPERATED		1048989	3.8	9	2	2	3	4	6	7	15
B. OPERATED		9653	14.9	300	2	3	8	19	42	61	99+
TOTAL 1-999	G	1163	20.6	929	<1	<1	4	61	92	99+	99+
1000-1499		2872	36.3	467	<1	1	38	51	65	75	99+
1500-1749		3110	24.2	167	<1	5	24	31	38	45	70
1750-2499		46734	7.2	43	2	2	5	9	16	20	30
2500+		1004763	3.5	4	2	2	3	4	6	7	9
GRAND TOTAL		**1058642**	**3.9**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
A. *Not Operated*											
1-999	G	6	5.5	12	2	2	5	8	11	11	11
1000-1499		15	19.5	353	<1	<1	25	36	39	48	51
1500-1749		36	17.3	68	<1	3	18	22	26	28	39
1750-2499		1829	5.4	13	2	2	4	6	9	12	19
2500+		6530	4.6	4	2	2	4	6	7	8	10
B. *Operated*											
1-999	G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499		2	16.5	481	<1	<1	16	32	32	32	32
1500-1749		1	21.0		21	21	21	21	21	21	21
1750-2499		6	8.2	55	2	2	5	13	20	21	21
2500+		7	4.0	4	<1	<1	4	5	7	7	7
2. MULTIPLE DX											
A. *Not Operated*											
1-999	G	63	23.2	1137	<1	<1	3	73	96	99+	99+
1000-1499		362	34.7	366	<1	<1	36	46	60	67	86
1500-1749		582	23.7	101	5	12	24	29	35	41	58
1750-2499		4494	10.1	43	3	4	8	14	19	23	30
2500+		3249	5.5	7	2	3	5	7	8	10	15
B. *Operated*											
1-999	G	42	45.0	1217	<1	<1	65	88	99+	99+	99+
1000-1499		153	43.0	411	<1	14	45	55	70	84	99+
1500-1749		123	29.6	184	1	15	30	37	44	55	81
1750-2499		250	18.2	153	4	5	17	23	31	36	79
2500+		80	9.4	117	2	3	6	13	16	19	71
SUBTOTALS:											
1. SINGLE DX											
A. *Not Operated*		8416	4.8	8	2	2	4	6	7	9	16
B. *Operated*		17	7.8	78	<1	<1	5	8	21	28	32
2. MULTIPLE DX											
A. *Not Operated*		8750	10.4	101	3	3	7	13	22	30	53
B. *Operated*		648	26.9	433	1	4	23	40	62	78	99+
1. SINGLE DX		8433	4.8	8	2	2	4	6	7	9	16
2. MULTIPLE DX		9398	11.5	141	3	3	7	15	26	36	66
A. NOT OPERATED		17166	7.7	63	2	3	5	8	16	23	43
B. OPERATED		665	26.4	433	1	4	23	39	61	78	99+
TOTAL 1-999	G	112	30.2	1236	<1	<1	10	77	99+	99+	99+
1000-1499		532	36.6	400	<1	<1	38	49	64	72	99+
1500-1749		742	24.4	120	3	12	24	30	37	42	62
1750-2499		6579	9.1	47	3	3	7	12	18	22	30
2500+		9866	4.9	6	2	3	5	6	7	8	13
GRAND TOTAL		**17831**	**8.4**	**90**	**2**	**3**	**5**	**8**	**18**	**27**	**53**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20	Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21	Malignant neoplasm of stomach	7,393	7.7	126	17.8
22	Malignant neoplasm of small intestine	871	0.9	16	2.2
23	Malignant neoplasm of colon	31,020	32.1	525	73.8
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26	Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27	Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30	Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31	Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32	Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122 Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123 Other glaucoma	3,460	3.6	17	2.3
124 Senile cataract	133,514	138.2	506	71.1
125 Cataract, except senile	5,170	5.4	18	2.5
126 Strabismus	19,678	20.4	43	6.1
127 Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128 Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129 Other disorders of eye	2,850	2.9	13	1.9
130 Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131 Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132 Vertiginous syndromes	19,199	19.9	103	14.5
133 Otosclerosis	7,447	7.7	21	2.9
134 Miscellaneous diseases of ear	19,521	20.2	53	7.5
135 Rheumatic fever, acute	2,345	2.4	22	3.1
136 Chronic rheumatic heart disease	12,895	13.3	125	17.6
137 Essential hypertension	58,878	60.9	418	58.8
138 Hypertensive heart disease	31,356	32.5	306	43.0
139 Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140 Acute myocardial infarction	119,295	123.5	1,770	248.8
141 Angina pectoris	77,141	79.8	515	72.4
142 Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143 Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144 Pulmonary embolism and infarction	18,875	19.5	257	36.1
145 Acute and subacute endocarditis	1,553	1.6	48	6.7

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	2.3		2	2	2	3	3	3	3
1000-1499	4	15.0	227	<1	<1	15	28	29	29	29
1500-1749	4	15.5	78	3	3	18	21	23	23	23
1750-2499	114	4.3	12	1	2	3	5	10	12	18
2500+	1829	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749										
1750-2499										
2500+	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	3.3	16	<1	<1	8	99+	99+	99+	99+
1000-1499	43	36.5	459	<1	<1	36	51	66	73	81
1500-1749	54	24.0	105	5	13	23	28	37	42	53
1750-2499	351	10.0	61	2	2	8	14	21	25	35
2500+	726	4.5	12	1	2	4	5	8	11	20
B. *Operated*										
1-999 G	6	80.8	106	71	72	90	99+	99+	99+	99+
1000-1499	18	39.2	512	1	1	44	66	99+	99+	99+
1500-1749	11	33.6	127	23	24	31	42	73	96	99+
1750-2499	34	17.2	122	2	3	17	22	27	42	50
2500+	58	9.1	106	1	2	6	10	17	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	3.0	4	1	1	3	3	4	6	10
B. *Operated*	5	14.0	553	2	2	4	18	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	1177	8.2	97	1	2	4	9	20	29	53
B. *Operated*	127	21.1	464	1	3	13	36	72	99	99+
1. SINGLE DX	1959	3.0	5	1	1	3	3	4	6	10
2. MULTIPLE DX	1304	9.5	147	1	2	5	11	24	37	79
A. NOT OPERATED	3131	4.9	45	1	1	3	4	10	17	37
B. OPERATED	132	20.8	465	1	3	13	35	72	98	99+
TOTAL 1-999 G	12	41.8	1711	<1	1	75	99+	99+	99+	99+
1000-1499	66	36.2	477	<1	1	39	52	72	83	99+
1500-1749	69	25.0	122	3	13	24	29	41	46	92
1750-2499	499	9.2	64	2	2	6	13	20	25	37
2500+	2617	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**3263**	**5.6**	**72**	**1**	**1**	**3**	**5**	**12**	**22**	**52**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.7	6	<1	1	2	3	6	8	12
20-34	149	2.4	4	<1	1	2	3	4	5	7
35-49	85	2.8	6	<1	<1	2	3	5	7	15
50-64	56	3.5	16	<1	1	2	4	6	10	27
65+	45	9.8	331	<1	1	4	11	20	79	99+
B. *Operated*										
0-19 YRS	3679	2.9	17	<1	1	2	3	5	6	12
20-34	5165	2.8	4	<1	1	2	3	5	6	11
35-49	2198	3.1	10	<1	1	2	3	5	7	16
50-64	2010	3.6	14	1	1	3	4	6	9	19
65+	1306	5.6	41	1	2	4	6	11	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.1	23	<1	<1	2	3	6	10	31
20-34	56	2.9	12	<1	<1	1	3	7	11	17
35-49	40	3.3	14	<1	<1	2	5	6	7	23
50-64	34	4.8	29	<1	<1	3	5	13	17	21
65+	28	7.8	90	1	1	2	12	24	29	34
B. *Operated*										
0-19 YRS	615	3.9	13	1	1	3	5	7	10	20
20-34	849	4.5	25	1	2	3	5	8	12	26
35-49	555	4.8	28	1	2	3	5	10	14	22
50-64	641	6.1	52	1	2	4	7	14	17	42
65+	753	10.5	119	2	2	7	13	22	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.4	40	<1	1	2	3	6	9	25
B. *Operated*	14360	3.2	14	<1	1	2	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	212	4.0	30	<1	<1	2	4	10	17	30
B. *Operated*	3413	6.1	55	1	2	4	7	13	19	41
1. SINGLE DX	14850	3.2	15	<1	1	2	4	5	8	17
2. MULTIPLE DX	3625	5.9	54	1	1	4	6	13	19	40
A. NOT OPERATED	702	3.6	37	<1	<1	2	4	7	11	28
B. OPERATED	17773	3.8	23	1	1	3	4	7	10	23
TOTAL 0-19 YRS	4503	3.0	16	<1	1	2	3	5	6	14
20-34	6219	3.0	8	<1	1	2	3	5	7	14
35-49	2878	3.4	14	<1	1	2	4	6	9	18
50-64	2741	4.2	24	1	1	3	5	8	12	28
65+	2134	7.4	81	1	2	5	9	16	22	49
GRAND TOTAL	**18475**	**3.8**	**23**	**<1**	**1**	**3**	**4**	**7**	**10**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	12	1.8	1	<1	<1	2	2	3	4	4
35-49	34	1.9	1	<1	<1	2	2	3	5	6
50-64	70	1.7	2	1	1	1	2	2	5	9
65+	38	1.7	7	<1	1	1	1	2	3	17
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	2.0	1	<1	<1	2	3	3	3	3
35-49	4	2.8	5	<1	<1	2	4	6	6	6
50-64	14	1.5	1	<1	<1	1	1	3	5	5
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	1.8	5	<1	1	1	2	3	5	16
20-34	488	1.4	2	<1	1	1	1	2	3	6
35-49	406	1.6	3	<1	<1	1	2	2	3	11
50-64	1243	1.5	2	<1	<1	1	2	2	3	8
65+	1067	1.6	3	1	1	1	2	2	3	10
B. *Operated*										
0-19 YRS	30	3.0	14	<1	<1	2	4	5	6	21
20-34	97	4.6	73	<1	<1	1	4	10	19	51
35-49	135	3.3	26	<1	<1	<1	4	9	10	27
50-64	190	4.2	52	<1	<1	<1	4	11	19	48
65+	92	6.7	92	<1	<1	3	7	16	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	1.7	3	<1	1	1	2	2	4	9
B. *Operated*	28	2.2	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3354	1.5	3	<1	<1	1	2	2	3	9
B. *Operated*	544	4.4	55	<1	<1	2	4	10	19	46
1. SINGLE DX	189	1.8	3	<1	1	1	2	3	5	9
2. MULTIPLE DX	3898	1.9	11	<1	<1	1	2	3	5	17
A. NOT OPERATED	3515	1.6	3	<1	<1	1	2	2	3	9
B. OPERATED	572	4.3	53	<1	<1	2	4	10	18	44
TOTAL 0-19 YRS	188	2.0	6	<1	<1	1	2	4	5	17
20-34	604	1.9	15	<1	<1	1	2	3	5	18
35-49	579	2.0	9	<1	<1	1	2	3	6	17
50-64	1517	1.8	9	<1	<1	1	2	3	4	17
65+	1199	2.0	12	1	1	1	2	3	4	17
GRAND TOTAL	**4087**	**1.9**	**11**	**<1**	**<1**	**1**	**2**	**3**	**5**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6487	2.7	16	<1	<1	1	3	5	8	19
20-34	9550	2.2	10	<1	<1	1	2	4	6	15
35-49	2863	3.1	21	<1	<1	2	4	6	9	22
50-64	3439	3.5	27	<1	1	2	4	7	11	30
65+	3024	6.3	97	1	1	3	7	16	31	99+
B. *Operated*										
0-19 YRS	3380	2.9	17	<1	<1	2	3	6	9	19
20-34	11935	2.9	11	<1	<1	2	3	6	8	15
35-49	5730	3.6	15	<1	1	2	4	8	11	18
50-64	4797	4.4	24	1	1	2	6	11	13	22
65+	5036	4.6	30	1	1	2	6	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5058	4.0	47	<1	<1	2	4	8	13	40
20-34	7793	4.3	47	<1	<1	2	5	8	15	38
35-49	6885	5.2	53	<1	1	3	5	12	19	40
50-64	14308	5.2	59	1	1	3	5	11	19	42
65+	14652	7.9	121	1	1	4	9	20	31	84
B. *Operated*										
0-19 YRS	1854	5.1	64	<1	1	3	5	11	19	62
20-34	10105	4.0	35	<1	1	2	4	8	11	33
35-49	7228	4.9	49	<1	<1	3	6	11	15	39
50-64	8244	6.5	79	1	1	3	8	15	22	56
65+	9914	7.1	85	1	1	3	9	16	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25363	3.1	27	<1	<1	2	3	6	10	31
B. *Operated*	30878	3.5	18	<1	<1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	48696	5.8	76	<1	1	3	6	13	22	55
B. *Operated*	37345	5.6	64	<1	1	3	7	13	19	48
1. SINGLE DX	56241	3.3	22	<1	<1	2	3	8	11	23
2. MULTIPLE DX	86041	5.7	71	<1	1	3	6	13	21	52
A. NOT OPERATED	74059	4.8	61	<1	<1	2	5	11	19	49
B. OPERATED	68223	4.7	44	<1	1	2	5	11	15	36
TOTAL 0-19 YRS	16779	3.4	31	<1	<1	2	3	7	11	30
20-34	39383	3.3	25	<1	<1	2	4	6	10	25
35-49	22706	4.4	39	<1	1	2	5	10	14	33
50-64	30788	5.3	56	1	1	3	6	12	18	42
65+	32626	7.0	95	1	1	4	8	17	26	69
GRAND TOTAL	**142282**	**4.8**	**53**	**<1**	**<1**	**2**	**5**	**11**	**17**	**43**

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146 Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147 Atrial fibrillation and flutter	33,541	34.7	243	34.2
148 Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149 Heart failure	133,282	137.9	1,478	207.8
150 Miscellaneous diseases of heart	42,868	44.4	386	54.3
151 Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152 Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153 Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154 Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155 Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156 Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157 Precerebral occlusion with paralysis	830	0.9	15	2.2
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160 Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163 Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164 Atherosclerosis	20,362	21.1	265	37.3
165 Aortic aneurysm	10,542	10.9	152	21.3
166 Aneurysm except aortic	2,596	2.7	35	5.0
167 Arterial embolism and thrombosis	18,242	18.9	242	34.0
168 Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169 Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170 Varicose veins of lower extremities	27,241	28.2	231	32.5
171 Hemorrhoids	54,894	56.8	328	46.2
172 Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173 Acute URI except streptococcal	83,925	86.9	327	46.0
174 Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175 Deviated nasal septum	41,665	43.1	118	16.6
176 Nasal polyp	6,660	6.9	19	2.7
177 Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178 Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179 Pneumonia	196,466	203.3	1,627	228.8
180 Influenza	12,797	13.2	66	9.2
181 Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182 Emphysema	15,061	15.6	152	21.4
183 Asthma	98,950	102.4	597	84.0
184 Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185 Spontaneous pneumothorax	10,306	10.7	86	12.1
186 Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1		0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293	Pilonidal cyst	19,359	20.0	86	12.1
294	Sebaceous cyst	8,630	8.9	22	3.1
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296	Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297	Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298	Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299	Other arthropathies	15,245	15.8	147	20.7
300	Internal derangement of knee joint	46,879	48.5	227	31.9
301	Other disorders of joint	36,115	37.4	204	28.7
302	Ankylosing spondylitis	767	0.8	7	1.0
303	Spondylosis and allied disorders	31,466	32.6	294	41.3
304	Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306	Sacroiliac joint disorder	13,734	14.2	119	16.7
307	Sciatica	7,643	7.9	73	10.3
308	Other dorsopathies	80,127	82.9	693	97.4
309	Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310	Bunion and deformities of toe	38,223	39.6	184	25.9
311	Ganglion and cyst	24,035	24.9	65	9.1
312	Osteomyelitis	8,377	8.7	141	19.8
313	Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377 Miscellaneous crushing injury	4,231	4.4	29	4.1
378 Foreign body on external eye	420	0.4	1	0.2
379 Foreign body entering through other body orifice	10,444	10.8	32	4.5
380 Third degree burns	6,105	6.3	110	15.5
381 Other burns	15,932	16.5	143	20.1
382 Injury to nerve and spinal cord	5,731	5.9	34	4.8
383 Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384 Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386 Miscellaneous adverse effects	15,811	16.4	93	13.0
387 Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388 Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389 Postoperative wound infection	10,950	11.3	107	15.1
390 Other complications of surgical procedures	14,627	15.1	128	18.0
391 Other complications of medical care, except drugs	1,126	1.2	7	0.9
392 Admission for prophylactic sterilization	79,132	81.9	168	23.6
396 Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397 Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398	Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
	All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
244	Pelvic inflammatory disease	65,002	35	50	33	35	36
130	Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351	Fracture of neck of femur	64,926	37	31	41	41	23
209	Diverticula of intestine	63,333	38	36	37	34	51
045	Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056	Uterine leiomyoma	60,817	40	28	52	38	44
148	Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137	Essential hypertension	58,878	42	58	32	37	91
248	Genital prolapse	58,313	43	60	47	36	43
384	Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376	Other superficial injuries	55,654	45	62	39	49	45
102	Neurotic depression	55,160	46	79	36	42	64
171	Hemorrhoids	54,894	47	52	51	39	68
197	Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316	Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186	Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027	Malignant neoplasm of bronchus, lung, and trachea	53,623	51	45	59	45	49
263	False labor	52,644	52	61	35	78	58
241	Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
178	Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329	Convulsions	44,153	69	54	70	68	83
001	Intestinal infectious disease	44,002	70	77	76	58	57
362	Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150	Miscellaneous diseases of heart	42,868	72	76	69	71	63
192	Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175	Deviated nasal septum	41,665	74	41	84	93	67
309	Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216	Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120	Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245	Endometriosis	40,030	79	96	79	73	65
207	Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232	Cystitis	38,879	81	97	66	76	131
349	Fracture of radius and ulna	38,411	82	84	77	100	72
117	Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310	Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

		All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
251	Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348	Fracture of humerus	24,980	118	123	114	133	106
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012	Miscellaneous viral diseases	24,590	120	109	130	116	119
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369	Other laceration of head and neck	24,345	122	133	118	130	112
331	Headache	24,243	123	227	116	91	163
090	Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311	Ganglion and cyst	24,035	125	132	121	112	153
337	Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203	Ventral hernia without complication	22,390	128	127	132	135	126
230	Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
297 Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365 Intracranial injury, except concussion	21,788	131	145	123	143	132
068 Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268 Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242 Miscellaneous diseases of breast	20,590	135	134	153	129	143
164 Atherosclerosis	20,362	136	168	134	142	124
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168 Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101 Anxiety states	20,037	139	192	119	139	194
190 Gastric ulcer without complication	19,941	140	174	136	126	187
098 Major depressive psychoses	19,908	141	130	131	174	155
126 Strabismus	19,678	142	135	143	146	149
134 Miscellaneous diseases of ear	19,521	143	162	151	140	128
293 Pilonidal cyst	19,359	144	111	147	159	195
239 Redundant prepuce and phimosis	19,255	145	137	160	114	250
132 Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
198	Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103	Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116	Epilepsy	18,925	149	150	144	150	151
144	Pulmonary embolism and infarction	18,875	150	138	158	151	150
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346	Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396	Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330	Pyrexia of unknown origin	18,430	154	161	168	134	158
227	Miscellaneous kidney infections	18,290	155	172	148	137	183
167	Arterial embolism and thrombosis	18,242	156	131	175	169	137
051	Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072	Diabetic acidosis or coma	18,113	158	154	161	158	145
350	Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352	Other femoral fracture	18,072	160	158	164	156	142
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
240	Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151	Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374	Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110	Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094	Paranoid schizophrenia	17,159	168	149	186	196	109
156	Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055	Benign neoplasm of breast	16,452	170	143	195	138	221
372	Open wound of lower limb	16,440	171	193	179	154	169
363	Other sprains and strains	16,347	172	195	163	194	138
246	Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336	Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
034	Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128	Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381	Other burns	15,932	177	185	166	175	189
386	Miscellaneous adverse effects	15,811	178	180	170	182	178
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070	Other diseases of thyroid gland	15,530	180	194	169	161	216
299	Other arthropathies	15,245	181	213	184	178	166
082	Iron deficiency anemia	15,239	182	167	177	173	220
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100	Miscellaneous psychoses	15,142	184	184	187	185	176
226	Acute pyelonephritis	15,135	185	228	180	166	182
182	Emphysema	15,061	186	205	174	183	192
118	Migraine	14,859	187	247	165	172	203
236	Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390	Other complications of surgical procedures	14,627	189	199	198	197	139
347	Fracture of pelvis	14,592	190	181	190	201	168
383	Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212	Alcoholic liver disease	14,279	192	147	208	214	152
388	Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213	Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099	Other affective psychoses	13,937	195	201	185	217	174
367	Internal injury, except chest	13,906	196	191	204	195	164
254	Ectopic pregnancy	13,749	197	187	206	200	165
306	Sacroiliac joint disorder	13,734	198	241	162	220	197
066	Carcinoma in situ of cervix	13,481	199	208	202	188	199
224	Chronic renal failure	13,269	200	157	228	189	196
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332	Epistaxis	13,169	202	204	196	205	202
370	Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086	Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136	Chronic rheumatic heart disease	12,895	205	175	205	226	180
180	Influenza	12,797	206	317	189	203	162
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008	Viral diseases with exanthem	12,459	208	229	197	207	217
258	Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202	Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
087	Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325	Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131	Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191	Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031	Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259	Threatened abortion	11,635	216	230	182	239	267
214	Miscellaneous diseases of liver	11,592	217	212	218	212	210
121	Retinal detachment and defects	11,462	218	182	260	218	167
360	Sprains and strains of knee and leg	11,291	219	255	212	250	171
328	Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092	Alcoholic psychoses	10,957	222	170	270	222	184
389	Postoperative wound infection	10,950	223	240	232	228	186
206	Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
199	Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188	Disease of mouth, except dental	10,919	226	222	226	213	223
019	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035	Malignant neoplasm of ovary	10,687	228	207	225	233	222
165	Aortic aneurysm	10,542	229	224	239	223	207
379	Foreign body entering through other body orifice	10,444	230	216	240	230	211
185	Spontaneous pneumothorax	10,306	231	225	238	215	235
217	Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237	Hydrocele	10,165	233	226	227	238	234
079	Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320	Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146	Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005	Septicemia	9,877	238	211	249	234	229
359	Other dislocation	9,705	239	246	236	245	218
238	Orchitis and epididymitis	9,645	240	253	223	229	261
009	Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
266 Infections of pregnancy without delivery	8,022	258	275	253	246	274
249 Metrorrhagia	7,921	259	244	258	255	291
064 Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341 Fracture of vault of skull	7,686	262	268	265	268	240
307 Sciatica	7,643	263	248	245	290	277
113 Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114 Parkinson's disease	7,479	265	257	255	273	282
133 Otosclerosis	7,447	266	262	274	265	248
021 Malignant neoplasm of stomach	7,393	267	234	279	278	252
324 Undescended testicle	7,383	268	254	269	272	259
040 Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026 Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048 Leukemia, except lymphoid	7,237	271	261	262	282	262
357 Dislocation of shoulder	7,163	272	293	259	279	244
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122 Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
083 Sickle-cell anemia and trait	6,949	275	278	267	242	336
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139 Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296 Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176 Nasal polyp	6,660	279	249	276	299	276
115 Multiple sclerosis	6,590	280	272	254	314	283
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107 Nondependent abuse of alcohol	6,255	282	288	263	297	297
323 Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368 Laceration or enucleation of eye	6,227	284	291	294	269	260
218 Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355 Fracture of other bones	6,154	286	302	280	287	266
380 Third degree burns	6,105	287	301	285	267	275
004 Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382	Injury to nerve and spinal cord	5,731	290	297	298	289	257
366	Internal injury to thoracic region	5,701	291	305	299	283	255
375	Contusion of eye and adnexa	5,678	292	290	291	292	285
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042	Malignant neoplasm of brain	5,497	294	298	293	295	280
046	Hodgkins' disease	5,389	295	277	288	309	306
225	Other renal failure	5,375	296	283	302	286	311
017	Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030	Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125	Cataract, except senile	5,170	300	284	308	301	279
342	Fracture of base of skull	5,163	301	309	304	308	253
047	Lymphoid leukemia	5,098	302	286	301	310	293
050	Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
322	Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065	Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318	Congenital anomaly of nervous system	2,128	342	348	341	336	341
152	Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108	Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057	Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345	Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288	Major puerperal infections	1,766	347	352	344	347	337
317	Somatic dysfunction	1,650	348	366	326	369	367
373	Injury to blood vessels	1,622	349	353	349	345	346
089	Transient organic psychotic conditions	1,564	350	349	355	350	339
095	Acute schizophrenic episode	1,556	351	346	351	359	332
145	Acute and subacute endocarditis	1,553	352	337	354	353	348
061	Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112	Mental retardation	1,484	354	354	347	346	357
223	Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140 Acute myocardial infarction	1,770	1	1	2	2	1
179 Pneumonia	1,627	2	3	1	1	2
149 Heart failure	1,478	3	2	3	5	5
351 Fracture of neck of femur	1,320	4	4	6	6	3
143 Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215 Gallbladder disease with calculus	1,302	6	5	5	4	6
304 Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211 Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104 Alcoholic dependence syndrome	841	9	13	7	33	9
235 Hyperplasia of prostate	791	10	8	14	11	14
045 Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071 Diabetes mellitus without complication	733	12	15	11	13	47
200 Inguinal hernia without complication	730	13	11	15	17	15
102 Neurotic depression	723	14	41	10	16	24
340 Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
027	Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208	Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308	Other dorsopathies	693	18	31	16	18	8
398	Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184	Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234	Miscellaneous urinary diseases	667	21	29	19	10	31
161	Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298	Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295	Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183	Asthma	597	25	22	23	25	22
209	Diverticula of intestine	562	26	21	29	23	32
073	Other complicated diabetes mellitus	543	27	23	22	48	44
096	Miscellaneous schizophrenia	537	28	20	27	49	27
023	Malignant neoplasm of colon	525	29	17	35	38	33
141	Angina pectoris	515	30	37	30	28	29
169	Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
186	Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124	Senile cataract	506	33	27	38	37	23
148	Other arrhythmia and conduction disorders	498	34	24	36	39	36
195	Gastritis and duodenitis	495	35	46	26	31	55
248	Genital prolapse	486	36	53	34	24	34
174	Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032	Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313	Localized disorders of bone and cartilage	449	39	43	41	44	25
207	Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056	Uterine leiomyoma	443	41	38	50	35	41
352	Other femoral fracture	440	42	42	47	41	28
250	Other disorders of menstruation	439	43	58	39	30	63
338	Abdominal pain	429	44	67	46	26	43
142	Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137	Essential hypertension	418	46	54	33	43	107
291	Cellulitis and abscess, except digit	416	47	35	48	56	45
117	Miscellaneous disease of central nervous system	410	48	40	45	61	39
335	Chest pain	392	49	77	54	36	51
244	Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region Northeast (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
160	Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150	Miscellaneous diseases of heart	386	52	56	49	57	46
361	Sprains and strains of sacroiliac region	384	53	69	42	51	60
163	Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216	Gallbladder disease without mention of calculus	370	55	59	59	45	74
037	Malignant neoplasm of prostate	369	56	50	62	55	49
354	Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177	Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219	Diseases of pancreas	355	59	51	63	60	58
229	Calculus of ureter	345	60	74	70	40	67
181	Bronchitis, chronic and unspecified	339	61	89	60	53	68
098	Major depressive psychoses	339	62	44	56	89	80
387	Complications peculiar to certain specified procedures	339	63	57	73	75	30
171	Hemorrhoids	328	64	85	64	52	91
173	Acute URI except streptococcal	327	65	93	58	63	93
316	Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
344	Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362	Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252	Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138	Hypertensive heart disease	306	70	70	71	62	116
192	Nongastric peptic ulcer without complication	302	71	105	67	54	112
090	Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111	Miscellaneous mental disorders	302	73	97	61	72	99
220	Gastrointestinal hemorrhage	302	74	52	80	76	65
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303	Spondylosis and allied disorders	294	76	101	65	73	88
353	Fracture of tibia and fibula	284	77	80	79	81	56
376	Other superficial injuries	281	78	90	72	83	82
384	Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094	Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120 Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305 Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162 Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164 Atherosclerosis	265	84	99	83	82	75
253 Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245 Endometriosis	260	86	114	84	80	66
158 Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144 Pulmonary embolism and infarction	257	88	79	98	86	84
297 Rheumatoid arthritis, except spine	256	89	108	82	85	86
189 Diseases of esophagus	255	90	102	87	74	109
197 Acute appendicitis without peritonitis	253	91	96	88	96	64
204 Diaphragmatic hernia without complication	250	92	119	91	66	128
081 Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
039 Malignant neoplasm of bladder	248	95	62	95	108	103
147 Atrial fibrillation and flutter	243	96	71	106	98	94
364 Concussion	242	97	61	94	130	96
167 Arterial embolism and thrombosis	242	98	65	112	100	85
168 Miscellaneous diseases of arteries	241	99	63	109	91	113
329 Convulsions	240	100	72	102	94	121
347 Fracture of pelvis	239	101	91	101	106	78
099 Other affective psychoses	235	102	106	77	127	97
193 Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170 Varicose veins of lower extremities	231	104	82	99	105	120
100 Miscellaneous psychoses	229	105	107	92	104	108
300 Internal derangement of knee joint	227	106	113	104	123	53
172 Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084 Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243 Ovarian cyst	216	109	110	111	95	110
348 Fracture of humerus	208	110	100	113	117	106
232 Cystitis	205	111	128	90	111	164
301 Other disorders of joint	204	112	127	114	124	73
001 Intestinal infectious disease	203	113	122	116	101	102
103 Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
212	Alcoholic liver disease	192	115	88	137	140	70
358	Dislocation of knee	190	116	139	117	122	90
334	Gangrene	190	117	78	128	120	165
198	Acute appendicitis with peritonitis	190	118	111	121	129	95
309	Bursitis and synovitis, except spine	188	119	134	115	118	118
230	Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310	Bunion and deformities of toe	184	121	138	105	157	111
228	Calculus of kidney	182	122	118	122	107	151
187	Disease of teeth and jaws	181	123	103	118	116	182
151	Cardiovascular disease, unspecified	177	124	145	156	79	159
365	Intracranial injury, except concussion	174	125	144	129	126	104
190	Gastric ulcer without complication	172	126	157	119	109	156
156	Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349	Fracture of radius and ulna	168	128	129	124	142	119
392	Admission for prophylactic sterilization	168	129	130	127	115	167
210	Anal fissure, fistula, and abscess	167	130	131	133	119	138
203	Ventral hernia without complication	167	131	124	131	133	132
178	Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
068	Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196	Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241	Benign mammary dysplasia	156	135	161	141	114	162
346	Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213	Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072	Diabetic acidosis or coma	153	138	137	142	141	133
257	Spontaneous and unspecified abortion	153	139	150	125	148	168
182	Emphysema	152	140	147	134	143	144
110	Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165	Aortic aneurysm	152	142	133	153	139	123
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299	Other arthropathies	147	144	167	145	146	124
130	Otitis media, chronic and unspecified	145	145	171	146	134	147
233	Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
381 Other burns	143	147	173	147	135	148
312 Osteomyelitis	141	148	126	159	159	127
224 Chronic renal failure	140	149	125	176	145	135
343 Fracture of face bones	138	150	159	154	151	134
005 Septicemia	137	151	117	165	162	140
337 Signs and symptoms referable to urinary system	137	152	132	150	153	204
034 Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227 Miscellaneous kidney infections	136	154	175	151	137	176
101 Anxiety states	135	155	211	126	150	207
339 Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367 Internal injury, except chest	133	158	170	171	155	115
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331 Headache	129	160	244	148	121	197
390 Other complications of surgical procedures	128	161	172	167	171	114
082 Iron deficiency anemia	128	162	151	155	158	208
191 Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217 Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
086 Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019 Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012 Miscellaneous viral diseases	111	181	178	187	166	178
380 Third degree burns	110	182	207	189	154	163
372 Open wound of lower limb	108	183	203	186	163	170
389 Postoperative wound infection	107	184	194	196	185	130
040 Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369 Other laceration of head and neck	106	186	195	183	175	174
336 Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226 Acute pyelonephritis	104	188	216	181	169	185
053 Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132 Vertiginous syndromes	103	190	209	168	186	198
206 Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113 Inflammatory diseases of central nervous system	101	192	208	198	182	155
042 Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
114 Parkinson's disease	96	194	168	193	208	218
119 Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386 Miscellaneous adverse effects	93	196	202	194	199	203
383 Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092 Alcoholic psychoses	89	198	177	248	206	139
008 Viral diseases with exanthem	89	199	218	197	200	206
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048 Leukemia, except lymphoid	87	201	188	200	233	191
185 Spontaneous pneumothorax	86	202	196	211	196	205
293 Pilonidal cyst	86	203	184	204	209	253
009 Viral hepatitis	84	204	217	209	193	211
025 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028 Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254 Ectopic pregnancy	81	207	213	213	214	189
127 Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134	Miscellaneous diseases of ear	53	257	272	262	244	245
202	Umbilical hernia without complication	53	258	257	255	245	276
109	Psychophysiologic disorder	52	259	290	243	253	282
385	Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047	Lymphoid leukemia	52	261	240	258	278	259
366	Internal injury to thoracic region	51	262	280	273	254	222
069	Simple and non-toxic nodular goiter	51	263	287	265	235	288
046	Hodgkin's disease	51	264	232	257	282	278
333	Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146	Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083	Sickle-cell anemia and trait	50	267	263	261	236	334
188	Disease of mouth, except dental	50	268	267	268	261	260
145	Acute and subacute endocarditis	48	269	220	298	289	243
152	Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355 Fracture of other bones	39	289	295	282	285	269
105 Opioid dpendence	39	290	140	352	360	339
131 Other inflammation of ear and mastoid	38	291	281	297	281	289
345 Fracture of vertebral column with cord injury	38	292	307	305	274	248
262 Excessive vomiting in pregnancy	36	293	306	279	295	293
080 Gout	35	294	300	287	284	311
166 Aneurysm except aortic	35	295	284	300	297	283
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015 Mycoses	35	297	337	289	298	254
382 Injury to nerve and spinal cord	34	298	305	306	288	271
067 Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315 Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
259	Threatened abortion	33	301	313	272	312	331
044	Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379	Foreign body entering through other body orifice	32	303	293	310	301	286
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221	Intestinal malabsorption	32	305	303	294	317	297
091	Arteriosclerotic dementia	32	306	299	301	291	325
122	Open angle and primary closure glaucoma	31	307	279	315	306	305
205	Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258	Other pregnancy with abortive outcome	30	309	308	302	308	307
266	Infections of pregnancy without delivery	29	310	317	308	299	309
357	Dislocation of shoulder	29	311	321	304	314	291
377	Miscellaneous crushing injury	29	312	322	303	322	285
014	Syphilis and other venereal diseases	27	313	324	313	310	301
368	Laceration or enucleation of eye	27	314	315	325	305	294
319	Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
036 Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375 Contusion of eye and adnexa	26	317	309	322	315	303
324 Undescended testicle	26	318	310	316	319	316
011 Viral warts	26	319	323	311	311	342
107 Nondependent abuse of alcohol	24	320	331	312	318	344
095 Acute schizophrenic episode	24	321	298	321	347	287
249 Metrorrhagia	24	322	332	318	309	328
065 Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004 Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294 Sebaceous cyst	22	325	312	326	320	348
135 Rheumatic fever, acute	22	326	318	323	327	326
038 Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133 Otosclerosis	21	328	329	332	325	320
155 Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050 Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093 Drug psychoses	21	331	334	328	336	304
089 Transient organic psychotic conditions	20	332	311	342	326	315
318 Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

		All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
059 Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018 Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060 Benign neoplasm of male genital organ	3	372	373	373	371	373
097 Childhood psychosis	3	373	367	374	374	370
260 Other early pregnancy hemorrhage	2	374	374	372	373	374
062 Benign neoplasm of eye	1	375	375	375	376	376
378 Foreign body on external eye	1	376	376	376	375	375
256 Other induced abortion	0	377	377	377	377	377
All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	*Benign prostatic hyperplasia (BPH)*

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

73 Diabetes mellitus, uncontrolled
72 Diabetic acidosis
73 Diabetic cataract
72 Diabetic coma
73 Diabetic gangrene
73 Diabetic nephropathy
73 Diabetic neuropathy
73 Diabetic retinopathy
73 Diabetic ulcer
397 Dialysis, peritoneal
397 Dialysis, renal
204 Diaphragmatic hernia
208 Diarrhea, except infectious and functional
211 Diarrhea, functional
1 Diarrhea, infectious
6 Diphtheria
Disease
- 199 Appendix, except acute appendicitis
- 151 Arteriosclerotic cardiovascular
- 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
- 13 Arthropod-borne
- 79 Autoimmune
- 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
- 218 Biliary ducts
- 234 Bladder, except calculus and cystitis
- 313 Bone, except osteomyelitis and osteoarthritis
- 242 Breast, except fibrocystic
- 241 Breast, fibrocystic
- 221 Celiac
- Central nervous system
  - 7 Enteroviral
  - 113 Inflammatory, except enteroviral
  - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
- Cerebrovascular – *see Cerebrovascular accident*
- 136 Chronic rheumatic heart
- 296 Connective tissue, diffuse
- 143 Coronary artery
- 211 Crohn's
- 75 Cushing's
- 187 Dental
- 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number — Title

131 Otitis media, acute
133 Otosclerosis
243 Ovarian cyst
252 Ovarian disease, except endometriosis and dysfunction
74 Ovarian dysfunction
254 Ovarian pregnancy
74 Ovary, polycystic
384 Overdose, drug

Paget's disease — *see Disease, Paget's*
Pain
- 338 Abdominal
- 335 Chest
- 253 Female genital organ
- 331 Head
- 335 Precordial

219 Pancreatic disease
128 Papilledema
114 Paralysis agitans
207 Paralytic ileus
100 Paranoia, except schizophrenic
94 Paranoid schizophrenia
114 Parkinsonism
146 Paroxysmal atrial or supraventricular tachycardia
17 Pediculosis
Peptic ulcer — *see Ulcer, peptic*
189 Perforation, esophagus
397 Peritoneal dialysis treatment
211 Peritonitis, except due to appendicitis
84 Pernicious anemia
6 Pertussis
314 Pes planus
116 Petit mal epilepsy
240 Peyronie's disease
239 Phimosis
169 Phlebitis
244 PID
171 Piles
293 Pilonidal cyst
16 Pinworm infection
70 PKU
264 Placenta previa
271 Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.2

Length of Stay in PAS Hospitals,

by Operation,

United States,

1979

A Supplement To
Length of Stay in PAS Hospitals,
by Diagnosis,
United States, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:
- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List B: Hospital Procedure Groups 7
    Definition of Multiple Dx Patients 8
  Explanation of Statistics 8
  Defining the Extended Stay Case 10
Length of Stay Tables 19
  Summary of All Patients 21
  Operation Groups 501-764 22
Distribution Tables 89
  Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
  Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104
  Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 141
Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.